

平成29年度 日本室内選手権飛込競技大会
兼国際大会選手選考会

採点詳細

男子 3m 飛板飛込 予選

開催日 2017/06/10
東京辰巳国際水泳場

審判長 谷内 覚

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

機械操作 矢作 貴則

記録主任 伊地知 健

- | | | | |
|---|--------|---|--------|
| 1 | 鈴木 羊子 | 1 | 小谷 理貴子 |
| 2 | 川城 智亮 | 2 | 坂井由美子 |
| 3 | 坂田 芳寛 | 3 | 瓶子勇治郎 |
| 4 | 柴田 哲治 | 4 | 布村 隆 |
| 5 | 吉原 直博 | 5 | 湯浅 よしの |
| 6 | 阿部 しげの | 6 | 二木 廣幸 |
| 7 | 毒島 めぐみ | 7 | 安田千万樹 |

演技順	順位	氏名 Type Height	DD	(1)	(2)	(3)	(4)	(5)	所属 (6) (7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
18	1	寺内 健 205 B 3.0	3.0	7.5	8.5	8.0	8.0	7.5	ミキハウス 7.5 7.0		69.00	3	69.00	3	3.85	425.70
		305 B 3.0	3.0	8.5	7.5	8.5	8.0	8.0	8.5 8.0		73.50	1	142.50	1		
		5353 B 3.0	3.3	8.0	7.5	8.0	8.5	7.5	7.5 8.0		77.55	1	220.05	1		
		405 B 3.0	3.0	7.5	7.0	7.0	7.5	7.0	7.5 7.0		64.50	3	284.55	1		
		5154 B 3.0	3.4	7.5	7.0	7.5	6.5	7.0	6.5 7.0		71.40	1	355.95	1		
		107 B 3.0	3.1	7.5	7.5	7.5	7.0	7.5	7.5 7.5		69.75	4	425.70	1		
27	2	伊藤 洸輝 107 B 3.0	3.1	7.5	7.5	7.5	7.0	7.5	JOC EA 8.0 8.0		69.75	2	69.75	2	3.10	381.35
		205 B 3.0	3.0	5.0	6.0	5.5	5.0	5.5	4.5 4.5		46.50	15	116.25	9	26.25	
		305 B 3.0	3.0	7.0	7.0	7.0	6.0	7.0	7.5 7.5		63.00	5	179.25	4	40.80	
		405 B 3.0	3.0	7.5	7.5	7.5	7.0	7.0	7.5 7.0		66.00	2	245.25	2	39.30	
		307 C 3.0	3.5	5.5	6.5	6.0	6.0	6.0	6.0 6.0		63.00	=2	308.25	2	47.70	
		5154 B 3.0	3.4	7.5	7.0	7.5	6.5	7.0	7.0 7.5		73.10	3	381.35	2	44.35	
16	3	新良貴 優 107 B 3.0	3.1	6.5	6.0	7.0	6.5	6.5	福井体協 6.0 6.0		58.90	=8	58.90	=8	13.95	353.65
		205 B 3.0	3.0	6.5	6.5	6.5	7.5	7.0	6.5 6.5		58.50	9	117.40	8	25.10	
		307 C 3.0	3.5	5.5	6.0	6.0	6.5	6.0	5.5 5.5		61.25	6	178.65	6	41.40	
		405 B 3.0	3.0	7.5	6.0	7.0	6.5	7.5	6.5 7.5		63.00	=4	241.65	5	42.90	
		5154 B 3.0	3.4	4.5	6.5	6.0	5.5	5.5	6.0 6.0		59.50	=4	301.15	3	54.80	
		5337 D 3.0	3.5	5.0	5.0	4.5	5.0	5.0	5.0 5.0		52.50	13	353.65	3	72.05	
12	4	長谷川 寛人 107 B 3.0	3.1	6.0	6.0	6.0	6.5	6.0	長岡DC 6.5 6.5		57.35	12	57.35	12	15.50	353.25
		205 B 3.0	3.0	6.0	5.0	6.5	5.5	6.0	6.5 6.5		55.50	11	112.85	11	29.65	
		405 B 3.0	3.0	7.0	7.5	8.0	6.5	7.0	7.5 7.5		66.00	3	178.85	5	41.20	
		5152 B 3.0	3.0	7.0	6.5	7.0	7.0	7.0	6.0 7.0		63.00	=4	241.85	4	42.70	
		305 B 3.0	3.0	5.5	6.5	6.5	6.0	6.0	7.0 6.5		57.00	=9	298.85	5	57.10	
		5154 B 3.0	3.4	5.5	5.5	5.0	5.0	5.5	5.0 5.5		54.40	12	353.25	4	72.45	
9	5	大久保 柗 107 B 3.0	3.1	6.5	6.5	7.0	6.0	6.0	筑波大 6.0 6.5		58.90	=8	58.90	=8	13.95	347.20
		5154 B 3.0	3.4	3.5	3.5	4.0	3.0	4.0	4.0 3.0		37.40	23	96.30	16	46.20	
		405 C 3.0	2.7	7.0	6.5	7.0	6.0	7.0	7.0 7.0		56.70	=9	153.00	14	67.05	
		207 C 3.0	3.6	6.0	6.0	6.0	5.5	5.0	5.5 5.0		61.20	6	214.20	=10	70.35	
		307 C 3.0	3.5	6.0	5.5	6.0	5.5	6.0	5.5 5.5		59.50	=4	273.70	9	82.25	
		5337 D 3.0	3.5	7.5	7.0	7.0	5.5	7.0	7.0 7.0		73.50	2	347.20	5	78.50	

平成29年度 日本室内選手権飛込競技大会
兼国際大会選手選考会

採点詳細

男子 3m 飛板飛込 予選

開催日 2017/06/10
東京辰巳国際水泳場

審判長 谷内 寛

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

機械操作 矢作 貴則
記録主任 伊地知 健

- 1 鈴木 羊子
- 2 川城 智亮
- 3 坂田 芳寛
- 4 柴田 哲治
- 5 吉原 直博
- 6 阿部 しげの
- 7 毒島 めぐみ
- 1 小谷 理貴子
- 2 坂井由美子
- 3 瓶子勇治郎
- 4 布村 隆
- 5 湯浅 よしの
- 6 二木 廣幸
- 7 安田千万樹

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.										
21	11	千歩 純一	205B	3.0	3.0	6.5	センバ ジュン仔			6.5	ミキハウス	6.5	6.5	=10	58.50	=10	58.50	=10	14.35	330.00										
							6.5	7.0	7.5												6.5	7.0	7.0	6.5	7.0	63.55	=4	122.05	7	20.45
							6.5	7.0	7.5												6.5	7.0	7.0	6.5	7.0	44.20	17	166.25	10	53.80
							6.5	7.0	7.5												6.5	7.0	7.0	6.5	7.0	46.50	17	212.75	12	71.80
							6.5	7.0	7.5												6.5	7.0	7.0	6.5	7.0	57.75	7	270.50	10	85.45
							6.5	7.0	7.5												6.5	7.0	7.0	6.5	7.0	59.50	7	330.00	11	95.70
29	12	西田 玲雄	305B	3.0	3.0	6.0	ニシダ レオ			5.5	桃山学/大阪水泳	5.0	5.0	=17	48.00	=17	48.00	=17	24.85	326.70										
							5.5	5.0	6.5												5.5	5.0	5.0	5.5	5.0	43.50	21	91.50	18	51.00
							5.5	5.0	6.5												5.5	5.0	5.0	5.5	5.0	63.80	4	155.30	13	64.75
							5.5	5.0	6.5												5.5	5.0	5.0	5.5	5.0	58.90	7	214.20	=10	70.35
							5.5	5.0	6.5												5.5	5.0	5.0	5.5	5.0	51.00	15	265.20	12	90.75
							5.5	5.0	6.5												5.5	5.0	5.0	5.5	5.0	61.50	6	326.70	12	99.00
20	13	崎戸 史也	5152B	3.0	3.0	6.5	サキト フミヤ			6.5	日本体育大	7.0	7.0	=7	60.00	=7	60.00	=7	12.85	325.65										
							6.5	7.0	6.5												6.5	7.0	7.0	6.5	7.0	69.75	2	129.75	3	12.75
							6.5	7.0	6.5												6.5	7.0	7.0	6.5	7.0	45.90	15	175.65	8	44.40
							6.5	7.0	6.5												6.5	7.0	7.0	6.5	7.0	43.50	18	219.15	8	65.40
							6.5	7.0	6.5												6.5	7.0	7.0	6.5	7.0	39.00	18	258.15	13	97.80
							6.5	7.0	6.5												6.5	7.0	7.0	6.5	7.0	67.50	5	325.65	13	100.05
6	14	野口 基勝	405B	3.0	3.0	6.5	ノグチ モトキ			6.0	福山平成大学	6.5	6.0	=13	57.00	=13	57.00	=13	15.85	325.35										
							6.5	6.0	6.5												6.0	6.0	6.5	6.0	6.0	57.35	10	114.35	10	28.15
							6.5	6.0	6.5												6.5	6.0	6.0	6.5	6.0	55.50	11	169.85	9	50.20
							6.5	6.0	6.5												6.5	6.0	6.0	6.5	6.0	40.50	=20	210.35	13	74.20
							6.5	6.0	6.5												6.5	6.0	6.0	6.5	6.5	57.00	=9	267.35	11	88.60
							6.5	6.0	6.5												6.5	6.0	6.0	6.5	6.5	58.00	9	325.35	14	100.35
15	15	井戸畑 和馬	305B	3.0	3.0	5.5	イトハタ カズマ			5.5	常翔学/大阪水泳	5.5	5.5	=15	49.50	=15	49.50	=15	23.35	290.50										
							5.5	6.0	6.0												5.5	6.0	6.0	5.5	6.0	53.65	13	103.15	14	39.35
							5.5	6.0	6.0												5.5	6.0	6.0	5.5	6.0	52.50	13	155.65	12	64.40
							5.5	6.0	6.0												5.5	6.0	6.0	5.5	6.0	41.85	19	197.50	15	87.05
							5.5	6.0	6.0												5.5	6.0	6.0	5.5	6.0	36.00	=21	233.50	17	122.45
							5.5	6.0	6.0												5.5	6.0	6.0	5.5	6.0	57.00	10	290.50	15	135.20

平成29年度 日本室内選手権飛込競技大会
兼国際大会選手選考会

採点詳細

男子 3m 飛板飛込 予選

開催日 2017/06/10
東京辰巳国際水泳場

審判長 谷内 覚

審判団

制限選択飛回数 0 回
自由選択飛回数 6 回
難易率合計 以内
気温 26.0 °C
水温 28.0 °C
天候

機械操作 矢作 貴則

記録主任 伊地知 健

1 鈴木 羊子 1 小谷 理貴子
2 川城 智亮 2 坂井由美子
3 坂田 芳寛 3 瓶子勇治郎
4 柴田 哲治 4 布村 隆
5 吉原 直博 5 湯浅 よしの
6 阿部 しげの 6 二木 廣幸
7 毒島 めぐみ 7 安田 千万樹

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
25	16	有岡 優一						アリカ ヲウイチ					大工大/大阪水泳					284.80		
			105B	3.0	2.4	7.0	6.5	6.5	6.5	7.0	7.0	6.5	48.00	=17	48.00	=17	24.85			
			107B	3.0	3.1	4.5	4.5	4.0	4.5	4.0	5.0	4.0	40.30	22	88.30	19	54.20			
			5152B	3.0	3.0	5.5	6.5	6.5	5.0	6.0	6.0	6.0	54.00	12	142.30	15	77.75			
			405B	3.0	3.0	6.5	6.0	6.5	6.0	6.5	6.0	7.0	57.00	8	199.30	14	85.25			
			205B	3.0	3.0	6.0	5.5	6.0	6.0	6.0	6.0	6.0	54.00	=12	253.30	15	102.65			
			305B	3.0	3.0	2.5	3.5	3.5	3.5	3.5	4.0	3.5	31.50	24	284.80	16	140.90			
4	17	佐藤 竜馬						サトウ リョウマ					常葉大					280.90		
			205B	3.0	3.0	3.5	3.5	3.0	3.0	3.5	3.5	3.5	31.50	24	31.50	24	41.35			
			305B	3.0	3.0	5.5	5.0	5.5	6.0	5.5	5.5	5.0	49.50	14	81.00	21	61.50			
			405C	3.0	2.7	7.0	7.0	7.0	7.0	6.5	7.0	6.5	56.70	=9	137.70	16	82.35			
			5335D	3.0	2.9	6.5	5.5	6.0	5.5	6.0	6.0	6.0	52.20	12	189.90	17	94.65			
			5235D	3.0	2.8	7.5	7.0	6.5	7.0	6.0	7.0	6.0	57.40	8	247.30	16	108.65			
107C	3.0	2.8	3.5	4.0	4.5	3.5	4.0	4.5	4.0	33.60	23	280.90	17	144.80						
23	18	伊熊 扇李						イクマ センリ					浜松学院中					266.20		
			107C	3.0	2.8	3.0	3.0	2.5	3.0	3.5	2.5	3.0	25.20	25	25.20	25	47.65			
			205C	3.0	2.8	5.5	5.0	5.5	6.0	5.5	4.5	4.5	44.80	=18	70.00	23	72.50			
			305C	3.0	2.8	7.0	7.5	7.5	7.5	7.0	7.0	7.0	60.20	7	130.20	19	89.85			
			405C	3.0	2.7	5.5	4.5	4.5	5.5	5.0	4.0	4.5	37.80	22	168.00	21	116.55			
			5235D	3.0	2.8	6.0	5.5	7.0	7.0	6.0	6.0	6.5	51.80	14	219.80	18	136.15			
5335D	3.0	2.9	5.5	4.5	6.0	5.5	5.0	5.5	5.0	46.40	16	266.20	18	159.50						
24	19	山本 馨						ヤマモト ケイ					大分DC					256.80		
			205B	3.0	3.0	6.5	6.5	7.0	6.5	6.0	6.5	7.0	58.50	=10	58.50	=10	14.35			
			5152B	3.0	3.0	4.5	5.0	5.0	4.0	5.0	5.5	5.5	45.00	=16	103.50	13	39.00			
			5335D	3.0	2.9	3.5	3.5	3.0	3.0	3.5	2.5	3.0	27.55	22	131.05	18	89.00			
			405B	3.0	3.0	6.0	5.5	5.5	5.5	5.5	5.5	5.5	49.50	=14	180.55	19	104.00			
			107B	3.0	3.1	3.5	5.0	4.5	4.0	4.5	3.5	4.0	38.75	19	219.30	19	136.65			
305B	3.0	3.0	4.0	3.5	5.0	4.0	4.0	4.5	4.5	37.50	22	256.80	19	168.90						
2	20	金戸 快						カネト ケイ					セントラルD/日出高					241.80		
			107C	3.0	2.8	4.5	4.5	5.5	4.5	5.5	5.0	5.0	40.60	22	40.60	22	32.25			
			205C	3.0	2.8	7.5	6.5	7.0	7.0	6.5	7.0	7.0	58.80	8	99.40	15	43.10			
			305C	3.0	2.8	4.5	4.0	4.5	4.5	4.0	4.5	4.0	36.40	21	135.80	17	84.25			
			405B	3.0	3.0	5.5	5.0	5.5	6.0	6.0	6.0	6.5	52.50	11	188.30	18	96.25			
			5335D	3.0	2.9	1.5	4.0	2.0	1.5	1.5	3.0	1.5	14.50	25	202.80	21	153.15			
5152B	3.0	3.0	4.5	4.0	5.0	3.5	4.5	4.5	3.5	39.00	21	241.80	20	183.90						

平成29年度 日本室内選手権飛込競技大会
兼国際大会選手選考会

採点詳細

男子 3m 飛板飛込 予選

開催日 2017/06/10
東京辰巳国際水泳場

審判長 谷内 寛

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

機械操作 矢作 貴則
記録主任 伊地知 健

- 1 鈴木 羊子
- 2 川城 智亮
- 3 坂田 芳寛
- 4 柴田 哲治
- 5 吉原 直博
- 6 阿部 しげの
- 7 毒島 めぐみ
- 1 小谷 理貴子
- 2 坂井由美子
- 3 瓶子勇治郎
- 4 布村 隆
- 5 湯浅 よしの
- 6 二木 廣幸
- 7 安田千万樹

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
3	21	江藤 真透									エトウ マナト								
			405 B	3.0	3.0	5.5	5.5	5.5	5.0	4.5	4.5 5.0		46.50	19	46.50	19	26.35	241.65	
			205 B	3.0	3.0	2.5	2.5	2.5	2.5	2.5	1.5 1.5		22.50	24	69.00	24	73.50		
			107 B	3.0	3.1	4.0	4.5	4.5	5.0	5.0	4.0 4.5		41.85	19	110.85	24	109.20		
			5152 B	3.0	3.0	6.0	5.5	6.0	5.5	6.0	5.5 5.5		51.00	13	161.85	22	122.70		
			305 C	3.0	2.8	3.5	3.5	5.0	3.5	4.5	4.5 4.0		33.60	23	195.45	22	160.50		
			5235 D	3.0	2.8	6.0	5.5	5.5	5.5	5.5	5.0 5.5		46.20	17	241.65	21	184.05		
11	22	松本 慧									マツモト ケイ								
			5152 B	3.0	3.0	6.0	5.5	6.0	5.0	5.0	5.0 6.0		49.50	=15	49.50	=15	23.35	240.30	
			205 B	3.0	3.0	5.0	4.5	5.5	5.0	5.0	4.5 5.0		45.00	=16	94.50	17	48.00		
			305 B	3.0	3.0	2.5	2.5	2.5	2.5	3.0	1.5 2.0		22.50	=23	117.00	23	103.05		
			405 B	3.0	3.0	4.0	4.5	2.5	3.5	5.0	5.0 3.5		36.00	=23	153.00	23	131.55		
			5335 D	3.0	2.9	3.5	4.5	4.5	4.0	5.0	5.0 4.0		37.70	20	190.70	23	165.25		
			107 B	3.0	3.1	5.0	6.5	6.0	5.0	5.5	5.0 5.5		49.60	15	240.30	22	185.40		
19	23	千賀 望紀斗									センガ ミキ								
			105 B	3.0	2.4	5.0	5.0	4.5	4.5	5.0	5.0 5.0		36.00	23	36.00	23	36.85	223.65	
			205 C	3.0	2.8	5.5	6.0	5.5	5.5	5.0	5.0 5.0		44.80	=18	80.80	22	61.70		
			405 C	3.0	2.7	5.0	5.5	5.5	6.0	6.0	5.5 5.0		44.55	16	125.35	21	94.70		
			305 C	3.0	2.8	5.5	5.0	6.0	5.5	6.5	6.0 5.5		47.60	16	172.95	20	111.60		
			5233 D	3.0	2.4	5.0	5.0	4.5	5.0	4.5	5.0 5.0		36.00	=21	208.95	20	147.00		
			5132 D	3.0	2.1	1.5	3.5	2.0	2.0	3.0	3.0 1.0		14.70	25	223.65	23	202.05		
22	24	坂田 慈央									カタジロウ								
			5233 D	3.0	2.4	6.0	5.5	6.0	6.0	5.5	5.0 5.0		40.80	21	40.80	21	32.05	215.20	
			105 B	3.0	2.4	7.0	6.0	6.5	6.5	6.0	6.0 6.0		44.40	20	85.20	20	57.30		
			405 C	3.0	2.7	5.5	5.5	5.5	5.5	5.0	5.0 5.0		43.20	18	128.40	20	91.65		
			107 C	3.0	2.8	1.0	3.0	2.0	2.5	2.0	2.5 1.5		18.20	25	146.60	24	137.95		
			205 C	3.0	2.8	2.5	4.0	4.0	3.0	3.0	4.0 3.5		29.40	24	176.00	24	179.95		
			305 C	3.0	2.8	5.0	4.5	4.5	5.0	4.0	5.0 4.5		39.20	20	215.20	24	210.50		
13	25	後藤 啓佑									コトウ ケイスケ								
			105 B	3.0	2.4	6.5	6.5	6.0	6.0	6.0	6.5 6.0		44.40	20	44.40	20	28.45	206.70	
			107 C	3.0	2.8	1.5	1.5	3.0	2.0	0.5	1.5 1.0		12.60	25	57.00	25	85.50		
			205 B	3.0	3.0	1.5	1.5	3.0	2.5	3.0	2.5 2.5		22.50	=23	79.50	25	140.55		
			5233 D	3.0	2.4	4.5	5.0	5.0	5.0	5.0	5.0 5.0		36.00	=23	115.50	25	169.05		
			305 C	3.0	2.8	5.5	5.0	5.0	5.5	6.0	5.5 5.5		46.20	17	161.70	25	194.25		
			405 B	3.0	3.0	4.0	5.0	5.5	5.0	4.0	5.0 5.0		45.00	18	206.70	25	219.00		

平成29年度 日本室内選手権飛込競技大会
兼国際大会選手選考会

採点詳細

男子 3m 飛板飛込 予選

開催日 2017/06/10
東京辰巳国際水泳場

審判長 谷内 寛

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

機械操作 矢作 貴則
記録主任 伊地知 健

1 鈴木 羊子
2 川城 智亮
3 坂田 芳寛
4 柴田 哲治
5 吉原 直博
6 阿部 しげの
7 毒島 めぐみ
1 小谷 理貴子
2 坂井由美子
3 瓶子勇治郎
4 布村 隆
5 湯浅 よしの
6 二木 廣幸
7 安田千万樹

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
28	棄権	坂井 丞						カ	イ	ショウ	ミキハウス										

30 棄権 太田 瑠輝 カタ リュウキ 福山平成大学

5 棄権 中川 虎太郎 カカワ コタロウ 小松大谷高校

1 棄権 山田 周汰 ヤマダ シュウタ JOC EA

14 棄権 田邊 誠太郎 タナベ セイタロウ 三重DC

405 B	3.0	3.0
107 B	3.0	3.1
205 C	3.0	2.8
305 C	3.0	2.8
5152 B	3.0	3.0
5235 D	3.0	2.8