

平成29年度 日本室内選手権飛込競技大会
兼国際大会選手選考会

採点詳細

男子 高飛込 予選

開催日 2017/06/11
東京辰巳国際水泳場

審判長 小谷 理貴子
副審判長 川城智亮/藤原浩
機械操作 矢作 貴則
記録主任 伊地知 健

審判団
1 高橋 亜紀
2 坂田 芳寛
3 二木 廣幸
4 毒島 めぐみ
5 藤原 浩
6 湯浅 よしの
7 布村 隆
1 阿部 しげの
2 安田千万樹
3 坂井由美子
4 吉原 直博
5 川城 智亮
6 鈴木 羊子
7 谷内 寛

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
21	1	萩田 拓馬									静岡ビル保善							
		107B	10.0	3.0	7.0	7.0	7.0	8.0	6.5	7.0	6.5		63.00	=5	63.00	=5	9.00	388.80
		307C	10.0	3.4	5.0	5.0	5.0	4.5	5.0	5.0	4.5		51.00	=11	114.00	3	7.60	
		407C	10.0	3.2	7.5	8.0	8.0	7.5	8.0	8.0	8.0		76.80	=2	190.80	2	8.20	
		6245D	10.0	3.6	4.5	4.5	5.0	5.0	5.5	5.0	5.0		54.00	11	244.80	3	18.70	
		207B	10.0	3.6	6.0	7.5	6.0	7.0	7.5	7.0	7.0		75.60	1	320.40	1		
		5255B	10.0	3.6	6.5	6.5	6.0	6.0	6.5	6.0	7.0		68.40	2	388.80	1		
4	2	西田 玲雄									桃山学/大阪水泳							
		307C	10.0	3.4	4.0	4.5	4.5	4.0	4.5	5.5	5.5		45.90	14	45.90	14	26.10	376.50
		207C	10.0	3.3	5.0	5.0	5.0	5.5	5.5	5.5	5.5		52.80	8	98.70	13	22.90	
		5253B	10.0	3.2	8.0	8.0	8.0	7.5	8.0	8.0	7.0		76.80	=2	175.50	5	23.50	
		407C	10.0	3.2	7.5	7.0	7.0	6.5	8.0	7.0	6.5		67.20	1	242.70	5	20.80	
		107B	10.0	3.0	8.0	8.0	7.0	7.5	7.5	7.5	8.0		69.00	3	311.70	3	8.70	
		6245D	10.0	3.6	6.0	6.0	6.5	6.0	6.0	6.0	6.5		64.80	5	376.50	2	12.30	
3	3	村上 和基									J S S 白子							
		407C	10.0	3.2	7.5	7.5	7.5	8.0	7.5	7.5	7.5		72.00	1	72.00	1		370.80
		6243D	10.0	3.2	7.0	7.0	7.0	7.5	8.0	7.5	7.0	2.0	49.60	13	121.60	1		
		207B	10.0	3.6	7.0	7.0	7.5	7.0	7.0	7.5	8.0		77.40	1	199.00	1		
		107B	10.0	3.0	7.0	7.5	7.0	6.5	6.5	8.0	8.5		64.50	2	263.50	1		
		307C	10.0	3.4	3.0	2.5	3.5	3.0	2.5	3.0	2.5		28.90	18	292.40	5	28.00	
		5253B	10.0	3.2	8.5	8.5	8.0	8.0	8.0	8.5	8.0		78.40	1	370.80	3	18.00	
18	4	中 秀太郎									小松市立							
		107B	10.0	3.0	6.0	6.5	6.0	6.5	5.5	6.0	6.5		55.50	9	55.50	9	16.50	367.30
		407C	10.0	3.2	5.5	6.0	5.0	6.0	6.0	5.5	5.5		54.40	6	109.90	6	11.70	
		207C	10.0	3.3	8.0	8.0	7.5	7.0	8.0	7.5	7.5		75.90	4	185.80	4	13.20	
		5253B	10.0	3.2	6.0	6.0	6.0	6.0	6.0	7.0	7.0		57.60	9	243.40	4	20.10	
		6243D	10.0	3.2	6.5	6.0	6.0	6.0	6.0	6.5	6.0		57.60	8	301.00	4	19.40	
		307C	10.0	3.4	6.5	6.5	7.0	6.5	6.5	7.5	6.5		66.30	4	367.30	4	21.50	
20	5	大塚 千誠									日本大							
		107B	10.0	3.0	7.5	7.0	7.5	7.5	7.0	7.5	7.0		66.00	3	66.00	3	6.00	360.95
		207C	10.0	3.3	5.5	5.5	5.0	5.5	6.0	5.5	5.0		54.45	5	120.45	2	1.15	
		407C	10.0	3.2	7.0	7.5	5.0	6.5	8.0	7.5	6.5		67.20	6	187.65	3	11.35	
		307C	10.0	3.4	5.0	6.0	6.5	6.0	4.0	6.5	6.5		62.90	6	250.55	2	12.95	
		6243D	10.0	3.2	6.5	7.0	5.5	6.0	6.5	7.0	7.0		64.00	5	314.55	2	5.85	
		5253B	10.0	3.2	4.0	5.5	5.0	5.0	5.0	4.0	4.5		46.40	17	360.95	5	27.85	

平成29年度 日本室内選手権飛込競技大会
兼国際大会選手選考会

採点詳細

男子 高飛込 予選

開催日 2017/06/11
東京辰巳国際水泳場

審判長 小谷 理貴子
副審判長 川城智亮/藤原浩
機械操作 矢作 貴則
記録主任 伊地知 健

審判団
1 高橋 亜紀
2 坂田 芳寛
3 二木 廣幸
4 毒島 めぐみ
5 藤原 浩
6 湯浅 よしの
7 布村 隆
1 阿部 しげの
2 安田千万樹
3 坂井由美子
4 吉原 直博
5 川城 智亮
6 鈴木 羊子
7 谷内 覚

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
6	6	岡島 太一									日本体育大										
			407C	10.0	3.2	6.5	6.5	7.0	6.5	7.0	6.5	7.0			64.00	4	64.00	4	8.00	324.80	
			307C	10.0	3.4	3.0	3.5	2.5	2.0	2.0	3.0	3.0			28.90	19	92.90	15	28.70		
			6243D	10.0	3.2	5.5	6.5	6.5	5.5	6.0	7.0	7.0			60.80	9	153.70	12	45.30		
			207B	10.0	3.6	3.0	3.0	3.0	4.0	4.0	4.0	4.5			39.60	19	193.30	16	70.20		
			109C	10.0	3.7	6.5	6.0	6.5	6.0	6.0	7.0	6.5			70.30	2	263.60	9	56.80		
			5255B	10.0	3.6	6.0	5.5	6.0	5.5	5.5	5.5	6.5			61.20	6	324.80	6	64.00		
5	7	新良貴 優									福井体協										
			107B	10.0	3.0	6.5	7.0	6.5	7.0	7.0	7.0	7.0			63.00	=5	63.00	=5	9.00	324.10	
			407C	10.0	3.2	5.0	5.0	5.0	5.5	5.0	5.0	5.5			48.00	14	111.00	5	10.60		
			626C	10.0	3.3	4.5	5.5	4.5	4.5	4.0	4.5	5.0			44.55	=19	155.55	10	43.45		
			207C	10.0	3.3	5.5	5.5	5.0	5.5	4.5	5.5	5.0			52.80	13	208.35	11	55.15		
			307C	10.0	3.4	5.5	6.5	6.5	6.0	6.0	6.5	6.5			64.60	4	272.95	6	47.45		
			5237D	10.0	3.3	5.0	5.5	5.5	5.5	5.0	5.0	5.0			51.15	13	324.10	7	64.70		
15	8	井戸畑 和馬									常翔学/大阪水泳										
			6243D	10.0	3.2	4.0	4.5	4.5	4.0	4.5	4.5	5.0			43.20	15	43.20	15	28.80	322.45	
			305C	10.0	2.8	4.5	4.5	4.5	4.0	4.5	4.0	4.5			37.80	17	81.00	18	40.60		
			207C	10.0	3.3	6.5	6.5	6.5	6.5	6.5	6.0	6.0			64.35	=7	145.35	15	53.65		
			5253B	10.0	3.2	6.5	7.0	6.0	6.0	6.5	6.0	6.5			60.80	7	206.15	13	57.35		
			407C	10.0	3.2	6.5	7.5	6.5	6.5	6.0	6.0	6.0			60.80	6	266.95	7	53.45		
			107B	10.0	3.0	6.5	6.5	5.5	6.5	6.0	6.0	6.0			55.50	10	322.45	8	66.35		
8	9	金戸 快									日出高/セントラルD										
			614B	10.0	2.4	7.0	7.5	7.0	6.0	7.5	6.5	6.0			49.20	11	49.20	11	22.80	309.80	
			107B	10.0	3.0	6.5	6.0	5.0	6.0	5.5	5.5	5.5			51.00	=11	100.20	12	21.40		
			207C	10.0	3.3	3.5	4.0	3.5	4.5	4.0	4.0	4.0			39.60	21	139.80	18	59.20		
			407C	10.0	3.2	5.0	5.0	5.5	5.0	5.5	5.5	5.0			49.60	14	189.40	17	74.10		
			5235D	10.0	2.8	7.0	6.0	5.5	6.0	6.5	6.5	6.5			53.20	9	242.60	14	77.80		
			305C	10.0	2.8	8.5	8.5	7.0	8.0	8.0	8.0	8.0			67.20	3	309.80	9	79.00		
14	10	荒木 宥図									日本体育大										
			107B	10.0	3.0	6.0	6.0	5.5	6.0	5.0	5.5	5.0			51.00	10	51.00	10	21.00	308.45	
			307C	10.0	3.4	5.5	5.5	4.5	5.0	5.0	4.5	5.5			52.70	9	103.70	9	17.90		
			626C	10.0	3.3	4.0	4.5	6.0	4.0	6.0	5.0	6.0			51.15	15	154.85	11	44.15		
			407C	10.0	3.2	4.5	4.5	5.0	3.5	4.5	4.5	4.5			43.20	17	198.05	15	65.45		
			207C	10.0	3.3	5.5	5.5	4.5	5.5	5.5	5.0	4.5			52.80	10	250.85	12	69.55		
			5253B	10.0	3.2	6.5	6.0	5.5	6.0	6.0	6.0	6.0			57.60	9	308.45	=10	80.35		

平成29年度 日本室内選手権飛込競技大会
兼国際大会選手選考会

採点詳細

男子 高飛込 予選

開催日 2017/06/11
東京辰巳国際水泳場

審判長 小谷 理貴子
副審判長 川城智亮/藤原浩
機械操作 矢作 貴則
記録主任 伊地知 健

審判団
1 高橋 亜紀
2 坂田 芳寛
3 二木 廣幸
4 毒島 めぐみ
5 藤原 浩
6 湯浅 よしの
7 布村 隆
1 阿部 しげの
2 安田千万樹
3 坂井由美子
4 吉原 直博
5 川城 智亮
6 鈴木 羊子
7 谷内 覚

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
19	10	野口 基勝									福山平成大学							
		107B	10.0	3.0	5.5	5.5	5.0	5.0	6.0	5.5	5.0		48.00	13	48.00	13	24.00	308.45
		407C	10.0	3.2	6.5	6.5	5.5	6.5	6.0	6.5	6.0		60.80	=2	108.80	8	12.80	
		6243D	10.0	3.2	6.0	7.0	5.5	5.5	5.5	6.0	6.5		56.00	=13	164.80	8	34.20	
		205C	5.0	3.0	5.0	6.0	5.5	6.0	5.0	5.5	5.5		49.50	15	214.30	8	49.20	
		305C	5.0	3.1	5.0	5.0	6.0	5.0	5.5	6.0	5.5		49.60	11	263.90	8	56.50	
		5237D	10.0	3.3	4.0	4.5	4.0	3.5	5.0	5.0	5.0		44.55	18	308.45	=10	80.35	
10	12	太田 瑠輝									福山平成大学							
		626C	10.0	3.3	4.0	4.0	4.0	4.0	4.5	4.0	5.0		39.60	18	39.60	18	32.40	305.90
		107B	10.0	3.0	6.0	6.5	5.5	6.0	5.5	6.5	5.5		52.50	10	92.10	16	29.50	
		5152B	10.0	2.9	5.5	5.5	5.0	5.5	6.5	6.5	6.0		49.30	16	141.40	16	57.60	
		407C	10.0	3.2	6.5	7.0	7.0	6.0	5.5	7.0	6.5		64.00	=3	205.40	14	58.10	
		207C	10.0	3.3	5.5	4.5	4.0	5.0	5.0	5.5	5.0		49.50	12	254.90	11	65.50	
		307C	10.0	3.4	6.0	5.0	5.0	4.5	4.5	5.0	5.0		51.00	14	305.90	12	82.90	
7	13	遠藤 拓人									JOC EA							
		407C	10.0	3.2	7.0	7.0	6.0	6.5	7.0	7.0	7.5		67.20	2	67.20	2	4.80	303.95
		107B	10.0	3.0	4.5	5.0	4.0	4.5	4.0	5.0	5.0		42.00	16	109.20	7	12.40	
		207C	10.0	3.3	6.0	6.0	7.0	7.0	6.0	7.0	6.5		64.35	=7	173.55	6	25.45	
		6243D	10.0	3.2	5.0	4.5	5.0	5.0	5.0	6.0	5.5		48.00	16	221.55	7	41.95	
		305C	10.0	2.8	4.5	4.5	4.0	3.5	5.0	5.0	5.0		39.20	14	260.75	10	59.65	
		5253B	10.0	3.2	4.5	4.0	4.5	4.5	4.5	4.5	4.5		43.20	19	303.95	13	84.85	
13	14	千歩 純一									ミキハウス							
		305B	10.0	3.0	4.5	4.0	4.5	4.5	5.5	5.0	4.5		40.50	=16	40.50	=16	31.50	303.30
		626C	10.0	3.3	5.0	4.5	6.5	6.0	6.5	5.0	6.0		56.10	4	96.60	14	25.00	
		107B	10.0	3.0	7.5	7.5	6.5	7.5	7.5	7.5	7.0		67.50	5	164.10	9	34.90	
		407C	10.0	3.2	6.5	7.5	7.0	7.0	6.0	6.5	6.5		64.00	=3	228.10	6	35.40	
		207B	10.0	3.6	1.0	1.5	1.5	1.0	1.0	1.5	2.0		14.40	21	242.50	16	77.90	
		5253B	10.0	3.2	6.5	7.0	6.0	5.5	6.5	6.5	6.0		60.80	7	303.30	14	85.50	
1	15	大久保 柇									筑波大							
		6245D	10.0	3.6	4.5	4.5	4.5	4.0	5.0	4.5	3.5		48.60	12	48.60	12	23.40	295.90
		109C	10.0	3.7	2.5	2.0	2.5	2.5	3.0	2.5	3.0		27.75	20	76.35	19	45.25	
		407C	10.0	3.2	6.5	6.0	5.5	6.0	6.0	6.0	6.0		57.60	12	133.95	19	65.05	
		207C	10.0	3.3	5.0	6.0	5.0	5.5	5.0	6.5	6.5		54.45	10	188.40	18	75.10	
		5253B	10.0	3.2	5.0	5.5	4.5	4.5	5.0	5.5	5.0		48.00	13	236.40	17	84.00	
		307C	10.0	3.4	5.5	5.5	6.0	5.5	6.0	6.5	6.0		59.50	8	295.90	15	92.90	

平成29年度 日本室内選手権飛込競技大会
兼国際大会選手選考会

採点詳細

男子 高飛込 予選

開催日 2017/06/11
東京辰巳国際水泳場

審判長 小谷 理貴子
副審判長 川城智亮/藤原浩
機械操作 矢作 貴則
記録主任 伊地知 健

審判団
1 高橋 亜紀
2 坂田 芳寛
3 二木 廣幸
4 毒島 めぐみ
5 藤原 浩
6 湯浅 よしの
7 布村 隆
1 阿部 しげの
2 安田千万樹
3 坂井由美子
4 吉原 直博
5 川城 智亮
6 鈴木 羊子
7 谷内 覚

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
9	16	金子 舜汰									カネコ シュンタ セントラルD								
		6245D	10.0	3.6	3.5	3.0	3.5	5.0	3.0	3.0	3.0	3.0	34.20	20	34.20	20	37.80	290.55	
		107B	10.0	3.0	7.5	7.5	7.5	7.5	7.5	6.5	6.0	6.0	67.50	1	101.70	10	19.90		
		207C	10.0	3.3	4.5	4.5	5.0	4.5	4.0	5.0	4.5	4.5	44.55	=19	146.25	14	52.75		
		407C	10.0	3.2	6.5	7.5	6.0	8.0	6.0	6.5	7.0	7.0	64.00	=3	210.25	10	53.25		
		307C	10.0	3.4	3.0	3.0	2.5	4.0	3.5	3.5	2.5	2.5	32.30	17	242.55	15	77.85		
		5253B	10.0	3.2	5.0	5.0	5.0	4.5	4.5	5.5	5.5	5.5	48.00	16	290.55	16	98.25		
22	17	檀野 脩人									ダンノ シュウト 京都外大西高								
		614B	10.0	2.4	6.0	6.0	5.5	5.0	5.0	5.5	5.0	5.0	38.40	19	38.40	19	33.60	287.65	
		205B	7.5	3.0	4.0	4.0	4.5	4.0	4.0	4.5	4.5	4.5	37.50	18	75.90	20	45.70		
		305C	7.5	2.9	5.5	5.5	5.0	5.0	6.0	6.0	5.5	5.5	47.85	18	123.75	21	75.25		
		405B	10.0	2.8	5.5	6.0	6.0	6.5	6.5	6.5	6.5	6.5	53.20	12	176.95	19	86.55		
		107B	10.0	3.0	6.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	58.50	7	235.45	18	84.95		
		5152B	10.0	2.9	6.0	6.0	5.5	6.5	5.5	6.0	6.0	6.0	52.20	11	287.65	17	101.15		
17	18	江藤 眞透									エトウ マナト 杵築/大分DC								
		405B	10.0	2.8	7.5	7.5	7.0	7.0	6.5	6.5	6.5	6.5	57.40	8	57.40	8	14.60	284.25	
		107B	10.0	3.0	6.5	6.0	6.0	4.5	6.0	6.0	5.5	5.5	54.00	7	111.40	4	10.20		
		5152B	10.0	2.9	7.0	7.0	6.5	6.5	7.0	7.0	6.5	6.5	59.45	10	170.85	7	28.15		
		205B	10.0	2.9	3.5	5.0	5.0	4.0	5.0	5.5	4.0	4.0	40.60	18	211.45	9	52.05		
		305C	10.0	2.8	4.5	3.5	4.0	4.0	5.5	4.5	3.5	3.5	35.00	16	246.45	13	73.95		
		624B	10.0	2.8	5.5	3.5	5.0	4.0	5.0	4.5	4.0	4.0	37.80	20	284.25	18	104.55		
16	19	遠藤 正人									エトウ マナト 日本体育大								
		6243D	10.0	3.2	6.0	6.5	6.0	6.0	6.0	6.5	5.5	5.5	57.60	7	57.60	7	14.40	261.80	
		407C	10.0	3.2	2.5	2.0	1.0	4.0	3.0	2.5	2.5	2.5	24.00	21	81.60	17	40.00		
		107B	10.0	3.0	6.5	7.0	5.5	6.0	6.0	7.5	7.0	7.0	58.50	11	140.10	17	58.90		
		207C	10.0	3.3	3.0	2.0	4.0	3.0	3.5	3.5	3.5	3.5	33.00	21	173.10	20	90.40		
		305B	10.0	3.0	5.0	4.0	4.0	4.0	4.5	4.0	5.0	5.0	37.50	15	210.60	20	109.80		
		5253B	10.0	3.2	4.5	5.5	5.0	5.5	4.0	5.5	5.5	5.5	51.20	12	261.80	19	127.00		
11	20	山本 馨									ヤマモト ケイ 大分DC								
		107B	10.0	3.0	4.5	4.5	4.5	5.5	4.5	5.0	4.5	4.5	40.50	=16	40.50	=16	31.50	259.85	
		5253B	10.0	3.2	6.5	6.0	6.5	6.5	5.5	6.0	6.5	6.5	60.80	=2	101.30	11	20.30		
		407C	10.0	3.2	4.5	4.5	4.5	5.0	6.0	5.5	5.5	5.5	48.00	17	149.30	13	49.70		
		207C	10.0	3.3	5.5	5.5	5.5	6.0	6.0	6.0	6.5	6.5	57.75	8	207.05	12	56.45		
		305B	10.0	3.0	2.5	2.0	1.5	2.5	2.0	2.0	2.0	2.0	18.00	20	225.05	19	95.35		
		614B	10.0	2.4	5.0	5.0	4.5	4.5	5.5	4.5	5.0	5.0	34.80	21	259.85	20	128.95		

平成29年度 日本室内選手権飛込競技大会
兼国際大会選手選考会

採点詳細

男子 高飛込 予選

開催日 2017/06/11
東京辰巳国際水泳場

審判長 小谷 理貴子
副審判長 川城智亮/藤原浩
機械操作 矢作 貴則
記録主任 伊地知 健

審判団
1 高橋 亜紀
2 坂田 芳寛
3 二木 廣幸
4 毒島 めぐみ
5 藤原 浩
6 湯浅 よしの
7 布村 隆
1 阿部 しげの
2 安田千万樹
3 坂井由美子
4 吉原 直博
5 川城 智亮
6 鈴木 羊子
7 谷内 覚

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

演技順	順位	氏名		所 属														
		Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	21	有岡 優一			アリカ ユウイチ										大工大/大阪水泳			
		107B	10.0	3.0	2.5	3.0	3.0	3.0	3.0	3.0	3.0		27.00	21	27.00	21	45.00	235.85
		5152B	10.0	2.9	5.0	5.5	5.0	5.5	5.5	5.5	5.0		46.40	15	73.40	21	48.20	
		405B	10.0	2.8	7.0	7.0	7.0	6.5	6.5	6.5	6.0		56.00	=13	129.40	20	69.60	
		614B	10.0	2.4	5.5	5.5	5.0	4.5	6.0	4.5	4.5		36.00	20	165.40	21	98.10	
		207C	10.0	3.3	2.0	1.5	2.0	3.0	2.5	2.5	2.0		21.45	19	186.85	21	133.55	
		305C	10.0	2.8	6.0	6.0	5.5	6.5	6.0	5.5	5.5		49.00	15	235.85	21	152.95	

2 棄権 山田 周汰 ヤマダ シュウタ JOC EA