

平成29年度全国中学校体育大会
第57回全国中学校水泳競技大会

採点詳細

男子 3m 飛板飛込 予選 1組

開催日 2017/08/19

鹿児島市鴨池公園水泳プール

審判長

西出・大久保・今村

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回

自由選択飛回数 3回

難易率合計 9.5以内

気温 32.0℃

水温 31.0℃

天候 晴れ

機械操作 伊地知 健

記録主任 横尾 伸子

1 河田・小林

2 村越・西元

3 柴岡・湯浅

4 阿部・村越

5 鈴木・江島

1 柴岡 三郎

2 河田 正英

3 西元 敬二

4 阿部 しげの

5 山崎 雅夫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
25	1	伊熊 扇李									浜松学院							
		103B	3.0	1.6	8.0	8.5	8.5	8.5	8.5	8.5		40.80	1	40.80	1			399.25
		201B	3.0	1.8	8.0	7.5	8.5	7.0	8.5		43.20	=1	84.00	1				
		301B	3.0	1.9	8.5	8.0	8.5	9.0	8.5		48.45	1	132.45	1				
		403B	3.0	2.1	8.5	7.5	8.5	9.0	8.5		53.55	1	186.00	1				
		5132D	3.0	2.1	8.0	7.5	7.5	8.5	8.5		50.40	1	236.40	1				
		205C	3.0	2.8	6.5	7.5	7.0	7.5	7.0		60.20	2	296.60	1				
		305C	3.0	2.8	5.5	6.0	5.5	6.0	7.0		49.00	=2	345.60	1				
		5335D	3.0	2.9	5.5	5.5	6.5	6.5	7.5		53.65	2	399.25	1				
24	2	山本 馨									山の手							
		201B	3.0	1.8	7.5	7.0	8.0	7.0	7.5		39.60	2	39.60	2	1.20			388.65
		301B	3.0	1.9	7.0	7.5	8.0	7.0	8.5		42.75	3	82.35	2	1.65			
		103B	3.0	1.6	8.0	7.5	9.0	9.0	8.5		40.80	6	123.15	2	9.30			
		403B	3.0	2.1	8.0	7.0	7.0	6.0	8.0		46.20	=2	169.35	2	16.65			
		5132D	3.0	2.1	8.0	7.5	8.0	7.5	7.5		48.30	2	217.65	2	18.75			
		205B	3.0	3.0	7.5	7.0	7.5	7.5	6.5		66.00	1	283.65	2	12.95			
		5152B	3.0	3.0	5.5	5.5	4.5	5.5	6.0		49.50	1	333.15	2	12.45			
		305B	3.0	3.0	6.0	5.0	6.0	6.5	7.0		55.50	1	388.65	2	10.60			
21	3	柴 秀斗									下根							
		103B	3.0	1.6	6.0	6.0	6.5	6.5	7.0		30.40	12	30.40	12	10.40			328.55
		201B	3.0	1.8	6.5	6.0	6.5	6.5	7.5		35.10	7	65.50	8	18.50			
		301B	3.0	1.9	7.5	8.0	7.5	7.5	8.0		43.70	2	109.20	5	23.25			
		403B	3.0	2.1	6.5	6.5	7.0	7.5	7.0		43.05	5	152.25	5	33.75			
		5132D	3.0	2.1	6.5	6.0	6.5	6.5	6.5		40.95	=3	193.20	4	43.20			
		107C	3.0	2.8	5.5	5.5	4.5	6.0	6.0		47.60	5	240.80	3	55.80			
		205C	3.0	2.8	4.5	4.5	4.5	2.5	4.5		37.80	8	278.60	3	67.00			
		405C	3.0	2.7	5.5	6.0	5.0	7.5	7.0		49.95	3	328.55	3	70.70			
19	4	坂田 麗鳳									志貴野中学校							
		103B	3.0	1.6	5.5	6.0	5.5	7.0	6.0		28.00	13	28.00	13	12.80			315.20
		201B	3.0	1.8	8.0	7.5	8.0	8.0	8.0		43.20	=1	71.20	3	12.80			
		301B	3.0	1.9	8.0	7.5	7.5	7.5	7.5		42.75	3	113.95	3	18.50			
		403B	3.0	2.1	6.5	6.0	6.0	6.5	6.5		39.90	=7	153.85	4	32.15			
		5132D	3.0	2.1	6.5	5.0	6.5	5.5	5.5		36.75	7	190.60	5	45.80			
		305C	3.0	2.8	6.5	5.5	5.0	5.5	5.5		46.20	7	236.80	4	59.80			
		205C	3.0	2.8	4.5	4.0	3.5	4.5	5.0		36.40	9	273.20	4	72.40			
		5233D	3.0	2.4	6.0	6.0	5.0	6.0	5.5		42.00	9	315.20	4	84.05			
23	5	坂田 慈央									土浦三中							
		103B	3.0	1.6	6.0	6.5	6.0	7.0	7.0		31.20	=9	31.20	=9	9.60			311.40
		201B	3.0	1.8	6.0	5.5	5.5	6.5	6.5		32.40	11	63.60	10	20.40			
		301B	3.0	1.9	7.0	8.5	7.0	7.5	7.0		40.85	5	104.45	6	28.00			
		403B	3.0	2.1	7.0	5.5	7.0	7.5	7.5		45.15	4	149.60	6	36.40			
		5132D	3.0	2.1	6.5	6.5	7.0	5.5	6.5		40.95	=3	190.55	6	45.85			
		105B	3.0	2.4	6.0	5.5	6.0	7.0	6.5	2.0	30.00	18	220.55	6	76.05			
		405C	3.0	2.7	5.0	5.0	4.0	5.5	5.5		41.85	5	262.40	6	83.20			
		205C	3.0	2.8	5.5	6.0	6.0	7.0	5.5		49.00	4	311.40	5	87.85			

平成29年度全国中学校体育大会
第57回全国中学校水泳競技大会

採点詳細

男子 3m 飛板飛込 予選 1組

開催日 2017/08/19

鹿児島市鴨池公園水泳プール

審判長

西出・大久保・今村

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回

自由選択飛回数 3回

難易率合計 9.5以内

気温 32.0℃

水温 31.0℃

天候 晴れ

機械操作 伊地知 健

記録主任 横尾 伸子

1 河田・小林

2 村越・西元

3 柴岡・湯浅

4 阿部・村越

5 鈴木・江島

1 柴岡 三郎

2 河田 正英

3 西元 敬二

4 阿部 しげの

5 山崎 雅夫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
10	6	片岡 龍之介									飛島中学校							
			403B	3.0	2.1	6.0	6.0	6.0	6.5	6.0			37.80	4	37.80	4	3.00	302.75
			103B	3.0	1.6	6.0	5.5	6.0	6.5	6.5			29.60	17	67.40	5	16.60	
			201B	3.0	1.8	7.0	7.0	5.5	7.0	6.0			36.00	7	103.40	7	29.05	
			301B	3.0	1.9	6.0	4.5	6.5	5.5	6.0			33.25	15	136.65	8	49.35	
			5132D	3.0	2.1	5.0	5.0	5.0	4.5	4.5			30.45	=14	167.10	8	69.30	
			405C	3.0	2.7	4.5	5.0	3.0	6.0	6.0			41.85	9	208.95	7	87.65	
			205C	3.0	2.8	5.5	6.0	5.0	6.5	6.0			49.00	=2	257.95	7	87.65	
			305C	3.0	2.8	5.5	5.0	5.0	6.0	5.5			44.80	6	302.75	6	96.50	
20	7	竹谷 隆									近大福山中							
			103B	3.0	1.6	7.5	7.5	6.0	7.0	6.0			32.80	5	32.80	5	8.00	294.60
			201B	3.0	1.8	6.5	6.5	5.5	6.5	6.0			34.20	=8	67.00	7	17.00	
			301B	3.0	1.9	5.5	5.5	4.5	5.5	5.5			31.35	=9	98.35	8	34.10	
			403B	3.0	2.1	7.0	6.5	6.5	5.5	7.0			42.00	6	140.35	7	45.65	
			5132D	3.0	2.1	6.5	5.5	6.5	5.5	6.0			37.80	=5	178.15	7	58.25	
			205C	3.0	2.8	6.0	7.5	6.5	6.5	6.0			53.20	3	231.35	5	65.25	
			305C	3.0	2.8	4.0	4.5	4.0	3.5	3.5			32.20	12	263.55	5	82.05	
			405C	3.0	2.7	4.0	3.0	3.0	4.5	5.0			31.05	13	294.60	7	104.65	
22	8	田邊 誠太郎									亀山中部							
			103B	3.0	1.6	6.5	7.5	7.0	6.0	6.5			32.00	=6	32.00	=6	8.80	270.10
			201B	3.0	1.8	6.0	6.5	7.0	6.5	7.0			36.00	=5	68.00	4	16.00	
			301B	3.0	1.9	7.5	6.5	7.5	7.0	8.0			41.80	4	109.80	4	22.65	
			403B	3.0	2.1	8.0	7.0	7.5	6.5	7.5			46.20	=2	156.00	3	30.00	
			5132D	3.0	2.1	6.0	6.0	6.0	5.5	6.0			37.80	=5	193.80	3	42.60	
			405B	3.0	3.0	1.0	1.0	2.0	1.5	1.5			12.00	=23	205.80	8	90.80	
			5152B	3.0	3.0	4.5	4.0	4.5	5.0	4.5			40.50	6	246.30	8	99.30	
			107C	3.0	2.8	3.0	2.0	4.0	3.0	2.5			23.80	20	270.10	8	129.15	
8	9	千賀 望紀斗									天栄							
			103B	3.0	1.6	7.0	6.5	7.0	6.5	6.5			32.00	=6	32.00	=6	8.80	263.85
			201B	3.0	1.8	5.5	5.0	6.0	5.5	5.5			29.70	=15	61.70	13	22.30	
			301B	3.0	1.9	4.0	3.5	4.0	4.0	5.0			22.80	22	84.50	18	47.95	
			403B	3.0	2.1	5.5	5.5	5.0	4.5	5.0			32.55	=16	117.05	17	68.95	
			5231D	3.0	2.0	5.5	5.0	6.0	6.0	6.0			35.00	8	152.05	12	84.35	
			205C	3.0	2.8	6.0	6.0	6.5	6.5	5.5			51.80	4	203.85	9	92.75	
			305C	3.0	2.8	2.0	2.0	2.0	2.0	2.0			16.80	23	220.65	10	124.95	
			105B	3.0	2.4	6.0	6.0	6.0	6.5	5.0			43.20	8	263.85	9	135.40	
13	10	小関 樹									川西							
			103B	3.0	1.6	6.5	7.0	6.0	6.5	6.5			31.20	=9	31.20	=9	9.60	263.65
			403B	3.0	2.1	4.5	5.5	4.5	5.0	5.0			30.45	=13	61.65	14	22.35	
			201B	3.0	1.8	4.0	4.5	4.5	4.5	5.0			24.30	21	85.95	13	46.50	
			301B	3.0	1.9	6.0	5.5	6.0	7.0	6.0			34.20	=12	120.15	12	65.85	
			5132D	3.0	2.1	5.5	5.0	4.5	4.5	5.0			30.45	=14	150.60	13	85.80	
			405C	3.0	2.7	6.0	6.0	4.0	6.0	5.5			47.25	6	197.85	11	98.75	
			205C	3.0	2.8	5.5	4.5	5.0	5.5	6.0			44.80	4	242.65	9	102.95	
			305C	3.0	2.8	3.0	2.5	2.5	2.0	2.5			21.00	22	263.65	10	135.60	

平成29年度全国中学校体育大会
第57回全国中学校水泳競技大会

採点詳細

男子 3m 飛板飛込 予選 1組

開催日 2017/08/19

鹿児島市鴨池公園水泳プール

審判長

西出・大久保・今村

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回

自由選択飛回数 3回

難易率合計 9.5以内

気温 32.0℃

水温 31.0℃

天候 晴れ

機械操作 伊地知 健

記録主任 横尾 伸子

1 河田・小林

2 村越・西元

3 柴岡・湯浅

4 阿部・村越

5 鈴木・江島

1 柴岡 三郎

2 河田 正英

3 西元 敬二

4 阿部 しげの

5 山崎 雅夫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
16	11	伴 俊広									竜操							
		101C	3.0	1.4	6.0	5.5	5.5	5.5	5.5	4.5		23.10	20	23.10	20	17.70		262.05
		201A	3.0	1.9	5.5	5.0	4.5	5.0	6.0	6.0		29.45	18	52.55	21	31.45		
		301A	3.0	2.0	4.5	4.0	4.0	4.0	4.5	4.5		25.00	20	77.55	21	54.90		
		403B	3.0	2.1	5.0	6.0	5.5	5.5	5.0	5.0		33.60	14	111.15	20	74.85		
		5111A	3.0	2.0	6.0	4.5	5.5	5.5	5.5	5.5		33.00	=11	144.15	18	92.25		
		105B	3.0	2.4	5.5	6.0	6.0	6.0	5.0	5.0		42.00	8	186.15	14	110.45		
		203A	3.0	2.4	4.0	4.5	4.0	5.0	2.5	2.5		30.00	13	216.15	12	129.45		
		405C	3.0	2.7	5.5	6.5	6.0	5.0	5.5	5.5		45.90	5	262.05	11	137.20		
17	12	我妻 知探									川口東							
		103B	3.0	1.6	5.5	6.0	5.5	5.5	6.0	6.0		27.20	=14	27.20	=14	13.60		256.00
		201B	3.0	1.8	6.5	6.0	7.0	6.0	6.5	6.5		34.20	=8	61.40	15	22.60		
		301B	3.0	1.9	5.0	5.5	5.5	5.0	5.5	5.5		30.40	13	91.80	11	40.65		
		403B	3.0	2.1	6.5	6.0	6.0	7.5	6.5	6.5		39.90	=7	131.70	9	54.30		
		5111A	3.0	2.0	6.0	5.0	5.0	4.5	4.0	4.0		29.00	18	160.70	10	75.70		
		105B	3.0	2.4	5.0	4.5	4.5	4.5	5.5	5.5		33.60	14	194.30	12	102.30		
		405C	3.0	2.7	3.0	3.0	3.0	3.5	2.5	2.5		24.30	18	218.60	11	127.00		
		203B	3.0	2.2	5.0	5.5	6.0	6.5	5.5	5.5		37.40	11	256.00	12	143.25		
15	13	貝塚 祐月									楠見							
		403B	3.0	2.1	6.0	7.0	6.0	6.0	6.5	6.5		38.85	3	38.85	3	1.95		251.75
		103B	3.0	1.6	5.0	5.5	5.0	5.0	6.5	6.5		24.80	22	63.65	9	20.35		
		201B	3.0	1.8	4.5	5.5	5.0	5.5	5.5	5.5		28.80	15	92.45	10	40.00		
		301B	3.0	1.9	4.5	3.5	4.5	5.5	4.0	4.0		24.70	23	117.15	16	68.85		
		5231D	3.0	2.0	6.0	5.5	5.5	4.5	5.5	5.5		33.00	=11	150.15	14	86.25		
		105B	3.0	2.4	5.0	5.0	5.0	5.5	5.5	5.5		37.20	12	187.35	13	109.25		
		303C	3.0	2.0	4.0	1.5	3.0	4.0	3.5	3.5		21.00	21	208.35	15	137.25		
		205C	3.0	2.8	4.5	5.0	5.0	5.5	5.5	5.5		43.40	7	251.75	13	147.50		
7	14	久保谷 諒介									川口青木							
		103B	3.0	1.6	3.5	5.0	4.5	4.0	4.0	4.0		20.00	23	20.00	23	20.80		248.30
		5132D	3.0	2.1	6.0	5.5	5.5	5.0	5.0	5.0		33.60	10	53.60	19	30.40		
		201B	3.0	1.8	5.5	5.5	5.5	6.0	6.0	6.0		30.60	12	84.20	19	48.25		
		301B	3.0	1.9	6.0	5.5	5.0	5.5	6.5	6.5		32.30	19	116.50	18	69.50		
		403B	3.0	2.1	4.0	4.0	4.0	3.5	4.5	4.5		25.20	=20	141.70	20	94.70		
		205C	3.0	2.8	4.0	4.0	3.5	4.5	4.5	4.5		35.00	13	176.70	17	119.90		
		305C	3.0	2.8	4.5	4.5	4.5	5.5	5.0	5.0		39.20	7	215.90	13	129.70		
		405C	3.0	2.7	4.0	4.0	4.0	4.0	3.5	3.5		32.40	12	248.30	14	150.95		
4	15	上口 大翔									彦根市立南							
		103B	3.0	1.6	5.5	5.5	5.5	5.0	5.5	5.5		26.40	=16	26.40	=16	14.40		239.45
		201B	3.0	1.8	4.5	4.5	5.0	5.0	5.5	5.5		26.10	21	52.50	22	31.50		
		301B	3.0	1.9	5.0	5.5	5.0	5.5	5.0	5.0		29.45	14	81.95	20	50.50		
		403B	3.0	2.1	6.0	5.0	6.0	6.0	5.5	5.5		36.75	=9	118.70	14	67.30		
		5111A	3.0	2.0	4.5	3.5	4.0	4.5	4.0	4.0		25.00	22	143.70	19	92.70		
		105B	3.0	2.4	4.5	4.5	4.0	4.5	4.5	4.5		32.40	=15	176.10	18	120.50		
		205C	3.0	2.8	3.0	4.0	4.0	4.5	4.5	4.5		35.00	10	211.10	14	134.50		
		405C	3.0	2.7	4.0	3.5	3.0	4.0	3.0	3.0		28.35	17	239.45	15	159.80		

平成29年度全国中学校体育大会
第57回全国中学校水泳競技大会

採点詳細

男子 3m 飛板飛込 予選 1組

開催日 2017/08/19

鹿児島市鴨池公園水泳プール

審判長

西出・大久保・今村

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回

自由選択飛回数 3回

難易率合計 9.5以内

気温 32.0℃

水温 31.0℃

天候 晴れ

機械操作 伊地知 健

記録主任 横尾 伸子

1 河田・小林

2 村越・西元

3 柴岡・湯浅

4 阿部・村越

5 鈴木・江島

1 柴岡 三郎

2 河田 正英

3 西元 敬二

4 阿部 しげの

5 山崎 雅夫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	16	川口 航輝						カクチ ヲウキ			沼津原							
		103B	3.0	1.6	5.0	5.5	5.0	5.5	5.5	5.0		24.80	19	24.80	19	16.00		236.05
		201B	3.0	1.8	4.5	5.5	6.0	5.5	5.5	5.5		29.70	=15	54.50	16	29.50		
		301B	3.0	1.9	5.5	5.5	5.5	5.0	5.5	5.5		31.35	=9	85.85	14	46.60		
		403B	3.0	2.1	5.0	4.0	4.5	4.5	5.0	5.0		29.40	=20	115.25	19	70.75		
		5132D	3.0	2.1	5.0	4.0	4.5	5.5	4.5	4.5		29.40	17	144.65	16	91.75		
		105B	3.0	2.4	4.5	4.5	4.0	5.0	4.5	4.5		32.40	=15	177.05	15	119.55		
		405C	3.0	2.7	2.5	3.5	2.5	2.5	2.5	2.5		20.25	22	197.30	19	148.30		
		5134D	3.0	2.5	6.0	5.5	4.5	5.5	4.5	4.5		38.75	10	236.05	16	163.20		
9	17	内藤 栄将						ナイトウエイ			富士市立第二							
		103B	3.0	1.6	5.5	5.5	6.0	5.5	6.0	5.0		27.20	=14	27.20	=14	13.60		235.10
		201B	3.0	1.8	5.0	5.0	5.5	5.0	5.0	5.0		27.00	20	54.20	18	29.80		
		301B	3.0	1.9	6.0	5.5	5.0	5.5	5.5	5.5		31.35	=9	85.55	15	46.90		
		403B	3.0	2.1	6.0	5.0	5.0	5.0	5.5	5.5		32.55	=16	118.10	15	67.90		
		5231D	3.0	2.0	5.5	4.5	5.5	5.0	4.5	4.5		30.00	16	148.10	15	88.30		
		105B	3.0	2.4	4.0	3.0	3.0	4.0	3.5	3.5		25.20	20	173.30	19	123.30		
		405C	3.0	2.7	4.5	4.5	3.5	4.0	3.5	3.5		32.40	11	205.70	16	139.90		
		5132D	3.0	2.1	5.5	4.5	5.0	4.5	3.5	3.5		29.40	16	235.10	17	164.15		
18	18	増山 悟空						マヤマ ヲウウ			石川小松南部							
		103B	3.0	1.6	6.5	5.5	6.5	6.5	6.5	6.5		31.20	=9	31.20	=9	9.60		228.95
		201B	3.0	1.8	6.5	6.0	6.5	7.0	7.0	7.0		36.00	=5	67.20	6	16.80		
		301B	3.0	1.9	5.0	3.5	4.5	4.5	5.5	5.5		26.60	17	93.80	9	38.65		
		403B	3.0	2.1	6.5	5.5	6.0	5.5	6.0	6.0		36.75	=9	130.55	10	55.45		
		5132D	3.0	2.1	6.5	4.5	6.0	4.5	5.5	5.5		33.60	=9	164.15	9	72.25		
		205C	3.0	2.8	5.0	4.0	4.0	4.5	5.5	5.5		37.80	11	201.95	10	94.65		
		305C	3.0	2.8								Fault	25	201.95	18	143.65		
		405C	3.0	2.7	4.0	3.5	3.0	3.0	3.5	3.5		27.00	18	228.95	18	170.30		
11	19	柳浦 駿太郎						ヤキウラ シュンタロウ			湖北中学							
		103B	3.0	1.6	4.0	5.5	5.0	4.5	4.5	4.5		22.40	21	22.40	21	18.40		205.30
		5132D	3.0	2.1	5.0	4.5	4.5	5.0	5.0	5.0		30.45	=13	52.85	20	31.15		
		301B	3.0	1.9	6.0	6.0	5.0	5.5	5.5	5.5		32.30	8	85.15	17	47.30		
		201B	3.0	1.8	6.5	6.5	5.5	7.0	6.0	6.0		34.20	=12	119.35	13	66.65		
		403B	3.0	2.1	4.0	3.5	4.0	5.5	4.0	4.0		25.20	=20	144.55	17	91.85		
		105B	3.0	2.4	5.0	4.5	4.0	5.5	4.0	4.0		32.40	=15	176.95	16	119.65		
		405C	3.0	2.7	3.0	3.5	4.0	3.5	3.5	3.5		28.35	15	205.30	17	140.30		
		205C	3.0	2.8								Fault	=24	205.30	19	193.95		
14	20	眞塩 剛輝						マシオ ツヨキ			前橋東							
		103B	3.0	1.6	5.0	6.5	5.5	5.0	5.5	5.5		25.60	18	25.60	18	15.20		204.55
		5132D	3.0	2.1	5.5	6.0	6.0	6.0	6.5	6.5		37.80	4	63.40	11	20.60		
		301B	3.0	1.9	3.5	4.0	4.0	3.5	5.0	5.0		21.85	=23	85.25	16	47.20		
		201B	3.0	1.8	5.0	4.0	4.0	5.5	4.0	4.0		23.40	24	108.65	21	77.35		
		403B	3.0	2.1	5.5	5.0	4.5	5.5	5.0	5.0		32.55	13	141.20	21	95.20		
		105B	3.0	2.4	2.0	2.5	2.5	3.0	2.5	2.5		18.00	21	159.20	20	137.40		
		205C	3.0	2.8	2.5	2.5	3.0	3.0	2.0	2.0		22.40	19	181.60	21	164.00		
		405C	3.0	2.7	2.5	3.0	3.0	3.0	2.0	2.0		22.95	21	204.55	20	194.70		

平成29年度全国中学校体育大会
第57回全国中学校水泳競技大会

採点詳細

男子 3m 飛板飛込 予選 1組

開催日 2017/08/19

鹿児島市鴨池公園水泳プール

審判長

西出・大久保・今村

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回

自由選択飛回数 3回

難易率合計 9.5以内

気温 32.0℃

水温 31.0℃

天候 晴れ

機械操作 伊地知 健

記録主任 横尾 伸子

1 河田・小林

2 村越・西元

3 柴岡・湯浅

4 阿部・村越

5 鈴木・江島

1 柴岡 三郎

2 河田 正英

3 西元 敬二

4 阿部 しげの

5 山崎 雅夫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
2	21	難波 優太									多津美							
		103B	3.0	1.6	6.0	5.5	5.0	5.5	5.5	5.5		26.40	=16	26.40	=16	14.40		199.30
		201B	3.0	1.8	5.0	5.5	6.5	5.0	5.0	5.0		27.90	19	54.30	17	29.70		
		301B	3.0	1.9	3.5	4.0	4.0	3.5	4.5	4.5		21.85	=23	76.15	22	56.30		
		403B	3.0	2.1	4.0	4.5	4.5	3.5	4.0	4.0		26.25	22	102.40	22	83.60		
		5132D	3.0	2.1	4.5	4.0	4.5	4.0	4.5	4.5		27.30	19	129.70	22	106.70		
		105B	3.0	2.4	4.5	4.0	3.5	3.5	4.0	4.0		27.60	19	157.30	22	139.30		
		203B	3.0	2.2	2.0	1.5	2.0	1.5	2.5	2.5		12.10	24	169.40	23	176.20		
		303B	3.0	2.3	4.5	4.0	5.0	4.5	3.5	3.5		29.90	15	199.30	21	199.95		
5	22	林 凜太郎									金沢錦丘							
		101B	3.0	1.5	4.5	4.5	4.5	4.5	4.5	4.5		20.25	22	20.25	22	20.55		199.00
		201C	3.0	1.7	3.0	2.5	2.0	3.0	2.5	2.5		13.60	23	33.85	23	50.15		
		301C	3.0	1.8	5.5	5.0	4.5	5.0	5.5	5.5		27.90	16	61.75	23	70.70		
		403B	3.0	2.1	5.0	4.5	4.5	4.0	5.5	5.5		29.40	=20	91.15	23	94.85		
		5233D	3.0	2.4	4.0	3.0	3.0	1.5	1.5	1.5		18.00	24	109.15	24	127.25		
		105B	3.0	2.4	5.0	5.5	4.5	5.5	5.5	5.5		38.40	10	147.55	23	149.05		
		305C	3.0	2.8	3.0	2.5	3.0	3.0	3.5	3.5		25.20	17	172.75	22	172.85		
		5134D	3.0	2.5	4.0	2.5	3.0	4.0	3.5	3.5		26.25	19	199.00	22	200.25		
6	23	平石 稜									下笠居							
		103B	3.0	1.6	7.0	6.5	6.5	7.0	6.5	6.5		32.00	=6	32.00	=6	8.80		187.10
		201B	3.0	1.8	6.0	5.5	5.5	5.5	6.0	6.0		30.60	12	62.60	12	21.40		
		301B	3.0	1.9	4.5	4.5	4.5	4.5	5.0	5.0		25.65	=18	88.25	12	44.20		
		403B	3.0	2.1	6.0	5.5	6.5	5.5	6.0	6.0		36.75	=9	125.00	11	61.00		
		5132D	3.0	2.1	5.5	5.0	5.0	5.5	5.5	5.5		33.60	=9	158.60	11	77.80		
		107B	3.0	3.1								Fault	25	158.60	21	138.00		
		205B	3.0	3.0	2.5	3.5	3.5	2.5	4.0	4.0		28.50	14	187.10	20	158.50		
		5152B	3.0	3.0								Fault	=24	187.10	23	212.15		
3	24	針田 大和									松陽							
		103B	3.0	1.6	3.0	4.0	3.5	2.5	3.5	3.5		16.00	25	16.00	25	24.80		181.35
		201B	3.0	1.8	2.0	3.0	2.5	2.0	3.0	3.0		13.50	24	29.50	25	54.50		
		301B	3.0	1.9	4.5	4.5	4.5	4.0	4.5	4.5		25.65	=18	55.15	24	77.30		
		403B	3.0	2.1	5.5	4.5	5.0	5.5	5.0	5.0		32.55	=16	87.70	24	98.30		
		5132D	3.0	2.1	4.0	3.5	4.0	4.0	3.5	3.5		24.15	23	111.85	23	124.55		
		105B	3.0	2.4	1.0	1.0	2.5	1.5	2.5	2.5		12.00	=23	123.85	24	172.75		
		203B	3.0	2.2	4.0	4.0	4.0	4.5	4.5	4.5		27.50	16	151.35	24	194.25		
		303C	3.0	2.0	5.5	4.5	5.5	4.5	5.0	5.0		30.00	14	181.35	24	217.90		
1	25	中村 巧真									坂元							
		101C	3.0	1.4	4.0	4.5	3.5	4.0	4.5	4.5		17.50	24	17.50	24	23.30		118.70
		401C	3.0	1.3	3.0	3.5	3.0	2.5	4.0	4.0		12.35	25	29.85	24	54.15		
		201C	3.0	1.7	3.5	3.5	3.5	4.0	3.0	3.0		17.85	25	47.70	25	84.75		
		301C	3.0	1.8	2.0	2.5	2.5	2.5	4.0	4.0		13.50	25	61.20	25	124.80		
		5211A	3.0	2.0	2.5	2.5	2.5	2.0	2.0	2.0		14.00	25	75.20	25	161.20		
		103C	3.0	1.5	3.0	3.5	3.0	4.0	3.5	3.5		15.00	22	90.20	25	206.40		
		403C	3.0	1.9	4.0	4.0	3.0	5.0	3.5	3.5		21.85	20	112.05	25	233.55		
		203C	3.0	1.9	1.0	1.0	1.5	1.0	1.5	1.5		6.65	23	118.70	25	280.55		