

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 1m 飛板飛込 決勝

9-11

開催日 2017/08/23
大阪プール

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 3回
自由選択飛回数 3回
難易率合計 5.4以内
気温 32.0℃
水温 28.3℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 茶木 康寛
2 山本 敬樹
3 横山 健
4 笠松 眞利子
5 伊熊 千香子
6 鈴木 羊子
7 小谷 理貴子

1 浅田 雅子
2 毒島 泰士
3 柴田 哲治
4 安田 千万樹
5 湯浅 よしの
6 澄川 真寿美
7 中川 真依

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
22	1	荒井 杏月									J S S宝塚										
		401B	1.0	1.5	8.0	8.0	8.0	8.0	7.0	8.0	8.5	7.5			36.00	1	36.00	1			219.25
		103B	1.0	1.7	7.0	7.0	6.5	6.0	7.0	7.0	6.5	6.5			34.00	3	70.00	1			
		301B	1.0	1.7	7.0	7.5	7.5	7.0	7.0	7.0	7.5	7.0			36.55	2	106.55	1			
		203C	1.0	2.0	4.5	4.5	5.0	4.5	5.5	4.0	5.0				28.00	10	134.55	1			
		403C	1.0	2.2	6.5	6.0	6.0	6.5	6.5	7.0	6.5				42.90	1	177.45	1			
		104C	1.0	2.2	6.0	6.0	7.0	6.0	6.5	7.0	6.5				41.80	2	219.25	1			
14	2	柳川 小夏									高知 S C										
		201C	1.0	1.5	7.0	7.0	7.0	6.5	6.5	6.5	7.0	7.0			30.75	9	30.75	9	5.25		208.40
		301C	1.0	1.6	7.0	7.0	7.5	6.5	7.5	7.0	7.5				34.40	2	65.15	4	4.85		
		401B	1.0	1.5	6.5	7.0	7.0	6.0	7.0	7.0	6.5				30.75	7	95.90	3	10.65		
		103C	1.0	1.6	5.5	5.5	5.5	5.5	5.5	5.5	6.0				26.40	12	122.30	7	12.25		
		203C	1.0	2.0	6.5	7.5	8.0	7.0	7.0	6.5	6.5				41.00	2	163.30	3	14.15		
		403C	1.0	2.2	7.0	7.0	7.5	7.5	6.5	6.5	6.5				45.10	1	208.40	2	10.85		
12	3	山吉 絢									三重DC										
		201A	1.0	1.7	6.0	6.5	6.0	5.5	6.5	6.5	5.5				31.45	=5	31.45	=5	4.55		198.15
		301B	1.0	1.7	6.0	6.5	6.5	6.0	6.5	6.5	6.5				33.15	6	64.60	5	5.40		
		103B	1.0	1.7	7.0	6.5	5.0	6.0	7.0	7.0	6.0				33.15	=4	97.75	2	8.80		
		203C	1.0	2.0	5.5	5.5	6.0	6.5	6.0	6.5	5.5				35.00	5	132.75	2	1.80		
		104C	1.0	2.2	5.5	5.5	4.5	4.5	5.0	5.0	5.0				33.00	=4	165.75	2	11.70		
		5211A	1.0	1.8	5.5	6.0	6.5	6.0	5.5	6.0	6.0				32.40	8	198.15	3	21.10		
18	4	岡本 さくら									米子DC										
		103B	1.0	1.7	5.0	5.5	6.0	5.0	4.5	5.5	4.5				26.35	15	26.35	15	9.65		195.05
		201B	1.0	1.6	5.5	5.5	5.5	5.5	5.5	5.5	5.5				26.40	14	52.75	14	17.25		
		303C	1.0	2.1	6.0	5.5	6.0	6.0	6.0	5.5	6.0				37.80	1	90.55	8	16.00		
		104C	1.0	2.2	6.0	6.0	6.5	6.5	6.0	5.5	6.0				39.60	1	130.15	5	4.40		
		203C	1.0	2.0	5.5	5.5	6.5	5.0	5.5	4.5	5.5				33.00	=4	163.15	4	14.30		
		403C	1.0	2.2	5.5	5.0	4.5	5.0	5.0	4.5	4.5				31.90	=9	195.05	4	24.20		
21	5	宮崎 夏実									小松DC										
		103B	1.0	1.7	7.0	7.0	7.0	6.0	6.5	5.5	7.0				34.85	2	34.85	2	1.15		190.35
		201B	1.0	1.6	7.0	7.5	7.0	6.0	7.0	7.0	7.0				33.60	=4	68.45	2	1.55		
		301B	1.0	1.7	5.0	5.0	5.5	5.0	6.5	4.5	5.0				25.50	19	93.95	6	12.60		
		104C	1.0	2.2	5.5	6.0	6.0	6.0	5.5	5.5	7.0				38.50	2	132.45	3	2.10		
		203C	1.0	2.0	4.5	4.0	4.5	4.0	4.5	4.5	4.0				26.00	=12	158.45	7	19.00		
		403C	1.0	2.2	5.0	4.0	4.5	4.5	5.0	5.0	5.0				31.90	=9	190.35	5	28.90		

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 1m 飛板飛込 決勝

9-11

開催日 2017/08/23
大阪プール

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 3回
自由選択飛回数 3回
難易率合計 5.4以内
気温 32.0℃
水温 28.3℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 茶木 康寛
2 山本 敬樹
3 横山 健
4 笠松 眞利子
5 伊熊 千香子
6 鈴木 羊子
7 小谷 理貴子

1 浅田 雅子
2 毒島 泰士
3 柴田 哲治
4 安田 千万樹
5 湯浅 よしの
6 澄川 真寿美
7 中川 真依

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
7	6	安藤 万凜									三重DC							
											アントウ マリン							
			103B	1.0	1.7	6.0	6.5	6.0	6.5	7.0	7.0 6.0		32.30	=3	32.30	=3	3.70	190.05
			203C	1.0	2.0	4.5	5.0	4.5	4.5	5.0	5.5 4.0		28.00	11	60.30	9	9.70	
			301B	1.0	1.7	5.0	5.5	6.5	5.5	5.5	5.0 5.5		28.05	15	88.35	10	18.20	
			104C	1.0	2.2	5.5	5.5	6.0	6.5	5.5	6.0 5.5		37.40	3	125.75	6	8.80	
			303C	1.0	2.1	5.5	5.0	6.5	5.0	6.0	6.5 5.5		35.70	3	161.45	5	16.00	
			403C	1.0	2.2	4.5	4.0	4.5	3.5	4.5	4.5 4.0		28.60	12	190.05	6	29.20	
24	7	津覇 すみれ									沖縄DC							
			103B	1.0	1.7	7.0	6.0	6.5	5.5	6.0	6.5 6.5		32.30	=3	32.30	=3	3.70	182.65
			201B	1.0	1.6	7.0	7.5	7.0	6.5	6.5	7.5 7.0		33.60	=4	65.90	3	4.10	
			401B	1.0	1.5	6.5	6.5	6.5	6.5	6.5	7.0 6.0		29.25	11	95.15	5	11.40	
			301C	1.0	1.6	7.5	7.5	7.5	8.0	8.0	7.5 7.0		36.00	4	131.15	4	3.40	
			202C	1.0	1.5	6.0	6.0	6.5	6.5	6.5	6.5 6.0		28.50	9	159.65	6	17.80	
			104B	1.0	2.3	3.5	3.0	3.5	1.5	4.0	3.0 3.5		23.00	20	182.65	7	36.60	
15	8	藤井 愛利									J S S宝塚							
			103B	1.0	1.7	6.5	6.5	6.0	5.5	6.0	6.5 5.5		31.45	=5	31.45	=5	4.55	178.50
			201B	1.0	1.6	6.5	7.0	7.0	6.0	6.5	7.0 6.5		32.00	8	63.45	6	6.55	
			401B	1.0	1.5	6.0	6.5	6.0	6.0	6.0	6.5 6.0		27.00	17	90.45	9	16.10	
			301B	1.0	1.7	6.5	7.0	6.0	6.0	6.0	6.0 6.5		31.45	6	121.90	8	12.65	
			5111A	1.0	1.8	4.0	4.5	4.0	3.5	4.0	5.0 4.5		22.50	=17	144.40	8	33.05	
			104C	1.0	2.2	5.0	5.5	5.5	4.5	5.0	5.0 5.5		34.10	=5	178.50	8	40.75	
19	9	村井 颯希									小松DC							
			103B	1.0	1.7	6.0	6.5	5.5	6.0	6.0	6.0 6.5		30.60	=10	30.60	=10	5.40	172.55
			201B	1.0	1.6	6.0	5.0	5.5	5.0	6.0	5.0 5.5		25.60	15	56.20	11	13.80	
			5122D	1.0	1.9	4.5	4.0	4.0	4.5	3.0	4.5 4.0		23.75	22	79.95	13	26.60	
			104C	1.0	2.2	4.5	4.0	4.0	4.0	4.0	4.5 5.0		27.50	11	107.45	13	27.10	
			203C	1.0	2.0	5.5	5.0	5.5	6.0	5.0	4.5 5.0		31.00	8	138.45	10	39.00	
			403C	1.0	2.2	5.5	4.5	5.5	5.5	4.5	5.0 5.0		34.10	=5	172.55	9	46.70	
23	10	西川 炎歩									福島県DC							
			201B	1.0	1.6	6.0	6.5	6.0	6.0	6.0	6.5 6.0		28.80	12	28.80	12	7.20	166.90
			103B	1.0	1.7	5.5	6.5	6.0	6.0	6.0	5.5 6.0		30.60	9	59.40	10	10.60	
			303C	1.0	2.1	3.5	3.5	3.0	2.0	3.5	3.5 2.5		21.00	23	80.40	12	26.15	
			203C	1.0	2.0	5.0	4.0	4.5	4.0	4.5	3.5 4.5		26.00	13	106.40	14	28.15	
			104C	1.0	2.2	5.0	6.0	5.0	5.0	5.0	5.0 5.0		33.00	=4	139.40	9	38.05	
			403C	1.0	2.2	4.5	4.0	4.0	4.0	4.5	4.5 4.0		27.50	13	166.90	10	52.35	

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 1m 飛板飛込 決勝

9-11

開催日 2017/08/23
大阪プール

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 3回
自由選択飛回数 3回
難易率合計 5.4以内
気温 32.0℃
水温 28.3℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 茶木 康寛
2 山本 敬樹
3 横山 健
4 笠松 眞利子
5 伊熊 千香子
6 鈴木 羊子
7 小谷 理貴子

1 浅田 雅子
2 毒島 泰士
3 柴田 哲治
4 安田 千万樹
5 湯浅 よしの
6 澄川 真寿美
7 中川 真依

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
20	11	坂田 丹寧									ジョイフル									
		103B	1.0	1.7	6.0	7.0	7.0	6.0	5.5	6.5	6.0	31.45	=5	31.45	=5	4.55	166.05			
		203C	1.0	2.0	5.5	5.5	4.5	5.0	5.5	4.0	4.5	30.00	10	61.45	8	8.55				
		301B	1.0	1.7	6.5	5.5	6.5	5.5	6.5	5.5	6.0	30.60	8	92.05	7	14.50				
		303C	1.0	2.1	3.0	3.0	2.5	2.5	2.5	3.5	2.5	16.80	23	108.85	=11	25.70				
		403C	1.0	2.2	3.5	4.0	2.5	3.0	3.5	3.0	3.0	20.90	22	129.75	14	47.70				
		104C	1.0	2.2	5.5	5.5	6.0	5.0	5.0	5.5	6.0	36.30	3	166.05	11	53.20				
17	12	横山 結衣									J S S宝塚									
		101B	1.0	1.3	6.5	7.0	7.0	6.0	7.0	7.0	6.0	26.65	14	26.65	14	9.35	162.35			
		201A	1.0	1.7	7.0	6.0	7.0	7.0	6.5	7.5	5.5	34.85	1	61.50	7	8.50				
		301B	1.0	1.7	7.0	6.0	6.5	6.0	7.0	6.5	7.0	34.00	3	95.50	4	11.05				
		401B	1.0	1.5	4.0	4.0	4.0	3.0	4.0	4.0	3.5	18.00	22	113.50	9	21.05				
		203C	1.0	2.0	2.5	2.5	2.5	2.0	2.5	1.5	2.0	14.00	24	127.50	16	49.95				
		103B	1.0	1.7	7.0	7.0	7.5	6.5	6.5	6.5	7.0	34.85	4	162.35	12	56.90				
13	13	若林 侑花									佐賀DC									
		103B	1.0	1.7	4.5	4.0	4.0	4.0	5.5	3.5	4.0	20.40	19	20.40	19	15.60	157.80			
		201B	1.0	1.6	5.0	5.5	5.0	5.5	5.5	4.5	5.0	24.80	18	45.20	19	24.80				
		301B	1.0	1.7	7.0	6.0	6.0	6.0	7.5	6.5	7.0	33.15	=4	78.35	=15	28.20				
		203B	1.0	2.3	4.0	4.5	4.5	4.0	4.5	4.5	4.5	31.05	7	109.40	10	25.15				
		104C	1.0	2.2	3.5	4.0	3.5	3.0	4.0	3.5	4.5	24.20	16	133.60	11	43.85				
		403C	1.0	2.2	4.5	2.5	3.5	3.5	4.0	3.5	4.0	24.20	15	157.80	13	61.45				
11	14	山村 榎鈴									J S S宝塚									
		101B	1.0	1.3	5.0	5.5	5.5	5.5	5.0	5.0	4.0	20.15	23	20.15	23	15.85	156.10			
		201A	1.0	1.7	6.0	6.5	6.5	6.5	6.0	7.0	5.0	32.30	7	52.45	15	17.55				
		301B	1.0	1.7	6.5	7.0	6.5	7.0	6.5	6.5	6.0	33.15	=4	85.60	11	20.95				
		401B	1.0	1.5	5.0	5.5	4.5	5.5	6.0	5.0	5.0	23.25	16	108.85	=11	25.70				
		202C	1.0	1.5	5.0	4.5	5.0	5.0	5.0	4.5	4.0	21.75	20	130.60	12	46.85				
		103B	1.0	1.7	4.5	5.0	5.0	5.0	5.0	4.5	5.0	25.50	14	156.10	14	63.15				
5	15	大野 桜佳									香川DC									
		401B	1.0	1.5	5.0	4.5	4.0	5.5	5.5	4.5	4.5	21.00	18	21.00	18	15.00	154.10			
		101B	1.0	1.3	6.5	7.0	7.0	6.5	7.5	6.0	7.0	26.65	13	47.65	17	22.35				
		201B	1.0	1.6	6.0	7.5	6.0	6.0	7.5	6.5	6.0	29.60	10	77.25	17	29.30				
		301B	1.0	1.7	5.5	5.5	5.5	5.0	5.5	6.0	5.5	28.05	9	105.30	15	29.25				
		103C	1.0	1.6	5.0	5.5	5.5	5.0	5.5	4.5	5.0	24.80	15	130.10	13	47.35				
		402C	1.0	1.6	4.5	5.5	5.0	6.0	5.0	5.0	4.5	24.00	=16	154.10	15	65.15				

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 1m 飛板飛込 決勝

9-11

開催日 2017/08/23
大阪プール

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 3回
自由選択飛回数 3回
難易率合計 5.4以内
気温 32.0℃
水温 28.3℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 茶木 康寛
2 山本 敬樹
3 横山 健
4 笠松 眞利子
5 伊熊 千香子
6 鈴木 羊子
7 小谷 理貴子

1 浅田 雅子
2 毒島 泰士
3 柴田 哲治
4 安田 千万樹
5 湯浅 よしの
6 澄川 真寿美
7 中川 真依

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
6	16	福井 紅音									栃木D C							
		103B	1.0	1.7	6.5	6.0	5.5	5.5	6.5	6.0	6.0		30.60	=10	30.60	=10	5.40	153.35
		401C	1.0	1.4	5.5	5.5	5.0	5.5	5.0	5.5	6.0		23.10	19	53.70	12	16.30	
		301B	1.0	1.7	5.5	5.0	4.5	4.5	5.0	4.5	5.0		24.65	=20	78.35	=15	28.20	
		203C	1.0	2.0	4.5	3.0	5.0	3.0	4.5	3.0	2.5		21.00	18	99.35	17	35.20	
		303C	1.0	2.1	4.0	3.5	3.5	2.0	3.5	3.0	3.0		21.00	21	120.35	20	57.10	
		104C	1.0	2.2	5.0	5.0	5.0	5.0	5.0	5.0	5.0		33.00	7	153.35	16	65.90	
1	17	嶋崎 菜乃									高知S C							
		101B	1.0	1.3	5.0	4.5	6.0	5.0	5.5	4.5	4.5		18.85	24	18.85	24	17.15	152.95
		201C	1.0	1.5	5.0	6.5	5.0	6.0	6.0	6.0	5.0		25.50	16	44.35	=20	25.65	
		301C	1.0	1.6	5.5	6.0	6.0	5.5	6.0	5.5	5.5		27.20	16	71.55	20	35.00	
		401B	1.0	1.5	5.5	5.0	5.5	5.5	5.5	5.0	5.0		24.00	=14	95.55	19	39.00	
		103C	1.0	1.6	5.5	5.5	5.5	5.0	5.5	4.5	5.5		26.40	11	121.95	18	55.50	
		203C	1.0	2.0	6.0	5.0	5.5	5.0	5.0	5.0	5.5		31.00	11	152.95	17	66.30	
2	18	近澤 杏菜									イ初ナワリ							
		101B	1.0	1.3	6.0	5.0	6.0	7.0	6.0	6.5	5.5		23.40	16	23.40	16	12.60	151.70
		201B	1.0	1.6	6.0	6.0	6.0	5.5	5.0	5.5	5.0		27.20	12	50.60	16	19.40	
		301C	1.0	1.6	5.5	6.0	7.5	6.0	6.0	5.5	6.5		28.80	=13	79.40	14	27.15	
		401B	1.0	1.5	5.0	4.5	5.0	4.0	4.5	4.5	4.5		20.25	20	99.65	16	34.90	
		103B	1.0	1.7	5.5	5.0	6.0	5.5	6.0	5.5	5.0		28.05	10	127.70	15	49.75	
		203C	1.0	2.0	4.5	3.5	5.0	3.5	4.0	4.5	3.5		24.00	=16	151.70	18	67.55	
4	19	柴田 愛唯									水戸D S							
		401C	1.0	1.4	6.0	5.5	5.5	5.5	4.5	5.5	5.5		23.10	17	23.10	17	12.90	148.65
		201A	1.0	1.7	4.0	4.0	4.0	4.5	4.5	4.5	4.0		21.25	22	44.35	=20	25.65	
		301C	1.0	1.6	5.5	6.0	6.0	7.0	6.0	6.0	6.0		28.80	=13	73.15	18	33.40	
		103C	1.0	1.6	4.5	3.5	5.0	3.5	4.5	4.0	4.5		20.80	19	93.95	21	40.60	
		5111A	1.0	1.8	5.0	6.0	6.0	6.0	5.5	5.0	6.5		31.50	7	125.45	17	52.00	
		402C	1.0	1.6	5.0	5.0	4.5	5.5	5.0	4.5	4.5		23.20	=18	148.65	19	70.60	
3	20	田上 優里									福岡D C							
		101A	1.0	1.4	5.5	5.0	4.5	4.5	6.0	4.5	5.0		20.30	20	20.30	20	15.70	141.50
		5111A	1.0	1.8	4.5	5.0	5.0	4.5	4.5	5.0	4.5		25.20	17	45.50	18	24.50	
		301C	1.0	1.6	6.0	5.5	5.5	5.5	5.0	5.5	5.5		26.40	18	71.90	19	34.65	
		401B	1.0	1.5	5.0	5.5	6.0	5.5	5.5	5.0	4.5		24.00	=14	95.90	18	38.65	
		5211A	1.0	1.8	5.0	5.0	5.0	4.5	4.5	4.0	4.5		25.20	14	121.10	19	56.35	
		201A	1.0	1.7	4.0	4.0	3.0	4.0	4.5	4.5	4.0		20.40	22	141.50	20	77.75	

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 1m 飛板飛込 決勝

9-11

開催日 2017/08/23
大阪プール

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 3回
自由選択飛回数 3回
難易率合計 5.4以内
気温 32.0℃
水温 28.3℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 茶木 康寛
2 山本 敬樹
3 横山 健
4 笠松 眞利子
5 伊熊 千香子
6 鈴木 羊子
7 小谷 理貴子

1 浅田 雅子
2 毒島 泰士
3 柴田 哲治
4 安田 千万樹
5 湯浅 よしの
6 澄川 真寿美
7 中川 真依

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
8	21	青木 里胡									アキリュ 米沢DC							
		401B	1.0	1.5	4.5	5.0	4.0	4.5	5.0	4.5	4.5		20.25	=21	20.25	=21	15.75	130.35
		301C	1.0	1.6	4.0	4.0	4.0	4.0	4.5	4.0	4.0		19.20	23	39.45	23	30.55	
		201A	1.0	1.7	6.0	6.0	5.0	5.0	6.5	5.5	5.5		28.90	12	68.35	=21	38.20	
		402C	1.0	1.6	2.5	3.5	3.5	2.5	2.5	2.0	3.0		12.80	24	81.15	24	53.40	
		203C	1.0	2.0	4.0	4.5	4.0	4.5	4.5	5.0	3.5		26.00	=12	107.15	24	70.30	
		103C	1.0	1.6	5.0	5.0	5.0	4.5	4.5	4.5	5.5		23.20	=18	130.35	21	88.90	
10	22	角田 夢									カタユメ 米沢DC							
		401B	1.0	1.5	5.0	5.0	4.5	4.5	4.5	4.5	4.5		20.25	=21	20.25	=21	15.75	130.10
		301C	1.0	1.6	4.5	4.5	4.5	4.5	5.0	4.5	5.0		21.60	=20	41.85	22	28.15	
		201A	1.0	1.7	5.0	5.0	4.5	4.5	6.0	4.5	5.0		24.65	=20	66.50	24	40.05	
		402C	1.0	1.6	3.5	3.5	4.5	3.5	4.5	4.0	5.0		19.20	21	85.70	23	48.85	
		203C	1.0	2.0	3.5	4.5	4.0	3.5	3.5	5.0	3.5		22.00	19	107.70	23	69.75	
		103C	1.0	1.6	4.5	5.5	5.0	4.5	4.5	4.0	5.5		22.40	21	130.10	22	89.15	
9	23	難波 桃香									ナンバモモカ 福山T.C							
		103B	1.0	1.7	7.0	6.5	6.0	5.5	6.5	6.0	6.0		31.45	=5	31.45	=5	4.55	129.25
		201B	1.0	1.6	4.5	4.0	4.5	5.0	4.5	5.5	4.5		21.60	=20	53.05	13	16.95	
		301B	1.0	1.7	4.5	5.0	5.5	5.5	5.0	4.5	5.0	2.0	15.30	24	68.35	=21	38.20	
		104C	1.0	2.2	3.0	3.5	4.5	2.5	3.5	3.5	4.5		23.10	17	91.45	22	43.10	
		401B	1.0	1.5	5.0	6.5	7.0	5.0	5.0	4.5	5.0		22.50	=17	113.95	21	63.50	
		5111A	1.0	1.8	1.5	1.5	4.0	3.5	2.5	2.5	4.0		15.30	24	129.25	23	90.00	
16	24	高桑 沙希									カクサキ 高岡SC							
		103B	1.0	1.7	6.0	6.5	5.5	5.0	5.5	5.5	4.5		28.05	13	28.05	13	7.95	128.20
		203C	1.0	2.0	1.5	1.5	1.5	1.5	2.0	2.0	1.0		9.00	24	37.05	24	32.95	
		301B	1.0	1.7	5.5	6.0	6.0	6.0	6.5	5.5	5.5		29.75	9	66.80	23	39.75	
		403C	1.0	2.2	4.0	4.5	5.0	4.0	4.5	4.0	4.5		28.60	8	95.40	20	39.15	
		5122D	1.0	1.9	2.5	2.0	3.0	2.0	3.0	2.5	3.0		15.20	23	110.60	22	66.85	
		104C	1.0	2.2	3.0	2.5	2.5	2.0	2.5	3.5	3.0		17.60	23	128.20	24	91.05	