

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 高飛込 決勝 14-15

開催日 2017/08/23
大阪プール

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 くもり

審判長 山崎 雅夫
副審判長 三浦 房子
機械操作 高山 優子
記録主任 木綿 薫

審判団(A) 4Round
1 浅田 雅子
2 清水 国重
3 内藤 直樹
4 近藤 愛彩
5 瓶子 笑里佳
6 笠松 眞利子
7 鈴木 羊子
審判団(B) 3Round
1 山本 敬樹
2 湯浅 よしの
3 春日 喜美子
4 毒島 泰士
5 笠井 学
6 糸川 明史
7 澄川 真寿美

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
21	1	安田 舞									ヤスタ ^マ イ 米子DC							
		103B	10.0	1.6	8.0	8.0	8.0	8.0	8.0	9.0	7.5 8.5		38.40	4	38.40	4	9.60	349.70
		301B	7.5	1.9	6.5	6.5	5.5	6.0	6.5	5.5 5.5		34.20	=14	72.60	7	13.80		
		403B	10.0	2.0	8.5	8.0	8.5	8.0	8.0	7.5 7.5		48.00	1	120.60	3	9.90		
		612B	10.0	1.9	9.0	9.0	8.5	8.5	9.0	8.0 8.5		49.40	1	170.00	2	6.10		
		107B	10.0	3.0	6.5	7.5	7.5	7.5	7.5	7.0 7.5		67.50	1	237.50	1			
		5253B	10.0	3.2	5.5	4.5	4.5	5.0	5.0	5.0 4.5		46.40	7	283.90	2	1.25		
		305C	10.0	2.8	8.0	8.5	7.5	7.5	8.5	7.5 8.0		65.80	1	349.70	1			
19	2	押切 衣舞									ホキ ^リ イブ ^ン J S S宝塚							
		403B	10.0	2.0	7.5	7.5	8.5	8.5	8.5	7.5 8.0		48.00	1	48.00	1		311.25	
		103B	10.0	1.6	8.0	7.5	8.0	8.5	8.0	8.5 8.0		38.40	8	86.40	1			
		5132D	10.0	2.1	6.5	7.0	7.0	7.5	7.0	7.0 6.0		44.10	3	130.50	1			
		301B	10.0	1.9	8.5	8.0	8.0	7.0	8.0	8.0 8.5		45.60	2	176.10	1			
		105B	10.0	2.3	7.5	7.5	7.5	8.0	8.0	8.0 8.0		54.05	5	230.15	2	7.35		
		405C	10.0	2.5	7.0	7.5	7.5	7.0	7.5	6.5 7.5		55.00	3	285.15	1			
		205B	10.0	2.9	3.0	3.0	3.0	3.0	3.0	2.5 3.0		26.10	20	311.25	2	38.45		
22	3	北田 彩夏									キタ ^ダ アヤカ 小松DC							
		103B	10.0	1.6	6.5	7.0	6.0	7.0	7.0	8.0 7.0		33.60	=6	33.60	=6	14.40	309.75	
		301B	10.0	1.9	9.0	8.5	8.5	8.0	9.0	9.0 8.5		49.40	1	83.00	2	3.40		
		403B	7.5	2.1	7.0	7.0	6.5	7.0	6.5	6.5 7.0		43.05	4	126.05	2	4.45		
		612B	10.0	1.9	6.5	5.5	6.0	7.0	6.5	7.0 5.0		36.10	8	162.15	3	13.95		
		405B	10.0	2.8	4.5	5.0	5.0	4.5	3.5	4.5 4.5		37.80	14	199.95	5	37.55		
		205B	10.0	2.9	7.5	7.0	7.5	6.5	6.5	6.0 5.5		58.00	2	257.95	4	27.20		
		305C	10.0	2.8	6.5	6.0	6.0	6.0	6.5	6.0 6.5		51.80	5	309.75	3	39.95		
13	4	山崎 佳蓮									ヤマキ カレン 高知S C							
		101B	7.5	1.5	8.0	6.0	8.0	7.5	7.5	7.0 7.5		33.75	5	33.75	5	14.25	297.65	
		403B	7.5	2.1	7.0	7.5	8.0	7.5	7.5	6.0 7.5		47.25	2	81.00	3	5.40		
		201B	7.5	1.8	6.5	7.5	7.0	7.0	7.0	6.0 6.0		36.90	10	117.90	4	12.60		
		301B	7.5	1.9	5.0	4.5	5.0	5.0	5.5	4.5 4.5		27.55	20	145.45	6	30.65		
		405C	7.5	2.7	6.0	6.0	6.0	6.0	6.0	6.0 5.5		48.60	6	194.05	6	43.45		
		205C	7.5	2.8	8.5	8.5	8.0	8.0	8.0	8.5 7.0		68.60	1	262.65	3	22.50		
		5235D	7.5	2.8	5.0	4.0	4.5	4.0	5.0	4.0 4.0		35.00	=13	297.65	4	52.05		
20	5	小原 己知									コハラ ナチ 米子DC							
		103B	10.0	1.6	7.0	7.0	7.0	7.0	7.5	6.0 6.0		33.60	=6	33.60	=6	14.40	295.65	
		403B	10.0	2.0	7.0	7.0	7.0	7.5	7.5	6.5 6.5		42.00	=3	75.60	5	10.80		
		612B	10.0	1.9	6.0	5.5	6.0	6.0	5.5	5.0 5.0		32.30	=17	107.90	9	22.60		
		301B	10.0	1.9	7.0	6.0	5.5	6.0	6.5	7.5 5.5		35.15	11	143.05	7	33.05		
		305C	10.0	2.8	7.5	7.5	7.0	7.5	8.0	8.0 8.0		64.40	2	207.45	4	30.05		
		5235D	10.0	2.8	3.5	3.5	3.0	3.0	3.5	3.5 3.5		29.40	19	236.85	7	48.30		
		405B	10.0	2.8	7.0	7.0	6.5	7.0	7.0	6.5 7.0		58.80	2	295.65	5	54.05		

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 高飛込 決勝 14-15

開催日 2017/08/23
大阪プール

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 くもり

審判長 山崎 雅夫
副審判長 三浦 房子
機械操作 高山 優子
記録主任 木綿 薫

審判団(A) 4Round
1 浅田 雅子
2 清水 国重
3 内藤 直樹
4 近藤 愛彩
5 瓶子 笑里佳
6 笠松 眞利子
7 鈴木 羊子
審判団(B) 3Round
1 山本 敬樹
2 湯浅 よしの
3 春日 喜美子
4 毒島 泰士
5 笠井 学
6 糸川 明史
7 澄川 真寿美

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
11	6	村山 聖来									致遠館中							
			103B	7.5	1.6	6.5	6.5	6.0	6.5	7.5	6.0 6.0		30.40	9	30.40	9	17.60	295.55
			201B	7.5	1.8	7.5	7.5	7.0	7.0	7.5	7.0 7.0		38.70	7	69.10	10	17.30	
			301B	7.5	1.9	6.0	6.0	6.0	6.0	7.0	6.0 6.0		34.20	=14	103.30	11	27.20	
			5132D	7.5	2.1	5.5	5.0	5.5	5.0	6.0	6.0 5.5		34.65	12	137.95	10	38.15	
			305C	10.0	2.8	6.5	6.5	5.5	6.5	7.5	6.5 7.0		54.60	4	192.55	7	44.95	
			205C	7.5	2.8	5.0	5.5	5.5	6.0	6.0	6.0 6.0		49.00	5	241.55	6	43.60	
			405C	7.5	2.7	7.0	6.5	6.0	7.0	6.5	6.0 7.0		54.00	3	295.55	6	54.15	
14	7	木村 つづみ									J S S宝塚							
			103B	7.5	1.6	6.5	5.5	5.5	6.5	6.5	6.5 5.5		29.60	=11	29.60	=11	18.40	275.35
			5132D	7.5	2.1	6.5	6.5	6.0	6.5	6.0	6.0 6.5		39.90	6	69.50	9	16.90	
			201B	7.5	1.8	7.5	8.0	7.5	7.5	7.5	7.5 7.5		40.50	7	110.00	7	20.50	
			301B	7.5	1.9	7.0	7.0	7.0	6.5	6.5	7.5 7.0		39.90	4	149.90	5	26.20	
			205C	7.5	2.8	7.5	7.0	7.5	7.5	7.0	6.5 6.0		60.20	3	210.10	3	27.40	
			105B	7.5	2.4	5.5	5.5	6.5	5.0	5.5	5.5 5.5		39.60	14	249.70	5	35.45	
			405C	7.5	2.7	3.0	2.5	3.5	3.5	2.0	3.5 3.0		25.65	21	275.35	7	74.35	
15	8	熊木 蘭									群馬DC							
			103B	10.0	1.6	5.5	5.5	6.0	6.0	6.0	6.0 5.5		28.00	15	28.00	15	20.00	270.35
			403B	10.0	2.0	6.5	7.5	7.0	7.0	7.0	7.5 7.0		42.00	=3	70.00	8	16.40	
			301B	10.0	1.9	7.5	7.5	7.5	7.5	7.5	8.0 7.0		42.75	5	112.75	6	17.75	
			5231D	10.0	2.0	6.5	7.0	7.0	6.5	6.5	8.0 6.5		40.00	3	152.75	4	23.35	
			405C	7.5	2.7	4.5	4.0	3.5	3.5	4.0	4.0 4.0		32.40	18	185.15	8	52.35	
			205C	7.5	2.8	5.0	5.5	5.5	5.5	5.0	5.5 5.5		46.20	8	231.35	8	53.80	
			107B	10.0	3.0	4.0	4.0	4.5	4.5	4.5	4.0 4.5		39.00	10	270.35	8	79.35	
16	9	伊熊 柚葉									新津中							
			103B	7.5	1.6	5.5	5.5	6.0	6.0	5.5	5.5 5.0		26.40	=18	26.40	=18	21.60	265.50
			201B	7.5	1.8	5.0	5.5	5.5	6.5	7.0	6.5 7.0		33.30	=16	59.70	18	26.70	
			301B	7.5	1.9	6.5	6.5	6.0	7.0	7.5	6.5 6.5		37.05	9	96.75	15	33.75	
			403B	7.5	2.1	5.5	5.5	5.5	6.5	6.0	6.5 6.5		37.80	7	134.55	11	41.55	
			105B	7.5	2.4	5.5	5.5	6.0	5.5	6.0	5.0 5.0		39.60	=9	174.15	12	63.35	
			5233D	7.5	2.4	6.5	7.0	6.5	6.5	6.5	6.5 6.0		46.80	6	220.95	10	64.20	
			405C	7.5	2.7	5.5	5.5	5.0	6.5	5.5	5.5 4.5		44.55	8	265.50	9	84.20	
6	10	中村 日南									名古屋DC							
			103B	10.0	1.6	6.0	6.0	5.5	5.5	5.5	5.5 5.5		26.40	=18	26.40	=18	21.60	265.45
			201B	10.0	1.8	6.5	6.0	6.0	5.5	6.5	6.0 6.0		32.40	18	58.80	19	27.60	
			301B	10.0	1.9	7.0	7.0	7.5	6.5	8.0	7.5 7.0		40.85	6	99.65	13	30.85	
			403B	10.0	2.0	4.5	4.5	5.0	5.0	5.0	5.5 5.5		30.00	17	129.65	19	46.45	
			105B	10.0	2.3	5.0	5.5	5.5	5.0	5.5	5.5 5.0		36.80	15	166.45	14	71.05	
			405C	10.0	2.5	6.5	7.0	7.0	6.5	6.5	7.0 6.0		50.00	4	216.45	12	68.70	
			5235D	10.0	2.8	5.5	6.5	6.0	5.5	6.0	7.0 5.0		49.00	6	265.45	10	84.25	

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 高飛込 決勝 14-15

開催日 2017/08/23
大阪プール

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 くもり

審判長 山崎 雅夫
副審判長 三浦 房子
機械操作 高山 優子
記録主任 木綿 薫

審判団(A) 4Round
1 浅田 雅子
2 清水 国重
3 内藤 直樹
4 近藤 愛彩
5 瓶子 笑里佳
6 笠松 眞利子
7 鈴木 羊子
審判団(B) 3Round
1 山本 敬樹
2 湯浅 よしの
3 春日 喜美子
4 毒島 泰士
5 笠井 学
6 糸川 明史
7 澄川 真寿美

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
3	11	長谷山 奈優									ハセヤマ ナユ 川口SC							
		403B	10.0	2.0	6.5	6.5	6.0	6.5	6.5	6.5	6.5 6.5		39.00	3	39.00	3	9.00	263.60
		201B	7.5	1.8	6.5	7.5	7.0	6.5	7.5	7.5	7.5 6.5		37.80	=9	76.80	4	9.60	
		301B	7.5	1.9	6.5	7.0	7.0	6.5	7.0	6.0	5.5		38.00	8	114.80	5	15.70	
		612B	7.5	1.8	5.0	5.0	4.5	5.0	4.5	5.0	4.5		26.10	21	140.90	9	35.20	
		105B	7.5	2.4	5.5	6.0	6.5	6.0	6.0	5.5	6.0		43.20	8	184.10	9	53.40	
		405C	7.5	2.7	6.0	5.5	5.5	6.0	6.0	5.5	4.5		45.90	9	230.00	9	55.15	
		205C	7.5	2.8	4.0	3.5	4.0	4.0	4.0	2.5	4.0		33.60	15	263.60	11	86.10	
12	12	永木 夏奈									ナギキ ナ ジョイフル							
		403B	7.5	2.1	6.5	6.5	7.0	6.0	7.0	6.0	6.0		39.90	2	39.90	2	8.10	251.70
		201B	7.5	1.8	6.0	7.5	6.5	6.0	7.0	6.0	6.0		33.30	=16	73.20	6	13.20	
		103B	7.5	1.6	6.0	6.5	6.0	6.0	6.5	5.5	5.5		28.80	=20	102.00	12	28.50	
		5132D	7.5	2.1	5.0	4.5	5.0	4.5	6.0	5.5	5.0		31.50	16	133.50	13	42.60	
		303B	5.0	2.4	3.5	3.5	3.5	3.5	3.0	4.0	3.5		25.20	20	158.70	19	78.80	
		405C	7.5	2.7	5.0	4.5	5.0	5.5	5.0	6.0	5.0		40.50	13	199.20	17	85.95	
		107B	10.0	3.0	6.0	6.0	5.5	6.0	6.0	5.5	5.0		52.50	4	251.70	12	98.00	
17	13	内田 のい									ウチダ ノイ 小松DC							
		103B	10.0	1.6	5.0	5.0	5.0	5.0	6.0	5.5	5.5		24.80	=20	24.80	=20	23.20	249.60
		403B	10.0	2.0	5.5	6.0	6.0	5.5	6.0	6.5	5.0		35.00	13	59.80	17	26.60	
		301B	10.0	1.9	6.0	5.5	5.5	6.0	6.5	7.5	6.5		35.15	12	94.95	18	35.55	
		5132D	10.0	2.1	6.0	6.0	6.5	6.0	6.5	6.5	6.0		38.85	6	133.80	12	42.30	
		205B	10.0	2.9	5.0	5.0	6.0	6.0	6.0	5.0	4.5		46.40	7	180.20	11	57.30	
		5233D	7.5	2.4	5.0	5.5	5.0	5.0	5.5	4.5	6.0		37.20	15	217.40	11	67.75	
		305C	10.0	2.8	3.5	4.0	4.0	3.5	4.0	3.0	4.0		32.20	17	249.60	13	100.10	
9	14	戸田 萌々香									トダ モモカ 米沢DC							
		201B	7.5	1.8	5.5	6.5	6.0	6.5	6.5	5.0	5.0		32.40	8	32.40	8	15.60	242.70
		301C	5.0	1.6	5.0	5.5	5.0	5.0	5.0	5.0	4.5		24.00	21	56.40	20	30.00	
		403B	7.5	2.1	5.0	4.5	4.5	5.0	5.0	4.5	5.0		30.45	19	86.85	21	43.65	
		5132D	7.5	2.1	5.5	6.0	5.5	5.5	5.5	6.0	6.0		35.70	=9	122.55	20	53.55	
		105B	7.5	2.4	6.0	5.0	4.5	6.0	6.0	5.5	4.0		39.60	=9	162.15	17	75.35	
		405C	7.5	2.7	5.5	5.0	6.0	5.5	5.5	5.5	5.5		44.55	11	206.70	14	78.45	
		5233D	7.5	2.4	5.0	4.5	5.0	4.5	5.0	5.0	5.0		36.00	11	242.70	14	107.00	
18	15	北田 夏鈴									キタダ カリン 小松DC							
		201B	7.5	1.8	5.0	5.0	5.5	5.0	5.0	5.0	5.0		27.00	17	27.00	17	21.00	242.00
		301B	7.5	1.9	6.0	6.5	6.0	6.0	6.0	5.5	5.5		34.20	=14	61.20	15	25.20	
		403B	7.5	2.1	7.0	7.5	7.5	7.5	7.5	8.0	7.0		47.25	2	108.45	8	22.05	
		612B	7.5	1.8	6.5	7.0	6.0	6.0	5.5	6.5	5.5		33.30	15	141.75	8	34.35	
		105B	7.5	2.4	5.5	5.5	5.0	5.5	5.5	5.0	6.0		39.60	=9	181.35	10	56.15	
		405C	7.5	2.7	3.5	3.5	3.0	3.0	3.0	2.5	3.5		25.65	20	207.00	13	78.15	
		205C	7.5	2.8	4.5	4.5	4.0	4.5	4.0	4.0	4.0		35.00	=13	242.00	15	107.70	

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 高飛込 決勝 14-15

開催日 2017/08/23
大阪プール

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 くもり

審判長 山崎 雅夫
副審判長 三浦 房子
機械操作 高山 優子
記録主任 木綿 薫

審判団(A) 4Round
1 浅田 雅子
2 清水 国重
3 内藤 直樹
4 近藤 愛彩
5 瓶子 笑里佳
6 笠松 眞利子
7 鈴木 羊子
審判団(B) 3Round
1 山本 敬樹
2 湯浅 よしの
3 春日 喜美子
4 毒島 泰士
5 笠井 学
6 糸川 明史
7 澄川 真寿美

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
4	16	山田 瑛奈									高知 S C							
		101B	7.5	1.5	6.5	5.5	6.0	6.0	7.0	7.0	7.0 6.0		27.75	16	27.75	16	20.25	241.85
		403B	7.5	2.1	6.5	6.0	6.5	7.0	7.0	6.5 6.5		40.95	5	68.70	11	17.70		
		201B	7.5	1.8	6.5	5.5	6.5	6.5	7.0	6.5 6.5		35.10	13	103.80	10	26.70		
		301B	7.5	1.9	5.0	4.5	5.0	5.0	5.0	5.0 4.5		28.50	18	132.30	14	43.80		
		107C	10.0	2.7	4.0	3.5	4.5	4.0	4.0	4.5 4.5		33.75	16	166.05	15	71.45		
		5152B	10.0	2.9	5.0	5.0	4.5	4.5	5.0	4.0 4.5		40.60	12	206.65	15	78.50		
		407C	10.0	3.2	3.5	4.0	3.5	3.5	4.0	4.5 3.5		35.20	12	241.85	16	107.85		
5	17	千葉 真央									浜松学院中							
		103B	7.5	1.6	6.0	6.0	6.5	7.0	6.0	6.0 6.5		29.60	=11	29.60	=11	18.40	238.25	
		403B	7.5	2.1	6.0	6.5	6.5	6.0	6.0	6.0 6.0		37.80	=9	67.40	12	19.00		
		201B	7.5	1.8	5.0	5.0	4.0	5.5	6.0	5.5 6.0		28.80	=20	96.20	=16	34.30		
		612B	7.5	1.8	6.0	7.0	5.5	7.0	6.0	6.5 6.5		34.20	13	130.40	18	45.70		
		105B	7.5	2.4	5.0	4.0	4.0	4.0	4.0	4.0 4.0		28.80	19	159.20	18	78.30		
		303C	5.0	2.1	5.0	5.0	4.5	4.5	5.0	4.5 5.0		30.45	18	189.65	18	95.50		
		405C	7.5	2.7	6.5	6.0	6.0	6.5	5.5	6.0 5.0		48.60	7	238.25	17	111.45		
2	18	北村 夢									水戸 D S							
		103B	10.0	1.6	5.5	5.0	5.0	5.0	6.0	5.5 4.5		24.80	=20	24.80	=20	23.20	231.70	
		301B	5.0	1.7	5.5	5.5	5.0	5.5	6.0	5.5 5.5		28.05	20	52.85	21	33.55		
		403B	7.5	2.1	5.5	6.0	6.0	6.0	5.0	5.5 5.5		35.70	11	88.55	20	41.95		
		5132D	7.5	2.1	4.5	4.5	4.5	4.5	4.0	4.5 4.0		28.35	19	116.90	21	59.20		
		105B	7.5	2.4	5.0	4.5	6.0	5.5	5.5	5.5 6.0		39.60	=9	156.50	20	81.00		
		203C	5.0	2.0	5.5	5.0	6.5	6.0	5.5	5.0 5.0		32.00	17	188.50	19	96.65		
		405C	7.5	2.7	5.5	5.0	5.0	5.5	5.5	5.5 5.0		43.20	9	231.70	18	118.00		
7	19	大石 歩来									コウナン							
		103B	7.5	1.6	6.5	6.5	5.5	6.0	7.0	5.5 5.5		28.80	=13	28.80	=13	19.20	231.50	
		201B	7.5	1.8	6.5	7.0	6.5	5.5	6.5	6.0 6.5		35.10	=11	63.90	=13	22.50		
		301B	7.5	1.9	6.0	6.0	5.0	5.5	5.5	6.0 5.5		32.30	=17	96.20	=16	34.30		
		403B	7.5	2.1	5.5	6.0	6.0	6.0	5.5	5.5 5.5		35.70	=9	131.90	=15	44.20		
		105B	7.5	2.4	5.5	5.5	5.5	5.5	5.0	6.0 5.0		39.60	=9	171.50	13	66.00		
		205C	7.5	2.8	4.5	4.0	4.0	3.5	4.0	4.0 4.0		33.60	16	205.10	16	80.05		
		5233D	7.5	2.4	4.0	3.5	4.0	3.5	4.0	3.5 3.5		26.40	19	231.50	19	118.20		
1	20	森淵 純鈴									神辺 S P C							
		103B	7.5	1.6	6.0	6.0	6.5	6.5	6.0	6.0 6.0		28.80	=13	28.80	=13	19.20	215.40	
		201B	7.5	1.8	6.0	7.0	6.5	6.5	6.5	6.5 5.5		35.10	=11	63.90	=13	22.50		
		301B	7.5	1.9	6.0	6.5	6.0	6.0	5.5	6.0 5.5		34.20	=14	98.10	14	32.40		
		403B	7.5	2.1	5.5	5.0	5.0	6.0	5.5	5.0 5.5		33.60	14	131.70	17	44.40		
		5132D	7.5	2.1	0.5	1.0	1.5	1.0	2.0	1.5 2.5		8.40	21	140.10	21	97.40		
		105B	7.5	2.4	6.0	7.0	7.0	7.0	6.0	6.0 5.5		45.60	10	185.70	20	99.45		
		405C	7.5	2.7	4.5	3.5	3.5	4.5	3.5	4.0 3.5		29.70	18	215.40	20	134.30		

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

女子 高飛込 決勝 14-15

開催日 2017/08/23
大阪プール

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.6以内
気温 32.0℃
水温 28.3℃
天候 くもり

審判長 山崎 雅夫
副審判長 三浦 房子
機械操作 高山 優子
記録主任 木綿 薫

審判団(A) 4Round
1 浅田 雅子
2 清水 国重
3 内藤 直樹
4 近藤 愛彩
5 瓶子 笑里佳
6 笠松 眞利子
7 鈴木 羊子
審判団(B) 3Round
1 山本 敬樹
2 湯浅 よしの
3 春日 喜美子
4 毒島 泰士
5 笠井 学
6 糸川 明史
7 澄川 真寿美

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
10	21	高田 蒼衣									神辺 S P C										
		403B	10.0	2.0	5.0	5.0	5.0	5.0	4.5	4.5	5.0	30.00	10		30.00	10	18.00			209.10	
		103B	10.0	1.6	6.0	6.5	6.0	6.5	6.5	6.0	6.5	30.40	19		60.40	16	26.00				
		5132D	10.0	2.1	5.0	5.0	5.5	5.0	4.5	5.5	5.5	32.55	16		92.95	19	37.55				
		301B	10.0	1.9	7.0	7.5	6.5	7.0	7.5	6.0	6.5	38.95	5		131.90	=15	44.20				
		105B	7.5	2.4	4.5	4.5	5.0	5.0	4.5	4.0	5.0	33.60	17		165.50	16	72.00				
		205C	7.5	2.8	1.5	0.5	1.5	2.0	2.0	1.0	1.0	11.20	21		176.70	21	108.45				
		405C	7.5	2.7	4.5	4.0	3.5	3.5	4.5	4.5	3.5	32.40	16		209.10	21	140.60				

8	棄権	皆川 詩音									ミカワ ショウ										
		103B	7.5	1.6																	
		5132D	7.5	2.1																	
		301B	7.5	1.9																	
		203C	5.0	2.0																	
		205B	10.0	2.9																	
		105B	7.5	2.4																	
		405C	7.5	2.7																	

23	棄権	金戸 凜									カネト リン										
											セントラルD										