

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

男子 1m 飛板飛込 決勝

12-13

開催日 2017/08/25
大阪プール

審判長 谷内 覚

審判団

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.2以内
気温 32.0℃
水温 28.3℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 毒島 めぐみ 1 中川 真依
2 澄川 真寿美 2 三浦 房子
3 重永 美希子 3 瓶子 勇治郎
4 百千田 幸太郎 4 百千田 幸太郎
5 柴田 哲治 5 春日 喜美子
6 笠松 眞利子 6 毒島 泰士
7 鈴木 羊子 7 茶木 康寛

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
12	1	伊熊 扇李									浜松学院中								
		103B	1.0	1.7	8.5	8.5	7.5	9.0	9.0	9.0	9.0 8.5		44.20	1	44.20	1			331.15
		201B	1.0	1.6	7.0	8.0	7.5	8.0	7.5	7.5	7.5 8.0		36.80	=3	81.00	1			
		301B	1.0	1.7	7.0	7.0	8.0	7.5	7.0	7.0	7.0 7.5		36.55	2	117.55	1			
		403C	1.0	2.2	8.0	6.5	7.0	7.0	7.0	6.5	6.5 7.0		46.20	2	163.75	1			
		105B	1.0	2.6	7.0	6.0	6.5	6.5	6.5	6.5	6.5 7.5		50.70	1	214.45	1			
		5333D	1.0	2.6	5.5	6.5	6.5	6.5	6.5	6.5	7.0 7.0		50.70	2	265.15	1			
		305C	1.0	3.0	8.0	7.0	7.5	8.0	6.5	7.0	7.5		66.00	1	331.15	1			
8	2	二羽 倅鷲									小松DC								
		103B	1.0	1.7	7.0	7.5	7.5	6.5	7.5	7.0	6.5		36.55	3	36.55	3	7.65	281.40	
		201B	1.0	1.6	6.5	6.5	5.5	6.5	5.5	5.0	5.5		28.00	7	64.55	6	16.45		
		301B	1.0	1.7	7.5	7.5	7.0	8.0	6.5	7.5	7.0		37.40	1	101.95	4	15.60		
		403C	1.0	2.2	7.5	7.0	6.5	6.5	6.0	6.0	6.5		42.90	3	144.85	4	18.90		
		303C	1.0	2.1	8.0	7.0	8.0	7.5	7.0	7.5	7.0		46.20	3	191.05	4	23.40		
		105C	1.0	2.4	6.5	6.0	5.5	6.0	5.5	6.0	7.0		43.20	3	234.25	4	30.90		
		203B	1.0	2.3	6.0	7.0	6.5	7.0	7.0	6.0	7.0		47.15	=2	281.40	2	49.75		
10	3	増山 悟空									小松DC								
		103B	1.0	1.7	6.5	7.0	7.0	7.0	7.0	7.0	8.5		35.70	4	35.70	4	8.50	278.75	
		201B	1.0	1.6	7.5	7.0	7.0	7.0	7.5	6.0	7.5		34.40	5	70.10	4	10.90		
		301B	1.0	1.7	6.0	6.0	6.5	6.5	6.5	6.5	6.0		32.30	6	102.40	3	15.15		
		5132D	1.0	2.2	5.5	5.0	5.5	6.0	6.0	6.0	6.0		38.50	6	140.90	5	22.85		
		105B	1.0	2.6	6.0	4.5	5.5	5.0	5.0	6.0	6.0		42.90	5	183.80	5	30.65		
		203B	1.0	2.3	8.0	8.5	7.5	7.5	6.5	6.5	7.5		51.75	1	235.55	=2	29.60		
		403B	1.0	2.4	6.0	7.0	6.0	6.0	5.5	6.0	6.0		43.20	=4	278.75	3	52.40		
7	4	切詰 真聡									高知S C								
		103B	1.0	1.7	6.0	7.0	7.5	6.0	6.0	6.0	5.5		30.60	7	30.60	7	13.60	278.60	
		201B	1.0	1.6	7.0	7.5	7.5	8.0	7.0	8.0	8.0		36.80	=3	67.40	5	13.60		
		301B	1.0	1.7	6.5	6.5	7.0	6.5	7.0	7.0	6.5		34.00	=4	101.40	5	16.15		
		403C	1.0	2.2	7.0	7.5	6.5	7.5	7.0	7.5	7.0		47.30	1	148.70	2	15.05		
		104B	1.0	2.3	6.5	6.5	6.5	7.0	6.5	6.5	6.5		44.85	4	193.55	3	20.90		
		203C	1.0	2.0	6.0	7.5	7.0	7.0	7.0	7.0	6.5		42.00	4	235.55	=2	29.60		
		303C	1.0	2.1	6.5	7.0	7.0	7.0	6.0	7.0	6.0		43.05	6	278.60	4	52.55		
9	5	坂田 麗鳳									高岡S C								
		201B	1.0	1.6	7.5	8.5	7.5	8.5	8.0	7.5	8.0		37.60	2	37.60	2	6.60	276.90	
		103B	1.0	1.7	7.5	7.5	6.5	7.5	7.5	6.5	7.5		38.25	2	75.85	2	5.15		
		301B	1.0	1.7	6.5	7.5	6.0	7.0	7.5	7.0	7.0		35.70	3	111.55	2	6.00		
		5132D	1.0	2.2	5.5	6.5	5.0	6.0	5.5	5.0	5.5		36.30	7	147.85	3	15.90		
		303C	1.0	2.1	7.0	8.0	8.0	8.0	7.5	7.0	7.5		48.30	2	196.15	2	18.30		
		105C	1.0	2.4	4.5	5.0	5.0	4.0	5.0	4.0	4.5		33.60	6	229.75	5	35.40		
		203B	1.0	2.3	6.5	7.0	7.5	6.5	7.0	7.0	6.5		47.15	=2	276.90	5	54.25		

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

男子 1m 飛板飛込 決勝

12-13

開催日 2017/08/25
大阪プール

審判長 谷内 覚

審判団

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.2以内
気温 32.0℃
水温 28.3℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 毒島 めぐみ 1 中川 真依
2 澄川 真寿美 2 三浦 房子
3 重永 美希子 3 瓶子 勇治郎
4 百千田 幸太郎 4 百千田 幸太郎
5 柴田 哲治 5 春日 喜美子
6 笠松 眞利子 6 毒島 泰士
7 鈴木 羊子 7 茶木 康寛

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
2	6	柴 大翔									ジョイフル									
		103B	1.0	1.7	5.5	7.0	5.5	7.0	6.5	5.5	7.0	5.5	7.0		32.30	5	32.30	5	11.90	238.80
		403C	1.0	2.2	6.0	6.0	6.0	6.5	7.5	6.5	6.0	6.5	6.0		40.70	1	73.00	3	8.00	
		201C	1.0	1.5	5.5	6.0	6.0	6.0	5.5	6.0	5.5	6.0	5.5		26.25	10	99.25	6	18.30	
		301B	1.0	1.7	7.0	6.5	6.5	7.0	7.0	7.0	6.5	7.0	6.5		34.85	8	134.10	6	29.65	
		303C	1.0	2.1	4.0	4.5	4.0	3.5	4.0	5.0	4.0	5.0	4.0		25.20	10	159.30	6	55.15	
		5132D	1.0	2.2	5.5	5.5	6.0	5.5	5.0	5.5	6.0	5.5	6.0		36.30	5	195.60	6	69.55	
		105C	1.0	2.4	6.0	5.0	6.5	6.0	6.0	5.5	6.5	5.5	6.5		43.20	=4	238.80	6	92.35	
1	7	千賀 望紀斗									三重DC									
		103B	1.0	1.7	5.0	5.0	5.5	5.5	6.0	5.5	6.5	5.5	6.5		28.05	11	28.05	11	16.15	224.85
		201B	1.0	1.6	5.5	5.5	5.5	6.5	6.0	6.5	6.5	6.5	6.5		28.80	6	56.85	7	24.15	
		301B	1.0	1.7	6.0	6.0	5.5	6.0	6.0	6.0	5.5	6.0	5.5		30.60	=7	87.45	8	30.10	
		403C	1.0	2.2	6.0	6.5	6.0	6.0	6.5	6.0	6.0	6.0	6.0		39.60	5	127.05	8	36.70	
		203C	1.0	2.0	5.0	5.0	5.0	4.5	5.0	5.0	5.0	5.0	5.0		30.00	8	157.05	7	57.40	
		303C	1.0	2.1	4.0	5.0	5.0	4.0	4.5	4.5	5.0	4.5	5.0		29.40	8	186.45	8	78.70	
		105C	1.0	2.4	5.5	5.5	5.5	5.0	5.5	5.0	5.0	5.0	5.0		38.40	7	224.85	7	106.30	
6	8	眞塩 剛輝									群馬DC									
		201B	1.0	1.6	6.5	6.0	7.0	6.0	6.0	5.5	5.5	5.5	5.5		28.80	10	28.80	10	15.40	223.80
		301B	1.0	1.7	6.0	4.5	6.0	5.0	5.5	5.0	4.5	5.0	4.5		26.35	8	55.15	8	25.85	
		103B	1.0	1.7	6.0	5.5	7.0	6.5	7.0	7.0	6.5	7.0	6.5		34.00	=4	89.15	7	28.40	
		5132D	1.0	2.2	6.5	6.0	6.5	6.5	6.0	7.0	6.0	7.0	6.0		41.80	4	130.95	7	32.80	
		105C	1.0	2.4	2.5	3.5	3.5	2.0	3.0	4.0	3.5	4.0	3.5		24.00	11	154.95	8	59.50	
		303C	1.0	2.1	5.0	5.0	5.5	4.0	5.5	5.5	5.0	5.5	5.0		32.55	7	187.50	7	77.65	
		403C	1.0	2.2	5.5	5.0	5.5	5.5	5.0	6.0	6.0	6.0	6.0		36.30	8	223.80	8	107.35	
3	9	柳沼 凌士									浜松学院中									
		103B	1.0	1.7	5.0	5.0	6.0	6.0	6.0	5.5	6.0	5.5	6.0		29.75	8	29.75	8	14.45	191.80
		201B	1.0	1.6	5.5	5.5	5.0	5.5	5.0	5.0	5.0	5.0	5.0		24.80	9	54.55	9	26.45	
		301B	1.0	1.7	6.0	6.0	6.0	6.0	5.5	5.0	5.5	5.0	5.5		29.75	9	84.30	9	33.25	
		403C	1.0	2.2	5.5	5.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5		29.70	10	114.00	10	49.75	
		105C	1.0	2.4	3.0	4.0	4.0	4.0	3.5	3.5	3.5	3.5	3.5		26.40	9	140.40	10	74.05	
		203C	1.0	2.0	3.5	4.5	3.5	2.5	4.5	3.5	4.0	3.5	4.0		22.00	10	162.40	10	102.75	
		303C	1.0	2.1	4.5	6.0	4.0	4.0	4.5	5.0	5.0	5.0	5.0		29.40	10	191.80	9	139.35	
4	10	針田 大和									小松DC									
		103B	1.0	1.7	6.5	6.5	6.5	5.5	6.0	6.0	5.5	6.0	5.5		31.45	6	31.45	6	12.75	188.30
		201B	1.0	1.6	5.0	4.5	4.5	4.0	4.5	4.5	5.0	4.5	5.0		21.60	11	53.05	10	27.95	
		301B	1.0	1.7	5.5	5.5	6.0	6.0	6.0	6.0	6.0	6.0	6.0		30.60	=7	83.65	10	33.90	
		403C	1.0	2.2	4.5	4.5	5.5	5.0	5.0	5.5	5.5	5.5	5.5		34.10	9	117.75	9	46.00	
		104C	1.0	2.2	5.0	5.0	4.5	5.0	4.0	4.0	4.5	4.0	4.5		30.80	7	148.55	9	65.90	
		203C	1.0	2.0	4.0	4.0	4.5	3.5	4.5	4.0	4.0	4.0	4.0		24.00	9	172.55	9	92.60	
		303C	1.0	2.1	2.5	2.0	2.5	1.0	2.5	2.5	3.0	2.5	3.0		15.75	11	188.30	10	142.85	

第40回 全国JOCジュニアオリンピック
夏季水泳競技大会 (飛込競技)

採点詳細

男子 1m 飛板飛込 決勝

12-13

開催日 2017/08/25
大阪プール

審判長 谷内 覚

審判団

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.2 以内
気温 32.0℃
水温 28.3℃
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

- | | |
|-----------|-----------|
| 1 毒島 めぐみ | 1 中川 真依 |
| 2 澄川 真寿美 | 2 三浦 房子 |
| 3 重永 美希子 | 3 瓶子 勇治郎 |
| 4 百千田 幸太郎 | 4 百千田 幸太郎 |
| 5 柴田 哲治 | 5 春日 喜美子 |
| 6 笠松 眞利子 | 6 毒島 泰士 |
| 7 鈴木 羊子 | 7 茶木 康寛 |

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
5	11	内藤 栄将																		
						ナト エト				FDC										
			103B	1.0	1.7	6.0	5.0	6.5	5.0	6.5	5.5	5.5		28.90	9	28.90	9	15.30	182.65	
			201B	1.0	1.6	5.0	5.0	5.0	5.0	5.0	4.5	4.5		24.00	10	52.90	11	28.10		
			301B	1.0	1.7	5.0	5.0	5.0	5.0	5.0	4.5	5.5		25.50	11	78.40	11	39.15		
			401B	1.0	1.5	5.0	5.0	6.0	5.5	5.5	5.0	5.5		24.00	11	102.40	11	61.35		
			203B	1.0	2.3	4.0	4.5	6.0	5.5	4.5	5.0	5.0		33.35	6	135.75	11	78.70		
			104B	1.0	2.3	3.0	2.5	2.0	2.0	2.5	3.5	2.0		16.10	11	151.85	11	113.30		
			5132D	1.0	2.2	5.0	5.0	5.0	4.5	3.5	4.0	4.5		30.80	9	182.65	11	148.50		

11	棄権	小関 樹		コキ イキ	米沢DC
			103B	1.0	1.7
			201B	1.0	1.6
			303C	1.0	2.1
			401B	1.0	1.5
			403C	1.0	2.2
			203C	1.0	2.0
			105C	1.0	2.4