

第40回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

女子 3m 飛板飛込 決勝

14-15

開催日 2017/08/25  
大阪プール

審判長 山崎 雅夫

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回  
自由選択飛回数 3回  
難易率合計 9.5以内  
気温 32.0℃  
水温 28.3℃  
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 春日 喜美子  
2 瓶子 笑里佳  
3 三浦 房子  
4 笠松 眞利子  
5 鈴木 羊子  
6 時政 寛子  
7 中山 拓弥

1 中川 真依  
2 澄川 真寿美  
3 湯浅 よしの  
4 毒島 泰士  
5 茶木 康寛  
6 谷内 寛  
7 中島 勝司

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
23	1	安田 舞									ヤスタマイ 米子DC								
		103B	3.0	1.6	8.0	7.5	8.0	8.0	7.5	7.5	7.5	7.5	36.80	=2	36.80	=2	3.20	362.45	
		5132D	3.0	2.1	7.0	7.0	7.5	8.0	7.0	7.5	7.5	46.20	1	83.00	1				
		201B	3.0	1.8	8.0	8.0	7.5	8.0	7.5	7.0	7.5	41.40	1	124.40	1				
		301B	3.0	1.9	8.0	7.5	8.5	7.5	7.5	8.5	8.0	44.65	2	169.05	1				
		403B	3.0	2.1	8.5	8.0	8.0	8.0	8.5	8.0	7.5	50.40	1	219.45	1				
		205C	3.0	2.8	5.0	6.5	6.5	5.5	5.5	6.0	6.0	49.00	5	268.45	1				
		305C	3.0	2.8	7.0	7.0	7.5	7.5	7.5	7.0	7.5	61.60	1	330.05	1				
		405C	3.0	2.7	4.0	4.0	4.0	4.0	4.0	4.0	4.5	32.40	18	362.45	1				
25	2	山崎 佳蓮									ヤマキ カレン 高知SC								
		103B	3.0	1.6	8.5	8.0	8.5	8.5	8.5	8.0	8.0	40.00	1	40.00	1			337.75	
		201B	3.0	1.8	7.5	7.5	7.5	7.5	7.5	7.5	7.5	40.50	3	80.50	2	2.50			
		301B	3.0	1.9	4.0	4.5	4.5	3.5	4.5	4.0	3.0	23.75	24	104.25	10	20.15			
		403B	3.0	2.1	7.5	8.0	8.0	7.0	7.5	7.5	7.5	47.25	1	151.50	3	17.55			
		5132D	3.0	2.1	7.0	6.5	6.5	5.5	5.5	6.0	6.0	38.85	9	190.35	3	29.10			
		105B	3.0	2.4	7.5	7.0	7.5	7.5	7.5	7.0	7.5	54.00	1	244.35	3	24.10			
		405C	3.0	2.7	6.0	6.0	6.0	5.5	6.0	6.0	6.0	48.60	=5	292.95	2	37.10			
		205C	3.0	2.8	5.0	5.0	5.5	5.5	5.0	6.0	6.0	44.80	7	337.75	2	24.70			
22	3	村山 聖来									ムラヤマ セイ 致遠館中								
		103B	3.0	1.6	6.0	6.5	6.0	6.5	6.5	6.0	6.5	30.40	=10	30.40	=10	9.60	328.30		
		201B	3.0	1.8	6.0	7.0	7.0	7.0	7.5	7.5	7.0	37.80	7	68.20	7	14.80			
		301B	3.0	1.9	6.5	7.0	7.0	6.0	6.5	7.5	7.5	38.95	=2	107.15	3	17.25			
		403B	3.0	2.1	5.5	5.0	4.5	5.5	7.0	6.5	6.0	35.70	=12	142.85	6	26.20			
		5132D	3.0	2.1	6.0	5.5	6.0	5.5	5.5	6.0	6.0	36.75	13	179.60	9	39.85			
		305C	3.0	2.8	6.0	6.0	7.0	6.5	7.0	6.0	6.0	51.80	4	231.40	4	37.05			
		105B	3.0	2.4	6.0	6.5	6.5	6.5	6.5	6.0	6.0	45.60	7	277.00	5	53.05			
		405C	3.0	2.7	5.5	7.0	5.5	6.5	6.0	6.5	6.5	51.30	2	328.30	3	34.15			
7	4	熊木 蘭									クマキ ラン 群馬DC								
		103B	3.0	1.6	6.5	6.5	6.0	6.5	6.0	6.5	6.5	31.20	=8	31.20	=8	8.80	325.15		
		201B	3.0	1.8	6.0	7.0	6.5	6.5	6.5	6.5	6.5	35.10	=12	66.30	=10	16.70			
		301B	3.0	1.9	6.5	7.0	6.5	6.0	7.0	7.0	6.5	38.00	6	104.30	9	20.10			
		403B	3.0	2.1	7.0	7.0	7.0	7.0	6.5	7.5	7.0	44.10	3	148.40	4	20.65			
		5132D	3.0	2.1	6.0	6.5	6.5	6.5	6.0	7.0	6.5	40.95	=3	189.35	4	30.10			
		105B	3.0	2.4	4.0	5.0	4.0	4.0	5.0	4.0	4.5	30.00	23	219.35	10	49.10			
		205C	3.0	2.8	6.0	6.0	6.0	6.5	7.0	6.5	6.0	51.80	3	271.15	6	58.90			
		405B	3.0	3.0	6.0	5.5	6.0	6.5	6.0	5.5	6.0	54.00	1	325.15	4	37.30			
18	5	森岡 さくら									モリカ サクラ TJ								
		103B	3.0	1.6	7.0	6.5	6.5	6.0	6.5	6.0	6.0	30.40	=10	30.40	=10	9.60	321.10		
		403B	3.0	2.1	7.5	6.5	6.5	6.5	6.0	6.0	6.0	39.90	=4	70.30	6	12.70			
		201B	3.0	1.8	6.5	6.5	6.5	6.5	6.5	6.5	6.5	35.10	=8	105.40	6	19.00			
		301B	3.0	1.9	7.0	6.5	6.0	6.0	6.5	6.0	6.0	35.15	15	140.55	9	28.50			
		5132D	3.0	2.1	6.0	6.0	6.0	5.5	6.0	5.0	6.0	37.80	=10	178.35	11	41.10			
		5233D	3.0	2.4	6.0	6.5	6.5	6.5	6.5	6.5	6.5	46.80	=6	225.15	7	43.30			
		405C	3.0	2.7	6.5	7.0	7.5	6.5	7.5	6.5	7.0	55.35	2	280.50	3	49.55			
		107C	3.0	2.8	5.0	5.5	4.5	4.0	5.0	4.5	5.5	40.60	11	321.10	5	41.35			

第40回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

女子 3m 飛板飛込 決勝

14-15

開催日 2017/08/25  
大阪プール

審判長 山崎 雅夫

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回  
自由選択飛回数 3回  
難易率合計 9.5以内  
気温 32.0℃  
水温 28.3℃  
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 春日 喜美子  
2 瓶子 笑里佳  
3 三浦 房子  
4 笠松 眞利子  
5 鈴木 羊子  
6 時政 寛子  
7 中山 拓弥

1 中川 真依  
2 澄川 真寿美  
3 湯浅 よしの  
4 毒島 泰士  
5 茶木 康寛  
6 谷内 寛  
7 中島 勝司

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
17	6	小原 己知									コハラチ 米子DC							
		103B	3.0	1.6	7.5	8.0	8.0	6.5	7.0	7.5	7.0		35.20	4	35.20	4	4.80	320.40
		201B	3.0	1.8	7.0	7.5	7.0	6.5	7.0	7.5	7.5		38.70	6	73.90	5	9.10	
		301B	3.0	1.9	7.0	6.5	7.0	6.0	7.0	6.5	7.0		38.95	=2	112.85	2	11.55	
		403B	3.0	2.1	7.0	7.0	7.0	6.0	6.5	6.5	7.5		43.05	4	155.90	2	13.15	
		5132D	3.0	2.1	6.0	6.5	6.5	6.0	6.5	6.5	6.5		40.95	=3	196.85	2	22.60	
		105B	3.0	2.4	7.0	5.5	7.5	7.5	7.0	7.5	7.5		52.80	2	249.65	2	18.80	
		303B	3.0	2.3	3.0	4.5	4.0	4.5	4.0	4.0	4.5		28.75	20	278.40	4	51.65	
		5233D	3.0	2.4	6.0	5.5	6.5	6.0	6.0	5.5	5.5		42.00	10	320.40	6	42.05	
11	7	川上 瑞葵									カガミ ミズキ 小松DC							
		103B	3.0	1.6	6.0	6.5	5.5	5.5	5.5	5.5	6.0		27.20	16	27.20	16	12.80	309.20
		201B	3.0	1.8	7.0	6.5	7.0	6.5	6.5	7.0	7.0		36.90	8	64.10	12	18.90	
		301B	3.0	1.9	6.5	5.5	6.5	6.0	5.5	6.0	5.5		33.25	13	97.35	13	27.05	
		403B	3.0	2.1	6.5	6.5	6.5	6.0	5.0	6.0	5.0		38.85	=8	136.20	13	32.85	
		5132D	3.0	2.1	6.0	6.0	6.5	5.5	6.0	6.5	5.5		37.80	=10	174.00	13	45.45	
		305C	3.0	2.8	5.0	5.0	5.0	5.5	5.0	5.5	5.5		43.40	=9	217.40	11	51.05	
		405C	3.0	2.7	6.0	6.0	6.0	6.5	7.0	6.0	5.5		48.60	=5	266.00	7	64.05	
		5233D	3.0	2.4	5.5	6.0	6.0	6.0	5.5	6.0	6.5		43.20	=8	309.20	7	53.25	
20	8	皆川 詩音									ミカワ シオン 米沢DC							
		201B	3.0	1.8	6.5	6.5	7.0	6.5	6.0	6.0	6.5		35.10	5	35.10	5	4.90	306.25
		301B	3.0	1.9	7.5	7.5	7.0	7.0	7.0	7.0	7.5		40.85	2	75.95	4	7.05	
		103B	3.0	1.6	6.0	6.0	6.0	6.0	5.5	5.5	6.0		28.80	=18	104.75	8	19.65	
		403B	3.0	2.1	6.0	6.0	6.0	6.5	5.5	6.0	6.5		37.80	11	142.55	7	26.50	
		5132D	3.0	2.1	6.0	6.5	7.0	6.0	6.0	6.5	7.0		39.90	=6	182.45	6	37.00	
		205C	3.0	2.8	5.0	5.0	4.5	5.0	5.5	5.5	5.5		43.40	=9	225.85	6	42.60	
		305C	3.0	2.8	2.5	3.5	4.0	4.0	4.0	4.0	4.0		33.60	=14	259.45	10	70.60	
		5233D	3.0	2.4	6.5	6.5	6.5	7.5	6.5	6.5	7.0		46.80	6	306.25	8	56.20	
12	9	中村 日南									ナカムラ ヒナ 名古屋DC							
		103B	3.0	1.6	6.5	6.5	6.0	5.5	6.0	6.5	6.5		30.40	=10	30.40	=10	9.60	297.70
		201B	3.0	1.8	7.0	6.5	7.0	6.5	6.0	6.0	7.0		36.00	=9	66.40	9	16.60	
		301B	3.0	1.9	7.0	7.5	6.5	6.5	7.0	7.0	6.5		38.95	=2	105.35	7	19.05	
		403B	3.0	2.1	6.0	5.5	5.0	6.0	5.5	5.5	5.5		34.65	16	140.00	10	29.05	
		5132D	3.0	2.1	6.0	6.0	5.5	6.5	6.5	6.5	6.5		39.90	=6	179.90	8	39.55	
		105B	3.0	2.4	5.5	6.0	5.5	6.0	6.0	6.0	6.5		43.20	11	223.10	8	45.35	
		305C	3.0	2.8	3.0	3.5	3.5	4.5	3.0	3.0	3.0		26.60	=21	249.70	11	80.35	
		5233D	3.0	2.4	6.5	7.0	6.5	7.5	6.5	6.5	7.0		48.00	4	297.70	9	64.75	
19	10	押切 衣舞									オキリ イブ JSS宝塚							
		103B	3.0	1.6	7.5	7.5	8.5	8.0	7.5	8.0	7.5		36.80	=2	36.80	=2	3.20	296.40
		5132D	3.0	2.1	7.0	6.5	6.0	7.0	6.0	6.0	6.5		39.90	=4	76.70	3	6.30	
		201B	3.0	1.8	6.0	5.5	6.0	5.5	5.0	4.5	5.0		28.80	=18	105.50	5	18.90	
		301B	3.0	1.9	5.5	5.0	5.5	4.5	5.0	5.0	5.0		28.50	22	134.00	14	35.05	
		403B	3.0	2.1	7.5	7.0	8.0	7.0	7.5	7.0	7.5		46.20	2	180.20	7	39.25	
		303B	3.0	2.3	4.5	5.5	5.0	4.5	4.5	5.0	4.5		32.20	=20	212.40	12	56.05	
		205C	3.0	2.8	2.5	4.0	4.5	4.5	3.5	3.5	4.5		33.60	=14	246.00	13	84.05	
		105B	3.0	2.4	6.5	7.0	7.0	7.0	7.0	7.0	7.0		50.40	3	296.40	10	66.05	

第40回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

女子 3m 飛板飛込 決勝

14-15

開催日 2017/08/25  
大阪プール

審判長 山崎 雅夫

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回  
自由選択飛回数 3回  
難易率合計 9.5以内  
気温 32.0℃  
水温 28.3℃  
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 春日 喜美子  
2 瓶子 笑里佳  
3 三浦 房子  
4 笠松 眞利子  
5 鈴木 羊子  
6 時政 寛子  
7 中山 拓弥

1 中川 真依  
2 澄川 真寿美  
3 湯浅 よしの  
4 毒島 泰士  
5 茶木 康寛  
6 谷内 寛  
7 中島 勝司

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
15	11	長谷山 奈優									川口SC							
		103B	3.0	1.6	6.5	7.0	7.0	7.0	6.5	7.0	ハヤマ ナユ		32.00	6	32.00	6	8.00	293.00
		5132D	3.0	2.1	5.0	5.5	4.5	4.5	4.5	5.0	川口SC		30.45	19	62.45	13	20.55	
		201B	3.0	1.8	5.5	6.5	7.0	7.5	6.5	6.5	川口SC		35.10	=8	97.55	12	26.85	
		301B	3.0	1.9	7.5	7.0	7.5	6.0	6.5	7.0	川口SC		39.90	=6	137.45	11	31.60	
		403B	3.0	2.1	7.0	6.5	6.5	6.0	6.5	5.0	川口SC		39.90	=6	177.35	12	42.10	
		405C	3.0	2.7	6.5	7.0	6.0	6.5	6.5	5.5	川口SC		52.65	3	230.00	5	38.45	
		305C	3.0	2.8	3.0	3.5	4.0	4.0	4.5	3.0	川口SC		30.80	19	260.80	9	69.25	
		205C	3.0	2.8	3.0	4.0	4.0	3.5	4.5	3.5	川口SC		32.20	19	293.00	11	69.45	
5	12	北村 夢									水戸DS							
		103B	3.0	1.6	6.5	6.5	6.5	6.0	6.5	6.5	キムラ ユメ		31.20	=8	31.20	=8	8.80	287.05
		201B	3.0	1.8	6.5	6.0	7.0	7.0	6.5	6.0	水戸DS		35.10	=12	66.30	=10	16.70	
		301B	3.0	1.9	6.0	6.0	6.0	4.5	5.5	6.5	水戸DS		34.20	=10	100.50	11	23.90	
		403B	3.0	2.1	6.0	6.5	6.5	6.5	5.5	7.0	水戸DS		40.95	5	141.45	8	27.60	
		5132D	3.0	2.1	6.0	6.0	6.5	6.0	6.0	6.0	水戸DS		37.80	=10	179.25	10	40.20	
		105B	3.0	2.4	5.5	5.5	6.0	6.0	6.0	6.0	水戸DS		42.00	12	221.25	9	47.20	
		203B	3.0	2.2	3.0	3.5	4.0	4.0	3.5	4.0	水戸DS		25.30	23	246.55	12	83.50	
		405C	3.0	2.7	5.0	4.5	4.5	5.5	5.0	5.0	水戸DS		40.50	12	287.05	12	75.40	
14	13	木村 つづみ									JSS宝塚							
		401B	3.0	1.4	7.5	7.5	7.5	7.5	8.0	7.5	キムラ ツヅミ		31.50	7	31.50	7	8.50	283.35
		103B	3.0	1.6	7.0	7.5	7.0	8.0	8.0	7.5	JSS宝塚		36.00	=9	67.50	8	15.50	
		5132D	3.0	2.1	5.0	6.0	6.5	7.0	6.5	6.0	JSS宝塚		38.85	5	106.35	4	18.05	
		201B	3.0	1.8	7.0	6.5	7.0	7.0	8.0	7.5	JSS宝塚		38.70	10	145.05	5	24.00	
		301B	3.0	1.9	7.0	7.0	8.0	7.0	7.5	7.0	JSS宝塚		40.85	5	185.90	5	33.55	
		205C	3.0	2.8	1.5	1.0	1.5	2.5	1.5	2.5	JSS宝塚		15.40	24	201.30	14	67.15	
		403B	3.0	2.1	6.5	6.0	6.0	6.0	6.0	6.5	JSS宝塚		38.85	10	240.15	15	89.90	
		105B	3.0	2.4	6.5	5.5	6.0	6.0	6.0	6.0	JSS宝塚		43.20	=8	283.35	13	79.10	
8	14	伊熊 柚葉									新津中							
		103B	3.0	1.6	6.0	5.5	5.0	5.0	5.5	5.0	イクマ ユズハ		24.80	23	24.80	23	15.20	282.80
		201B	3.0	1.8	6.0	6.5	5.5	5.0	6.5	6.0	新津中		32.40	=15	57.20	19	25.80	
		301B	3.0	1.9	6.0	6.0	6.0	5.5	6.0	5.0	新津中		34.20	=10	91.40	15	33.00	
		403B	3.0	2.1	5.5	5.5	4.5	5.0	6.0	5.0	新津中		32.55	=18	123.95	16	45.10	
		5132D	3.0	2.1	5.5	5.0	5.5	4.0	5.5	5.5	新津中		33.60	=15	157.55	15	61.90	
		105B	3.0	2.4	5.0	5.5	5.5	5.0	5.0	5.5	新津中		38.40	=14	195.95	16	72.50	
		5233D	3.0	2.4	5.5	5.5	5.5	5.5	5.0	5.0	新津中		39.60	9	235.55	16	94.50	
		405C	3.0	2.7	5.5	5.5	5.5	6.0	6.0	6.0	新津中		47.25	5	282.80	14	79.65	
13	15	永木 夏奈									ジョイフル							
		103B	3.0	1.6	6.0	6.0	6.0	6.0	4.5	5.5	カギキカ		28.80	15	28.80	15	11.20	280.10
		201B	3.0	1.8	6.0	6.5	6.0	6.0	5.0	5.5	ジョイフル		32.40	=15	61.20	15	21.80	
		301B	3.0	1.9	6.5	6.5	7.0	6.0	6.0	6.0	ジョイフル		35.15	7	96.35	14	28.05	
		403B	3.0	2.1	6.0	6.5	6.0	6.0	6.5	7.0	ジョイフル		39.90	=6	136.25	12	32.80	
		5132D	3.0	2.1	5.5	5.0	4.5	5.5	5.0	5.0	ジョイフル		31.50	=19	167.75	14	51.70	
		105B	3.0	2.4	5.5	6.5	6.0	6.0	6.0	7.0	ジョイフル		44.40	8	212.15	13	56.30	
		405C	3.0	2.7	6.5	6.0	6.0	6.5	6.5	6.0	ジョイフル		49.95	4	262.10	8	67.95	
		205B	3.0	3.0	2.0	2.0	2.0	2.0	2.5	2.0	ジョイフル		18.00	24	280.10	15	82.35	

第40回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

女子 3m 飛板飛込 決勝

14-15

開催日 2017/08/25  
大阪プール

審判長 山崎 雅夫

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回  
自由選択飛回数 3回  
難易率合計 9.5以内  
気温 32.0℃  
水温 28.3℃  
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 春日 喜美子  
2 瓶子 笑里佳  
3 三浦 房子  
4 笠松 眞利子  
5 鈴木 羊子  
6 時政 寛子  
7 中山 拓弥

1 中川 真依  
2 澄川 真寿美  
3 湯浅 よしの  
4 毒島 泰士  
5 茶木 康寛  
6 谷内 寛  
7 中島 勝司

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
16	16	山田 瑛奈									高知 S C							
		103B	3.0	1.6	5.5	5.5	5.5	5.5	5.5	7.0	5.5 6.0		26.40	=17	26.40	=17	13.60	273.95
		5132D	3.0	2.1	5.5	5.5	5.0	5.0	6.5	6.0 6.5		35.70	11	62.10	14	20.90		
		201B	3.0	1.8	5.0	5.5	4.5	5.0	4.5	5.0 4.5		26.10	21	88.20	18	36.20		
		301B	3.0	1.9	5.5	5.5	5.0	6.0	5.5	5.0 6.0		31.35	20	119.55	20	49.50		
		403B	3.0	2.1	5.0	6.0	4.5	6.0	5.5	5.0 5.5		33.60	=15	153.15	17	66.30		
		105B	3.0	2.4	6.0	6.5	6.5	6.5	6.0	7.0 7.0		46.80	=6	199.95	15	68.50		
		405C	3.0	2.7	5.0	5.0	5.5	5.5	5.5	5.0 6.0		43.20	8	243.15	14	86.90		
		205C	3.0	2.8	3.5	3.5	3.5	4.5	3.5	4.0 4.5		30.80	20	273.95	16	88.50		
21	17	戸田 萌々香									米沢 D C							
		103B	3.0	1.6	5.5	5.5	5.5	5.5	6.0	5.5 5.5		26.40	=17	26.40	=17	13.60	267.90	
		201B	3.0	1.8	6.5	6.0	6.5	6.0	6.0	6.0 7.0		33.30	14	59.70	16	23.30		
		301B	3.0	1.9	5.0	4.5	4.5	4.5	4.0	5.0 4.5		25.65	22	85.35	22	39.05		
		403B	3.0	2.1	6.0	6.5	6.0	6.0	7.0	6.5 6.0		38.85	=8	124.20	15	44.85		
		5132D	3.0	2.1	4.5	5.0	4.5	4.0	4.5	4.5 5.0		28.35	23	152.55	18	66.90		
		105B	3.0	2.4	5.0	5.0	5.5	5.5	5.5	5.5 5.0		38.40	=14	190.95	18	77.50		
		205C	3.0	2.8	4.5	5.0	3.5	4.5	4.5	3.5 4.5		37.80	11	228.75	17	101.30		
		405C	3.0	2.7	5.0	5.0	4.5	4.5	5.0	4.0 5.0		39.15	13	267.90	17	94.55		
6	18	大石 歩来									コウナン							
		103B	3.0	1.6	5.5	5.5	5.5	5.5	6.0	5.5 6.0		26.40	=17	26.40	=17	13.60	263.95	
		201B	3.0	1.8	5.5	6.0	6.0	5.0	5.5	5.0 5.0		28.80	21	55.20	21	27.80		
		301B	3.0	1.9	5.5	5.5	5.0	5.0	6.0	5.5 5.5		31.35	=14	86.55	19	37.85		
		403B	3.0	2.1	5.5	5.5	6.0	5.5	6.0	6.5 5.5		35.70	=12	122.25	17	46.80		
		5231D	3.0	2.0	5.0	5.0	4.5	5.0	4.5	5.0 5.0		30.00	21	152.25	19	67.20		
		105B	3.0	2.4	5.5	5.0	5.5	5.5	6.0	5.5 5.5		39.60	13	191.85	17	76.60		
		203B	3.0	2.2	5.0	4.0	5.0	5.0	5.0	5.5 5.0		33.00	16	224.85	18	105.20		
		303B	3.0	2.3	5.5	5.5	6.0	5.5	6.0	6.5 5.5		39.10	14	263.95	18	98.50		
3	19	勝眞 海音									天理中							
		403B	3.0	2.1	5.0	4.5	5.0	5.0	4.5	4.5 4.5		29.40	14	29.40	14	10.60	250.55	
		103B	3.0	1.6	5.5	5.0	5.0	5.5	5.0	5.0 4.0		24.00	24	53.40	22	29.60		
		201B	3.0	1.8	4.5	5.0	5.5	5.0	4.5	4.5 4.5		25.20	23	78.60	24	45.80		
		301B	3.0	1.9	6.0	6.0	5.0	5.5	5.5	6.0 6.0		33.25	17	111.85	22	57.20		
		5132D	3.0	2.1	5.0	4.5	5.0	5.5	5.5	5.0 5.0		31.50	=19	143.35	22	76.10		
		203B	3.0	2.2	5.0	5.5	6.0	6.0	5.5	5.0 5.0		35.20	17	178.55	22	89.90		
		303C	3.0	2.0	6.0	5.5	6.0	6.0	6.0	6.5 5.5		36.00	12	214.55	20	115.50		
		105B	3.0	2.4	5.0	5.0	5.0	5.5	6.0	5.0 5.0		36.00	=15	250.55	19	111.90		
4	20	高田 蒼衣									神辺 S P C							
		103B	3.0	1.6	6.0	5.5	5.5	5.5	5.5	5.5 5.0		26.40	=17	26.40	=17	13.60	247.80	
		201B	3.0	1.8	6.0	5.5	6.0	6.0	6.0	6.0 6.0		32.40	=15	58.80	17	24.20		
		301B	3.0	1.9	6.0	6.0	5.5	5.0	5.0	5.0 5.5		30.40	17	89.20	16	35.20		
		403B	3.0	2.1	5.5	6.0	4.5	5.5	5.0	5.0 5.0		32.55	=18	121.75	18	47.30		
		5132D	3.0	2.1	5.5	5.5	5.5	5.5	5.5	5.5 5.5		34.65	14	156.40	16	63.05		
		205C	3.0	2.8	3.5	3.5	3.5	4.0	4.5	4.5 4.0		32.20	=20	188.60	19	79.85		
		305C	3.0	2.8	3.5	4.0	3.0	3.5	4.0	4.0 4.0		32.20	18	220.80	19	109.25		
		405C	3.0	2.7	3.5	3.5	3.0	3.0	3.5	3.0 3.5		27.00	23	247.80	20	114.65		

第40回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

女子 3m 飛板飛込 決勝

14-15

開催日 2017/08/25  
大阪プール

審判長 山崎 雅夫

審判団(A) 5Round

審判団(B) 3Round

制限選択飛回数 5回  
自由選択飛回数 3回  
難易率合計 9.5以内  
気温 32.0℃  
水温 28.3℃  
天候 晴れ

機械操作 高山 優子

記録主任 木綿 薫

1 春日 喜美子  
2 瓶子 笑里佳  
3 三浦 房子  
4 笠松 眞利子  
5 鈴木 羊子  
6 時政 寛子  
7 中山 拓弥

1 中川 真依  
2 澄川 真寿美  
3 湯浅 よしの  
4 毒島 泰士  
5 茶木 康寛  
6 谷内 寛  
7 中島 勝司

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
10	21	内田 のい									小松DC							
		103B	3.0	1.6	6.5	6.0	5.5	6.0	6.5	6.5	6.5	6.0	29.60	13	29.60	13	10.40	246.85
		201B	3.0	1.8	5.0	6.0	5.0	6.0	5.5	5.0	5.0	5.0	27.90	22	57.50	18	25.50	
		301B	3.0	1.9	5.5	5.5	5.5	5.5	5.5	5.0	5.0	5.0	31.35	=14	88.85	17	35.55	
		403B	3.0	2.1	4.5	5.0	4.5	5.0	4.5	5.0	5.0	5.0	30.45	21	119.30	21	49.75	
		5132D	3.0	2.1	5.0	4.0	5.5	5.5	4.5	5.5	5.0	5.0	32.55	18	151.85	20	67.60	
		105B	3.0	2.4	4.5	4.0	4.0	4.5	4.5	4.5	4.5	5.0	32.40	19	184.25	20	84.20	
		205C	3.0	2.8	3.5	3.0	3.5	3.0	3.0	3.5	2.5	2.5	26.60	=21	210.85	23	119.20	
		5233D	3.0	2.4	5.0	5.0	4.5	5.0	5.0	5.5	5.0	5.0	36.00	=15	246.85	21	115.60	
9	22	北田 夏鈴									小松DC							
		103B	3.0	1.6	6.0	5.0	4.5	5.0	4.5	4.5	5.0	5.0	23.20	24	23.20	24	16.80	242.35
		201B	3.0	1.8	5.0	5.5	5.5	6.0	6.0	5.5	5.0	5.0	29.70	20	52.90	23	30.10	
		301B	3.0	1.9	5.5	5.5	5.5	6.0	5.5	5.5	5.5	5.5	31.35	=14	84.25	23	40.15	
		403B	3.0	2.1	6.0	6.0	5.5	6.0	5.5	5.5	5.0	5.0	35.70	=12	119.95	19	49.10	
		5132D	3.0	2.1	5.0	4.5	5.5	5.0	4.5	4.5	4.5	4.5	29.40	22	149.35	21	70.10	
		105B	3.0	2.4	4.0	4.5	4.5	4.0	4.5	4.0	4.5	4.5	31.20	22	180.55	21	87.90	
		405C	3.0	2.7	4.5	4.0	4.0	4.0	4.5	3.5	4.0	4.0	32.40	17	212.95	21	117.10	
		205C	3.0	2.8	3.5	3.5	4.0	3.5	3.5	4.0	3.5	3.5	29.40	21	242.35	22	120.10	
2	23	若林 千草									佐賀DC							
		103B	3.0	1.6	6.0	6.0	5.5	5.5	5.5	5.5	5.5	5.5	26.40	=17	26.40	=17	13.60	240.65
		201B	3.0	1.8	6.0	5.5	5.5	6.0	6.0	5.5	5.5	5.5	30.60	18	57.00	20	26.00	
		301B	3.0	1.9	5.0	5.5	5.0	5.0	5.5	5.0	5.0	5.0	28.50	20	85.50	21	38.90	
		401B	3.0	1.4	5.5	5.5	5.0	6.0	5.5	5.0	5.5	5.5	23.10	=23	108.60	24	60.45	
		5132D	3.0	2.1	5.0	5.0	5.0	5.5	5.5	5.5	5.5	5.5	33.60	=15	142.20	23	77.25	
		105B	3.0	2.4	4.5	5.5	5.0	5.5	5.0	5.0	5.0	5.0	36.00	16	178.20	23	90.25	
		203B	3.0	2.2	6.0	5.5	5.5	5.0	4.5	5.0	5.0	5.0	34.10	13	212.30	22	117.75	
		403B	3.0	2.1	5.0	5.0	4.0	4.5	3.5	4.5	4.5	4.5	28.35	22	240.65	23	121.80	
1	24	森淵 純鈴									神辺SPC							
		103B	3.0	1.6	5.5	6.0	5.5	5.5	5.5	5.0	5.5	5.5	26.40	=17	26.40	=17	13.60	217.30
		201B	3.0	1.8	5.5	4.5	4.5	5.0	4.5	5.0	4.5	4.5	25.20	23	51.60	24	31.40	
		301B	3.0	1.9	6.0	6.0	6.5	5.5	5.5	6.0	6.0	6.0	34.20	=10	85.80	20	38.60	
		401B	3.0	1.4	6.0	5.5	5.5	5.5	5.5	5.0	5.0	5.0	23.10	=23	108.90	23	60.15	
		5132D	3.0	2.1	3.0	2.5	2.0	3.5	2.5	3.5	2.0	2.0	16.80	24	125.70	24	93.75	
		403B	3.0	2.1	6.0	6.0	5.5	4.5	5.0	5.5	4.5	4.5	33.60	18	159.30	24	109.15	
		203B	3.0	2.2	3.5	4.0	3.0	3.5	3.5	2.5	3.0	3.0	22.00	24	181.30	24	148.75	
		105B	3.0	2.4	5.5	5.0	5.0	5.5	5.0	5.0	5.0	5.0	36.00	=15	217.30	24	145.15	

24 棄権 金戸 凜

カネ トリ

セントラルD