

第93回日本選手権水泳競技大会 飛込競技
兼 国際大会派遣選手選考会

採点詳細

男子 高飛込 決勝

開催日 2017/09/24
金沢プール

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 °C
水温 °C
天候

審判長 清水 国重
副審判長 安田 千万樹
機械操作 矢作 貴則
記録主任 名東 久也

審判団
1 坂田 芳寛
2 三浦 房子
3 豊田 健吾
4 鈴木 羊子
5 浅田 雅子
6 坂井由美子
7 山賀健一郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	1	村上 和基									J S S 白子							463.70
		407C	10.0	3.2	8.0	8.0	8.0	8.0	7.5	8.0	8.0	7.5	76.80	1	76.80	1		
		6243D	10.0	3.2	7.5	8.0	8.0	8.0	7.5	7.0	8.5	8.0	75.20	2	152.00	1		
		207B	10.0	3.6	8.5	8.0	9.0	9.0	9.0	9.0	8.5	8.0	93.60	1	245.60	1		
		107B	10.0	3.0	8.0	7.0	8.5	8.0	8.0	8.5	9.0	8.5	75.00	3	320.60	1		
		307C	10.0	3.4	6.5	6.5	7.0	6.5	6.0	6.0	6.5	6.0	66.30	4	386.90	1		
		5253B	10.0	3.2	7.5	7.5	8.0	8.0	8.0	8.0	8.5	9.0	76.80	2	463.70	1		
11	2	中 秀太郎									カ シュウタロウ							415.95
		107B	10.0	3.0	8.0	7.0	7.5	8.0	8.0	8.0	7.0	7.5	69.00	3	69.00	3	7.80	
		407C	10.0	3.2	8.0	8.5	8.0	8.0	7.5	8.0	8.0	8.0	76.80	1	145.80	2	6.20	
		207C	10.0	3.3	6.0	5.5	6.5	6.0	6.0	6.0	7.0	6.5	61.05	5	206.85	2	38.75	
		5253B	10.0	3.2	7.0	7.0	6.5	7.0	6.5	6.5	6.5	6.5	64.00	8	270.85	2	49.75	
		6243D	10.0	3.2	7.5	8.0	7.5	7.5	7.5	7.5	7.0	7.5	72.00	2	342.85	2	44.05	
		307C	10.0	3.4	7.0	5.0	7.5	7.5	6.5	6.5	8.0	7.0	73.10	6	415.95	2	47.75	
9	3	萩田 拓馬									ハキ タクマ							384.70
		107B	10.0	3.0	7.5	7.0	8.5	7.5	8.0	7.0	7.5	7.5	67.50	=4	67.50	=4	9.30	
		307C	10.0	3.4	3.0	3.5	3.0	3.5	2.5	3.5	3.5	3.5	34.00	12	101.50	11	50.50	
		407C	10.0	3.2	7.0	7.0	6.5	7.0	7.0	5.5	7.5	7.5	67.20	3	168.70	8	76.90	
		6245D	10.0	3.6	5.5	6.0	6.5	6.5	6.0	6.0	6.0	6.0	64.80	=6	233.50	7	87.10	
		207B	10.0	3.6	7.5	8.0	8.0	7.5	7.0	6.5	7.5	7.5	81.00	1	314.50	3	72.40	
		5255B	10.0	3.6	7.0	6.5	7.0	6.5	6.5	6.0	6.5	6.5	70.20	=9	384.70	3	79.00	
1	4	大塚 千誠									オツカ チアキ							377.50
		107B	10.0	3.0	7.5	7.0	7.5	7.5	7.5	7.0	7.0	7.5	67.50	=4	67.50	=4	9.30	
		207C	10.0	3.3	7.0	7.5	7.5	7.0	7.0	7.0	7.0	7.0	69.30	3	136.80	3	15.20	
		407C	10.0	3.2	4.0	4.0	4.0	3.5	3.5	4.5	4.5	4.5	38.40	11	175.20	6	70.40	
		307C	10.0	3.4	6.5	7.5	7.0	6.5	6.0	5.5	6.5	6.5	66.30	4	241.50	4	79.10	
		6243D	10.0	3.2	7.5	5.5	7.5	6.0	6.5	6.5	7.0	7.0	64.00	=6	305.50	4	81.40	
		5253B	10.0	3.2	7.0	7.5	8.0	7.5	7.5	6.5	7.5	7.5	72.00	8	377.50	4	86.20	
10	5	西田 玲雄									ニシダ レオ							377.10
		307C	10.0	3.4	4.0	4.0	3.5	3.5	4.5	4.0	4.0	4.0	40.80	12	40.80	12	36.00	
		207C	10.0	3.3	4.0	4.5	4.0	4.5	4.5	4.0	4.5	4.5	42.90	11	83.70	12	68.30	
		5253B	10.0	3.2	7.5	7.5	8.0	7.5	8.0	7.5	7.5	7.5	72.00	2	155.70	11	89.90	
		407C	10.0	3.2	7.5	8.0	8.0	7.5	8.0	8.0	8.0	8.0	76.80	1	232.50	9	88.10	
		107B	10.0	3.0	8.0	7.0	7.5	7.5	8.5	7.5	8.0	8.0	69.00	3	301.50	6	85.40	
		6245D	10.0	3.6	7.0	7.5	7.0	7.0	7.0	6.5	7.0	7.0	75.60	4	377.10	5	86.60	

第93回日本選手権水泳競技大会 飛込競技
兼 国際大会派遣選手選考会

採点詳細

男子 高飛込 決勝

開催日 2017/09/24
金沢プール

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 °C
水温 °C
天候

審判長 清水 国重
副審判長 安田 千万樹
機械操作 矢作 貴則
記録主任 名東 久也

審判団
1 坂田 芳寛
2 三浦 房子
3 豊田 健吾
4 鈴木 羊子
5 浅田 雅子
6 坂井由美子
7 山賀健一郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
5	6	金戸 快									セントラル/日出高							
		6243 D	10.0	3.2	6.0	7.0	6.5	7.0	7.0	5.5	6.0		62.40	8	62.40	8	14.40	371.95
		107 B	10.0	3.0	6.0	5.5	7.0	6.5	6.5	6.0	6.5		57.00	8	119.40	7	32.60	
		207 C	10.0	3.3	6.5	6.5	6.0	6.5	6.5	6.0	7.0		64.35	4	183.75	4	61.85	
		407 C	10.0	3.2	5.0	5.5	5.5	6.0	5.0	5.0	4.5		49.60	11	233.35	8	87.25	
		5235 D	10.0	2.8	7.5	8.5	9.0	8.0	7.0	7.0	8.0		65.80	5	299.15	=7	87.75	
		305 C	10.0	2.8	8.5	9.0	8.5	9.0	8.5	7.0	9.0		72.80	7	371.95	6	91.75	
4	7	岡島 太一									カネ マタイ 日本体育大							
		407 C	10.0	3.2	8.0	6.5	7.0	7.5	7.0	8.0	7.5		70.40	2	70.40	2	6.40	369.35
		307 C	10.0	3.4	6.5	6.0	5.0	6.0	5.5	6.0	6.0		61.20	6	131.60	4	20.40	
		626 B	10.0	3.5	4.5	5.0	4.0	5.5	4.5	4.5	4.0		47.25	10	178.85	5	66.75	
		207 B	10.0	3.6	6.0	6.0	6.5	6.0	6.5	6.0	5.5		64.80	=6	243.65	3	76.95	
		109 C	10.0	3.7	6.0	5.0	5.0	4.5	5.5	5.0	5.0		55.50	9	299.15	=7	87.75	
		5255 B	10.0	3.6	6.5	7.0	6.5	7.0	6.0	6.5	6.0		70.20	=9	369.35	7	94.35	
6	8	長谷川 英治									ハセカワ エイジ 日本体育大							
		626 C	10.0	3.3	6.5	6.5	6.0	6.5	7.0	6.5	6.0		64.35	6	64.35	6	12.45	368.85
		405 B	10.0	2.8	8.0	7.5	7.5	7.5	8.0	7.0	8.0		64.40	4	128.75	5	23.25	
		107 B	10.0	3.0	7.0	5.5	5.5	6.0	7.0	6.5	6.5		57.00	7	185.75	3	59.85	
		207 C	10.0	3.3	5.5	5.5	5.5	5.5	5.5	5.5	6.0		54.45	10	240.20	6	80.40	
		307 C	10.0	3.4	5.0	5.5	4.5	5.5	6.5	5.0	6.0		54.40	10	294.60	9	92.30	
		5237 D	10.0	3.3	7.5	7.5	7.0	7.5	8.0	6.5	7.5		74.25	5	368.85	8	94.85	
8	9	千歩 純一									センブ ジュンイチ ミキハウス							
		626 C	10.0	3.3	5.5	6.5	5.5	6.5	6.0	6.0	6.5		61.05	9	61.05	9	15.75	349.65
		107 B	10.0	3.0	6.5	7.0	7.0	7.5	7.5	6.0	7.0		63.00	5	124.05	6	27.95	
		305 B	10.0	3.0	6.5	5.0	6.0	5.5	4.5	5.5	6.0		51.00	9	175.05	7	70.55	
		407 C	10.0	3.2	7.0	6.5	7.0	6.5	6.5	7.0	7.0		65.60	5	240.65	5	79.95	
		5253 B	10.0	3.2	6.5	7.0	6.0	7.0	6.5	7.0	6.5		64.00	=6	304.65	5	82.25	
		207 B	10.0	3.6	4.0	4.0	4.0	4.5	4.5	4.0	4.5		45.00	11	349.65	9	114.05	
7	10	大久保 柇									オクボ シュウ 筑波大							
		6245 D	10.0	3.6	5.5	5.5	6.5	6.0	6.5	5.0	6.0		63.00	7	63.00	7	13.80	345.40
		109 C	10.0	3.7	3.0	4.0	3.5	4.5	4.0	5.0	4.0		44.40	10	107.40	10	44.60	
		5154 B	10.0	3.3	6.0	6.5	5.5	6.5	5.5	6.0	6.0		59.40	6	166.80	9	78.80	
		407 C	10.0	3.2	6.0	5.5	6.5	6.5	6.5	5.5	6.0		59.20	9	226.00	10	94.60	
		207 C	10.0	3.3	4.0	4.5	4.0	4.5	4.5	5.0	3.5		42.90	12	268.90	10	118.00	
		307 C	10.0	3.4	7.0	7.5	7.5	7.5	7.5	7.5	7.5		76.50	3	345.40	10	118.30	

第93回日本選手権水泳競技大会 飛込競技
兼 国際大会派遣選手選考会

採点詳細

男子 高飛込 決勝

開催日 2017/09/24
金沢プール

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 °C
水温 °C
天候

審判長 清水 国重
副審判長 安田 千万樹
機械操作 矢作 貴則
記録主任 名東 久也

審判団
1 坂田 芳寛
2 三浦 房子
3 豊田 健吾
4 鈴木 羊子
5 浅田 雅子
6 坂井由美子
7 山賀健一郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
3	11	山田 周汰									JOC EA							
		6243 D	10.0	3.2	6.5	5.5	6.0	6.0	6.0	6.0	6.0 6.5		57.60	11	57.60	11	19.20	342.90
		207 C	10.0	3.3	6.5	5.5	6.0	5.5	5.5	6.0	6.5		57.75	7	115.35	8	36.65	
		407 C	10.0	3.2	2.5	2.5	3.5	2.5	2.0	2.5	2.5		24.00	12	139.35	12	106.25	
		107 B	10.0	3.0	8.5	8.0	9.0	9.0	8.5	8.0	8.5		76.50	2	215.85	11	104.75	
		305 C	10.0	2.8	5.5	5.5	5.5	5.5	5.5	5.0	6.0		46.20	11	262.05	12	124.85	
		5237 D	10.0	3.3	8.5	8.0	8.5	7.5	8.0	8.0	8.5		80.85	1	342.90	11	120.80	
2	12	吉澤 有馬									筑紫台							
		107 B	10.0	3.0	7.0	6.0	6.0	6.5	7.0	6.5	6.5		58.50	10	58.50	10	18.30	285.45
		407 C	10.0	3.2	5.5	4.5	5.5	5.0	4.5	5.0	5.5		49.60	9	108.10	9	43.90	
		626 C	10.0	3.3	6.0	5.0	5.5	6.5	6.5	5.5	5.5		56.10	8	164.20	10	81.40	
		205 B	10.0	2.9	5.5	5.5	4.0	5.0	5.5	4.0	4.0		42.05	12	206.25	12	114.35	
		305 B	10.0	3.0	6.5	6.0	6.5	5.5	6.5	5.0	6.5		57.00	8	263.25	11	123.65	
		5239 D	10.0	3.7	2.0	3.5	2.0	1.5	2.5	2.0	2.0		22.20	12	285.45	12	178.25	