

飛込国際大会派遣代表選手選考会

採点詳細
男子 3m 飛板飛込 決勝

開催日 2018/02/10
東京辰巳国際水泳場

審判長 大久保 一司

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 28.0℃
水温 28.0℃
天候

機械操作

記録主任 松野 輝美

- 1 布村 隆
- 2 柴田 哲治
- 3 瓶子 勇治郎
- 4 野村 孝路
- 5 毒島 めぐみ
- 6 坂田 芳寛
- 7 湯浅よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	1	坂井 丞									ミキハウス							
		405B	3.0	3.0	3.0	7.5	7.5	7.0	7.5	6.5	7.5		66.00	=4	66.00	=4	3.75	443.50
		305B	3.0	3.0	3.0	8.5	8.0	8.5	8.0	8.5	8.5	8.0	75.00	1	141.00	1		
		5154B	3.0	3.4	3.4	7.5	7.0	8.0	7.5	8.0	7.0	7.0	74.80	1	215.80	1		
		205B	3.0	3.0	3.0	8.0	7.5	8.0	7.5	8.0	8.0	8.0	72.00	1	287.80	1		
		307C	3.0	3.5	3.5	8.5	8.0	8.5	8.0	8.5	8.5	8.0	87.50	1	375.30	1		
		107B	3.0	3.1	3.1	7.0	7.0	8.0	7.5	7.0	7.5	8.0	68.20	5	443.50	1		
10	2	寺内 健									ミキハウス							
		205B	3.0	3.0	3.0	7.5	7.5	7.5	7.5	7.5	8.0	7.5	67.50	2	67.50	2	2.25	427.85
		305B	3.0	3.0	3.0	8.0	7.0	7.5	7.5	8.0	7.5	7.5	67.50	2	135.00	2	6.00	
		5353B	3.0	3.3	3.3	8.0	7.5	7.0	7.5	7.5	7.5	7.5	74.25	2	209.25	2	6.55	
		405B	3.0	3.0	3.0	7.0	8.0	7.5	7.0	7.5	7.0	7.5	66.00	4	275.25	2	12.55	
		5154B	3.0	3.4	3.4	7.0	7.5	7.5	7.5	8.0	8.5	8.0	78.20	3	353.45	2	21.85	
		107B	3.0	3.1	3.1	7.5	8.5	8.0	7.0	8.0	8.0	8.0	74.40	3	427.85	2	15.65	
6	3	伊藤 光輝									JOC EA							
		107B	3.0	3.1	3.1	7.5	6.5	7.0	7.5	7.5	7.0	7.0	66.65	3	66.65	3	3.10	395.55
		205B	3.0	3.0	3.0	7.0	7.0	7.0	7.0	6.5	7.0	7.0	63.00	4	129.65	3	11.35	
		305B	3.0	3.0	3.0	7.5	6.5	7.0	7.0	7.0	7.0	7.5	63.00	=4	192.65	3	23.15	
		407C	3.0	3.4	3.4	4.5	3.5	5.0	4.5	4.0	4.5	5.0	45.90	10	238.55	6	49.25	
		307C	3.0	3.5	3.5	7.5	7.5	8.0	7.5	8.0	8.0	7.5	80.50	2	319.05	3	56.25	
		5154B	3.0	3.4	3.4	7.0	7.0	8.0	7.0	8.0	8.0	7.5	76.50	=1	395.55	3	47.95	
8	4	中 秀太郎									小松市立							
		107B	3.0	3.1	3.1	7.0	6.5	7.0	6.5	7.0	7.5	7.0	65.10	6	65.10	6	4.65	370.95
		5152B	3.0	3.0	3.0	6.5	5.5	7.0	6.5	7.0	7.0	7.0	61.50	6	126.60	4	14.40	
		5154B	3.0	3.4	3.4	4.5	6.0	6.0	5.0	5.5	6.0	4.5	56.10	=8	182.70	6	33.10	
		205B	3.0	3.0	3.0	7.5	7.5	7.5	7.0	7.5	7.5	7.5	67.50	=2	250.20	4	37.60	
		307C	3.0	3.5	3.5	5.5	5.0	5.5	6.0	5.5	5.0	6.0	57.75	6	307.95	4	67.35	
		405B	3.0	3.0	3.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	63.00	=7	370.95	4	72.55	
9	5	千歩 純一									ミキハウス							
		205B	3.0	3.0	3.0	7.0	6.5	6.5	6.0	6.0	7.0	6.5	58.50	9	58.50	9	11.25	367.85
		107B	3.0	3.1	3.1	6.5	7.0	7.0	6.5	7.0	7.5	7.0	65.10	3	123.60	6	17.40	
		5152B	3.0	3.0	3.0	7.0	7.0	7.0	6.0	7.0	7.5	7.0	63.00	=4	186.60	4	29.20	
		305B	3.0	3.0	3.0	7.0	6.0	6.0	6.0	5.5	7.0	6.0	54.00	=7	240.60	5	47.20	
		5337D	3.0	3.5	3.5	5.0	4.5	4.0	4.0	5.5	5.0	5.0	50.75	8	291.35	5	83.95	
		407C	3.0	3.4	3.4	7.5	7.5	7.5	7.5	6.5	8.0	7.0	76.50	=1	367.85	5	75.65	

飛込国際大会派遣代表選手選考会

採点詳細
男子 3m 飛板飛込 決勝

開催日 2018/02/10
東京辰巳国際水泳場

審判長 大久保 一司

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 28.0℃
水温 28.0℃
天候

機械操作

記録主任 松野 輝美

- 1 布村 隆
- 2 柴田 哲治
- 3 瓶子 勇治郎
- 4 野村 孝路
- 5 毒島 めぐみ
- 6 坂田 芳寛
- 7 湯浅よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
11	6	須山 晴貴									島根大学							
		107B	3.0	3.1	3.1	8.0	7.5	7.5	7.5	7.0	7.5 7.5	2.0	51.15	11	51.15	11	18.60	356.20
		5154B	3.0	3.4	3.4	5.5	6.0	6.5	6.5	6.0	6.5 6.0		62.90	5	114.05	9	26.95	
		407C	3.0	3.4	3.4	6.5	7.0	7.5	7.0	7.0	7.5 6.0		71.40	3	185.45	5	30.35	
		205B	3.0	3.0	3.0	7.5	6.0	7.5	7.0	7.5	7.5 7.5		67.50	=2	252.95	3	34.85	
		307C	3.0	3.5	3.0	3.0	3.5	3.0	3.0	2.0	2.5 2.0		29.75	12	282.70	6	92.60	
		5337D	3.0	3.5	3.5	6.5	7.5	7.0	6.5	7.0	7.0 7.5		73.50	4	356.20	6	87.30	
5	7	崎戸 史也									日本体育大							
		5152B	3.0	3.0	3.0	6.5	7.5	8.0	7.0	7.0	8.0 7.5		66.00	=4	66.00	=4	3.75	342.05
		107B	3.0	3.1	3.1	7.0	6.5	6.0	6.5	7.0	6.5 6.5		60.45	7	126.45	5	14.55	
		5154B	3.0	3.4	3.4	4.5	5.0	5.0	5.5	4.5	4.5 4.5		47.60	10	174.05	8	41.75	
		205B	3.0	3.0	3.0	4.5	5.0	4.5	3.5	4.0	4.0 4.0		37.50	12	211.55	10	76.25	
		305B	3.0	3.0	3.0	8.0	7.0	7.5	7.0	8.0	7.0 8.0		67.50	4	279.05	7	96.25	
		405B	3.0	3.0	3.0	7.0	7.0	7.0	6.5	7.0	7.5 7.0		63.00	=7	342.05	7	101.45	
4	8	金子 舜汰									セントラルD/青山							
		107B	3.0	3.1	3.1	5.5	6.0	6.5	5.5	5.5	6.5 6.5		55.80	10	55.80	10	13.95	336.90
		5152B	3.0	3.0	3.0	6.0	6.5	7.0	6.5	6.0	6.5 6.0		57.00	=9	112.80	10	28.20	
		5154B	3.0	3.4	3.4	5.5	5.5	5.0	5.5	5.0	5.5 5.5		56.10	=8	168.90	9	46.90	
		205B	3.0	3.0	3.0	6.0	6.0	6.5	6.0	5.5	6.0 6.0		54.00	=7	222.90	7	64.90	
		305B	3.0	3.0	3.0	6.0	5.0	5.5	5.0	5.0	5.5 5.5		48.00	9	270.90	9	104.40	
		405B	3.0	3.0	3.0	6.5	7.0	7.5	7.0	7.5	8.0 7.5		66.00	6	336.90	8	106.60	
1	9	長谷川 寛人									長岡DC							
		107B	3.0	3.1	3.1	6.0	6.0	6.5	6.5	6.0	6.5 6.5		58.90	=7	58.90	=7	10.85	330.50
		205B	3.0	3.0	3.0	6.0	6.0	6.5	6.5	6.0	6.5 6.5		57.00	=9	115.90	8	25.10	
		5337D	3.0	3.5	3.5	5.0	5.5	5.5	6.0	5.5	6.0 6.0		59.50	7	175.40	7	40.40	
		405B	3.0	3.0	3.0	4.0	5.0	5.5	4.5	5.0	5.5 5.0		45.00	11	220.40	8	67.40	
		305B	3.0	3.0	3.0	6.0	6.0	6.0	6.0	6.0	6.5 6.0		54.00	7	274.40	8	100.90	
		5154B	3.0	3.4	3.4	5.5	5.0	5.5	5.0	5.5	5.5 5.5		56.10	12	330.50	9	113.00	
7	10	西田 玲雄									大阪水泳/桃山							
		305B	3.0	3.0	3.0	3.5	3.5	3.0	3.0	3.0	3.5 3.5		30.00	12	30.00	12	39.75	328.30
		205B	3.0	3.0	3.0	6.0	6.0	6.5	6.0	6.5	6.5 6.0		55.50	11	85.50	12	55.50	
		5335D	3.0	2.9	2.9	6.0	7.5	7.0	7.0	6.5	7.0 7.0		60.90	6	146.40	11	69.40	
		107B	3.0	3.1	3.1	6.0	6.5	7.0	6.0	6.0	6.5 6.5		58.90	6	205.30	11	82.50	
		5152B	3.0	3.0	3.0	7.0	7.0	7.0	7.0	7.5	7.0 7.0		63.00	5	268.30	10	107.00	
		405B	3.0	3.0	3.0	6.0	7.0	7.0	7.0	5.5	6.5 6.5		60.00	11	328.30	10	115.20	

飛込国際大会派遣代表選手選考会

採点詳細

男子 3m 飛板飛込 決勝

開催日 2018/02/10
東京辰巳国際水泳場

審判長 大久保 一司

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 28.0℃
水温 28.0℃
天候

機械操作

記録主任 松野 輝美

- 1 布村 隆
- 2 柴田 哲治
- 3 瓶子 勇治郎
- 4 野村 孝路
- 5 毒島 めぐみ
- 6 坂田 芳寛
- 7 湯浅よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
2	11	長谷川 英治									ハセカワ エイジ 日本体育大							
		107B	3.0	3.1	6.5	5.5	6.0	6.5	6.0	7.0	6.5		58.90	=7	58.90	=7	10.85	314.00
		205B	3.0	3.0	6.5	7.0	6.5	6.5	6.0	7.0	6.0		58.50	8	117.40	7	23.60	
		305B	3.0	3.0	4.5	3.5	4.0	3.0	3.5	3.5	3.5		31.50	11	148.90	10	66.90	
		405B	3.0	3.0	6.5	7.0	7.0	7.0	7.5	6.5	7.0		63.00	5	211.90	9	75.90	
		5154B	3.0	3.4	4.0	3.5	4.0	3.5	3.5	4.0	4.0		39.10	11	251.00	11	124.30	
		5337D	3.0	3.5	6.5	6.0	6.0	6.5	4.0	5.5	6.0		63.00	=7	314.00	11	129.50	
3	12	荒木 宥図									アラキ ユウト 日本体育大							
		107B	3.0	3.1	7.5	7.5	7.5	7.5	7.5	8.0	7.5		69.75	1	69.75	1		283.25
		5154B	3.0	3.4	3.0	3.5	3.5	3.5	2.5	2.5	4.0		34.00	12	103.75	11	37.25	
		307C	3.0	3.5	3.5	2.5	2.5	0.5	2.0	1.5	2.0		22.75	12	126.50	12	89.30	
		5337D	3.0	3.5	4.5	5.0	4.5	4.0	4.5	4.0	5.0		47.25	9	173.75	12	114.05	
		205B	3.0	3.0	5.5	5.0	5.5	5.0	4.5	6.0	5.0		46.50	10	220.25	12	155.05	
		405B	3.0	3.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5		63.00	=7	283.25	12	160.25	