

第41回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2018/08/22  
大阪プール

審判長 山崎 雅夫

審判団

制限選択飛回数 5回  
自由選択飛回数 4回  
難易率合計 9.5以内  
気温 30.0℃  
水温 28.5℃  
天候 晴れ

機械操作 木綿 薫

記録主任 高山 優子

1 西川 友章  
2 春日 喜美子  
3 秋山 真有美  
4 山下 藍奈  
5 豊田 健吾  
6 金戸 幸  
7 重永 美希子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
9	1	伊熊 扇李									JSS宝塚/浜松学院									
		103B	3.0	1.6	8.5	9.0	8.5	8.0	8.0	9.0	8.5	8.0			40.80	2	40.80	2	3.30	481.90
		201B	3.0	1.8	9.0	8.5	8.0	8.0	8.5	8.5	8.0	8.0			44.10	1	84.90	1		
		301B	3.0	1.9	9.0	8.5	8.0	8.5	9.0	8.5	9.0	9.0			49.40	1	134.30	1		
		403B	3.0	2.1	8.0	8.5	7.5	7.5	8.5	8.0	7.5	7.5			49.35	1	183.65	1		
		5132D	3.0	2.1	8.5	8.0	7.5	7.5	8.0	7.5	7.0	7.0			48.30	1	231.95	1		
		107C	3.0	2.8	7.5	8.0	6.5	6.5	7.5	7.0	7.0	7.0			60.20	1	292.15	1		
		205C	3.0	2.8	8.5	7.5	7.0	7.5	7.5	7.5	8.0	8.0			63.00	2	355.15	1		
		305C	3.0	2.8	8.5	8.0	7.5	8.0	7.5	7.5	7.5	7.5			64.40	1	419.55	1		
		5335D	3.0	2.9	7.5	6.5	7.0	7.0	7.5	7.0	7.5	7.5			62.35	1	481.90	1		
8	2	坂田 慈央									ジョイフル									
		103B	3.0	1.6	8.5	7.5	7.0	8.0	8.0	7.5	8.0	8.0			37.60	3	37.60	3	6.50	439.75
		201B	3.0	1.8	8.5	8.0	7.5	8.0	8.0	7.5	8.0	8.0			43.20	2	80.80	2	4.10	
		301B	3.0	1.9	8.0	8.0	8.5	8.0	8.5	8.5	8.5	8.5			47.50	2	128.30	2	6.00	
		403B	3.0	2.1	7.5	7.5	7.5	7.5	8.5	8.0	8.0	8.0			48.30	2	176.60	2	7.05	
		5132D	3.0	2.1	7.5	7.5	7.5	8.0	7.5	7.5	7.5	7.5			47.25	2	223.85	2	8.10	
		205C	3.0	2.8	5.0	6.0	5.5	6.0	7.0	6.0	6.5	6.5			50.40	3	274.25	2	17.90	
		305C	3.0	2.8	8.0	7.5	7.5	8.5	8.0	8.5	8.5	8.5			68.60	1	342.85	2	12.30	
		405C	3.0	2.7	7.5	7.0	7.0	7.0	7.5	7.5	7.5	7.5			59.40	2	402.25	2	17.30	
		5152B	3.0	3.0	4.5	4.0	4.0	6.0	4.0	4.0	4.5	4.5			37.50	6	439.75	2	42.15	
7	3	坂田 麗鳳									高岡SC									
		103B	3.0	1.6	7.5	7.0	6.5	6.5	7.5	7.0	7.5	7.5			34.40	4	34.40	4	9.70	387.70
		201B	3.0	1.8	7.5	7.0	7.0	7.0	8.0	7.0	7.0	7.0			37.80	=3	72.20	4	12.70	
		301B	3.0	1.9	7.0	7.5	7.0	7.0	6.5	7.0	7.0	7.0			39.90	3	112.10	4	22.20	
		403B	3.0	2.1	7.0	6.5	6.5	7.0	6.5	6.5	6.5	6.5			40.95	4	153.05	4	30.60	
		5132D	3.0	2.1	7.0	6.5	6.5	7.0	7.5	7.5	7.0	7.0			44.10	3	197.15	3	34.80	
		105B	3.0	2.4	6.0	7.0	6.5	7.0	6.5	7.0	6.5	6.5			48.00	4	245.15	3	47.00	
		405C	3.0	2.7	7.0	6.5	6.5	6.0	6.0	6.0	6.0	6.0			49.95	3	295.10	3	60.05	
		305C	3.0	2.8	6.0	6.0	5.0	6.5	5.5	5.0	5.5	5.5			47.60	4	342.70	3	76.85	
		5134D	3.0	2.5	6.5	6.0	6.0	6.5	6.0	5.5	6.0	6.0			45.00	4	387.70	3	94.20	
5	4	伴 俊広									岡山DC									
		103B	3.0	1.6	6.0	6.0	6.5	6.0	6.0	6.5	6.0	6.0			28.80	=7	28.80	=7	15.30	355.65
		201B	3.0	1.8	5.0	6.0	6.0	5.5	4.0	5.0	5.5	5.5			28.80	8	57.60	8	27.30	
		301B	3.0	1.9	4.5	5.5	6.0	5.0	5.0	5.5	5.5	5.5			30.40	7	88.00	8	46.30	
		403B	3.0	2.1	5.5	6.0	6.0	6.0	5.5	6.0	6.0	6.0			37.80	=5	125.80	8	57.85	
		5132D	3.0	2.1	5.5	6.0	6.0	5.5	4.5	5.5	5.5	5.5			34.65	=7	160.45	8	71.50	
		107C	3.0	2.8	6.0	5.5	6.5	6.0	6.5	6.5	7.0	7.0			53.20	2	213.65	5	78.50	
		305C	3.0	2.8	5.0	5.0	5.5	5.0	5.5	5.5	6.0	6.0			44.80	5	258.45	5	96.70	
		405C	3.0	2.7	6.5	6.0	6.0	5.5	6.0	5.5	6.5	6.5			48.60	3	307.05	4	112.50	
		5251B	3.0	2.7	6.5	6.0	6.0	6.0	6.0	6.0	6.5	6.5			48.60	3	355.65	4	126.25	
4	5	片岡 龍之介									コンセント									
		403B	3.0	2.1	7.0	6.5	7.0	7.5	7.5	7.0	7.0	7.0			44.10	1	44.10	1		355.60
		103B	3.0	1.6	7.0	7.0	6.5	6.5	7.0	7.0	7.0	7.0			33.60	6	77.70	3	7.20	
		201B	3.0	1.8	7.5	7.0	7.0	7.5	7.0	8.0	7.5	7.5			39.60	4	117.30	3	17.00	
		301B	3.0	1.9	6.0	6.5	6.5	7.0	6.5	7.0	6.5	6.5			37.05	7	154.35	3	29.30	
		5331D	3.0	2.1	6.0	6.0	5.5	6.0	5.0	5.5	6.5	6.5			36.75	5	191.10	4	40.85	
		107C	3.0	2.8	4.5	4.0	4.5	4.5	4.5	4.0	4.0	4.0			36.40	7	227.50	4	64.65	
		205B	3.0	3.0	4.0	4.5	4.0	4.5	4.0	4.0	4.0	4.0			36.00	7	263.50	4	91.65	
		305C	3.0	2.8	4.0	4.0	3.5	4.0	4.0	4.0	4.0	4.0			33.60	=7	297.10	5	122.45	
		405B	3.0	3.0	7.0	6.0	6.0	7.0	7.0	6.0	6.5	6.5			58.50	2	355.60	5	126.30	

第41回 全国JOCジュニアオリンピック  
夏季水泳競技大会 (飛込競技)

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2018/08/22  
大阪プール

審判長 山崎 雅夫

審判団

制限選択飛回数 5回  
自由選択飛回数 4回  
難易率合計 9.5以内  
気温 30.0℃  
水温 28.5℃  
天候 晴れ

機械操作 木綿 薫

記録主任 高山 優子

1 西川 友章  
2 春日 喜美子  
3 秋山 真有美  
4 山下 藍奈  
5 豊田 健吾  
6 金戸 幸  
7 重永 美希子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
2	6	川口 航輝									FDC							
		103B	3.0	1.6	5.5	6.0	6.0	6.0	6.5	6.5	6.0	6.5	29.60	=5	29.60	=5	14.50	327.25
		201B	3.0	1.8	5.0	5.5	5.5	5.5	5.5	5.0	5.5	5.5	29.70	7	59.30	7	25.60	
		301B	3.0	1.9	5.5	5.5	5.5	6.0	6.0	6.0	6.0	5.5	32.30	6	91.60	7	42.70	
		403B	3.0	2.1	6.5	6.0	6.0	7.0	7.0	6.5	7.0		42.00	3	133.60	6	50.05	
		5132D	3.0	2.1	5.5	5.5	5.5	6.0	5.5	5.5	5.5		34.65	=7	168.25	6	63.70	
		5233D	3.0	2.4	5.0	6.0	6.0	5.5	6.0	6.0	5.5		42.00	6	210.25	6	81.90	
		105B	3.0	2.4	6.0	6.5	6.0	7.0	6.0	6.5	7.0		45.60	4	255.85	6	99.30	
		205C	3.0	2.8	4.5	4.5	5.0	5.5	4.0	4.5	4.5		37.80	6	293.65	6	125.90	
		305C	3.0	2.8	3.5	4.0	4.0	3.5	4.0	4.5	4.0		33.60	=8	327.25	6	154.65	
1	7	眞塩 剛輝									群馬DC							
		103B	3.0	1.6	6.0	6.0	6.5	6.5	6.0	6.0	6.0	6.0	29.60	=5	29.60	=5	14.50	325.60
		5132D	3.0	2.1	5.5	6.0	6.0	6.0	6.0	6.0	5.5		37.80	=3	67.40	5	17.50	
		301B	3.0	1.9	4.0	5.5	5.0	5.0	4.0	5.0	4.5		27.55	9	94.95	6	39.35	
		201B	3.0	1.8	5.5	5.5	6.0	6.0	6.0	5.5	6.5		31.50	9	126.45	7	57.20	
		403B	3.0	2.1	6.5	5.5	6.0	6.5	6.0	6.5	6.5		39.90	4	166.35	7	65.60	
		105B	3.0	2.4	6.5	6.0	5.5	6.5	6.0	6.0	6.0		43.20	5	209.55	7	82.60	
		303C	3.0	2.0	5.0	5.0	6.0	6.0	5.0	5.5	5.0		31.00	8	240.55	8	114.60	
		405C	3.0	2.7	5.0	5.5	5.5	5.0	5.0	5.5	5.0		41.85	5	282.40	7	137.15	
		5233D	3.0	2.4	6.0	5.5	6.0	6.0	7.0	6.0	6.0		43.20	5	325.60	7	156.30	
6	8	小関 樹									米沢DC							
		103B	3.0	1.6	6.0	7.0	6.0	6.0	5.5	6.5	6.0		28.80	=7	28.80	=7	15.30	309.55
		403B	3.0	2.1	6.0	5.5	5.5	6.5	6.0	5.5	6.5		36.75	5	65.55	6	19.35	
		201B	3.0	1.8	6.5	6.0	6.5	7.0	6.0	5.5	6.5		34.20	5	99.75	5	34.55	
		301B	3.0	1.9	6.5	6.5	6.0	6.0	6.0	6.5	6.0		35.15	8	134.90	5	48.75	
		5132D	3.0	2.1	5.0	6.0	5.0	5.5	6.0	5.5	6.0		35.70	6	170.60	5	61.35	
		405C	3.0	2.7	3.0	3.5	3.5	4.0	3.5	3.5	4.0		28.35	9	198.95	8	93.20	
		205C	3.0	2.8	5.5	5.5	5.0	5.5	4.5	5.0	5.0		43.40	6	242.35	7	112.80	
		305C	3.0	2.8	4.0	4.5	4.0	4.0	4.0	3.5	3.5		33.60	=7	275.95	8	143.60	
		5233D	3.0	2.4	4.5	4.5	5.5	5.0	4.5	5.0	4.5		33.60	=8	309.55	8	172.35	
3	9	柳沼 凌士									浜松学院中							
		103B	3.0	1.6	6.5	6.5	6.0	6.0	5.5	6.0	6.0		28.80	=7	28.80	=7	15.30	278.00
		201B	3.0	1.8	5.5	5.5	5.0	5.0	5.0	5.0	5.0		27.00	9	55.80	9	29.10	
		301B	3.0	1.9	4.5	6.0	5.0	5.5	5.0	4.5	5.0		28.50	8	84.30	9	50.00	
		403B	3.0	2.1	5.0	5.5	6.5	6.0	6.0	6.0	6.0		37.80	=5	122.10	9	61.55	
		5132D	3.0	2.1	5.0	5.5	5.0	5.5	5.5	5.0	5.0		32.55	9	154.65	9	77.30	
		105B	3.0	2.4	4.5	4.5	4.5	5.5	4.5	5.0	5.0		33.60	8	188.25	9	103.90	
		205C	3.0	2.8	3.5	4.5	3.5	4.5	3.5	3.5	3.5		29.40	9	217.65	9	137.50	
		305C	3.0	2.8	3.0	3.5	3.0	3.5	3.5	2.5	2.5		26.60	9	244.25	9	175.30	
		405C	3.0	2.7	4.5	4.5	4.0	4.0	4.5	4.0	4.0		33.75	7	278.00	9	203.90	