

第94回日本選手権水泳競技大会 飛込競技
兼 国際大会派遣選手選考会

採点詳細

男子 高飛込 決勝



開催日 2018/09/23
東京・辰巳国際水泳場

審判長 小谷 理貴子
副審判長 清水 国重
機械操作 後藤 福寿
記録主任 矢作 貴則

審判団
1 谷内 寛
2 吉原 直博
3 湯浅 よしの
4 野村 孝路
5 毒島 めぐみ
6 坂井 由美子
7 鈴木 羊子

制限選択飛回数 0回
自由選択飛回数 6回以内
難易率合計
気温
水温
天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
2	1	大久保 柊									筑波大学							
		6245D	10.0	3.6	5.0	6.0	4.5	6.0	6.0	6.0	6.0 6.0		64.80	9	64.80	9	15.20	434.20
		109C	10.0	3.7	6.0	6.5	6.0	6.5	6.5	7.0	6.5		72.15	3	136.95	6	24.65	
		407C	10.0	3.2	9.0	8.5	9.0	8.5	9.5	9.0	9.0		86.40	1	223.35	1		
		207C	10.0	3.3	5.0	6.5	6.0	6.5	7.0	6.5	7.5		64.35	8	287.70	2	0.20	
		5253B	10.0	3.2	7.5	8.5	8.5	7.5	8.5	7.5	8.0		76.80	1	364.50	1		
		307C	10.0	3.4	6.0	7.0	6.0	6.5	7.5	7.0	7.5		69.70	5	434.20	1		
9	2	村上 和基									J S S 白子							
		407C	10.0	3.2	8.5	8.0	8.5	8.0	8.0	8.5	8.5		80.00	1	80.00	1		419.35
		6243D	10.0	3.2	8.5	8.5	8.5	8.5	8.5	8.5	8.0		81.60	1	161.60	1		
		207C	10.0	3.3	4.5	4.5	4.5	3.5	4.0	5.5	5.0		44.55	11	206.15	4	17.20	
		107B	10.0	3.0	9.0	8.0	8.0	8.0	7.0	8.0	8.5		72.00	1	278.15	3	9.75	
		307C	10.0	3.4	6.0	6.0	6.0	6.0	5.5	6.0	5.5		61.20	7	339.35	4	25.15	
		5253B	10.0	3.2	8.0	8.0	8.5	8.5	8.0	8.5	8.5		80.00	2	419.35	2	14.85	
12	3	西田 玲雄									大阪水泳/桃山学							
		307C	10.0	3.4	6.5	7.0	6.5	6.5	6.5	6.5	7.5		66.30	7	66.30	7	13.70	417.60
		207C	10.0	3.3	6.0	6.5	7.0	7.0	7.0	8.0	7.5		69.30	6	135.60	7	26.00	
		5253B	10.0	3.2	6.5	7.5	7.5	7.5	7.0	7.0	6.5		68.80	5	204.40	5	18.95	
		407C	10.0	3.2	6.5	7.0	7.5	7.0	6.5	7.0	6.5		65.60	7	270.00	5	17.90	
		107B	10.0	3.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0		72.00	3	342.00	2	22.50	
		6245D	10.0	3.6	6.5	7.0	7.0	7.5	7.0	7.0	7.5		75.60	3	417.60	3	16.60	
4	4	吉澤 有馬									福山平成大学							
		107B	10.0	3.0	8.0	7.0	7.5	7.5	7.0	6.5	7.5		66.00	8	66.00	8	14.00	413.85
		407C	10.0	3.2	8.0	8.5	7.5	8.0	7.5	8.0	8.0		76.80	2	142.80	3	18.80	
		626C	10.0	3.3	7.5	7.5	8.0	7.5	8.5	7.5	8.0		75.90	4	218.70	3	4.65	
		207C	10.0	3.3	5.0	5.0	5.0	5.5	6.0	5.0	5.0		49.50	11	268.20	6	19.70	
		307C	10.0	3.4	7.0	7.0	7.0	8.0	7.0	7.0	8.5		71.40	4	339.60	3	24.90	
		5237D	10.0	3.3	8.0	7.5	8.0	7.5	7.0	6.5	7.5		74.25	4	413.85	4	20.35	
10	5	萩田 拓馬									静岡ビル保善							
		6245D	10.0	3.6	7.0	6.5	7.0	7.0	6.5	7.5	7.0		75.60	2	75.60	2	4.40	404.90
		107B	10.0	3.0	7.0	8.0	8.0	7.5	7.5	7.5	7.5		67.50	=7	143.10	2	18.50	
		407C	10.0	3.2	7.0	8.5	8.0	8.0	7.5	8.0	8.0		76.80	3	219.90	2	3.45	
		307C	10.0	3.4	6.5	6.5	6.5	7.0	6.5	7.5	7.5		68.00	4	287.90	1		
		207B	10.0	3.6	3.5	3.5	3.0	4.5	2.5	2.5	4.0		36.00	12	323.90	=7	40.60	
		5255B	10.0	3.6	7.0	8.0	8.0	7.5	7.0	7.5	7.5		81.00	1	404.90	5	29.30	



第94回日本選手権水泳競技大会 飛込競技
兼 国際大会派遣選手選考会

採点詳細

男子 高飛込 決勝

開催日 2018/09/23
東京・辰巳国際水泳場

審判長 小谷 理貴子
副審判長 清水 国重
機械操作 後藤 福寿
記録主任 矢作 貴則

審判団
1 谷内 寛
2 吉原 直博
3 湯浅 よしの
4 野村 孝路
5 毒島 めぐみ
6 坂井 由美子
7 鈴木 羊子

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 ℃
水温 ℃
天候

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
8	6	中 秀太郎									小松市立高校							
		107B	10.0	3.0	7.0	7.0	7.0	7.0	7.0	7.5	8.5	8.0	64.50	10	64.50	10	15.50	397.80
		5152B	10.0	2.9	6.5	6.0	7.0	6.0	7.0	7.0	7.0	6.5	58.00	9	122.50	10	39.10	
		207C	10.0	3.3	6.5	8.0	8.5	8.0	8.0	8.0	9.5	8.0	79.20	2	201.70	7	21.65	
		307C	10.0	3.4	6.0	6.0	7.0	7.0	7.0	7.0	7.5	6.5	69.70	2	271.40	4	16.50	
		6243D	10.0	3.2	6.5	6.5	7.0	6.0	6.5	6.5	6.0	6.5	62.40	6	333.80	5	30.70	
		407C	10.0	3.2	6.5	7.0	6.5	5.5	7.0	7.0	7.5	6.5	64.00	8	397.80	6	36.40	
7	7	金子 舜汰									セントラル/青山学院							
		6243D	10.0	3.2	7.0	6.5	7.5	7.5	7.0	7.0	8.0	6.0	68.80	4	68.80	4	11.20	389.90
		107B	10.0	3.0	7.0	8.0	7.5	7.5	8.0	8.0	8.0	8.0	70.50	5	139.30	4	22.30	
		207C	10.0	3.3	5.5	6.5	6.5	5.5	6.0	6.0	6.5	6.5	62.70	6	202.00	6	21.35	
		407C	10.0	3.2	6.0	6.5	7.0	6.5	6.5	7.0	6.0	6.0	62.40	9	264.40	7	23.50	
		307C	10.0	3.4	5.5	6.0	6.0	6.0	6.0	6.0	5.0	5.5	59.50	8	323.90	=7	40.60	
		5154B	10.0	3.3	6.5	6.0	7.0	7.0	6.5	6.0	6.0	7.5	66.00	7	389.90	7	44.30	
1	8	岡島 太一									セントラル							
		407C	10.0	3.2	6.5	6.5	7.0	7.0	7.0	7.0	7.5	7.0	67.20	=5	67.20	=5	12.80	387.25
		307C	10.0	3.4	7.0	7.0	6.5	6.5	7.0	7.0	7.0	7.0	71.40	4	138.60	5	23.00	
		6243D	10.0	3.2	5.5	6.0	6.0	6.0	6.5	6.5	6.5	6.0	57.60	=8	196.20	8	27.15	
		207B	10.0	3.6	4.5	4.0	5.5	5.0	4.5	5.0	5.0	5.5	52.20	10	248.40	8	39.50	
		109C	10.0	3.7	5.5	6.5	7.5	6.0	7.0	7.0	7.0	7.0	75.85	2	324.25	6	40.25	
		5255B	10.0	3.6	4.5	6.0	5.5	5.5	6.0	6.0	6.5	6.0	63.00	9	387.25	8	46.95	
6	9	山本 馨									大分DC							
		5253B	10.0	3.2	5.5	6.0	6.0	6.0	6.5	6.5	6.0	6.0	57.60	12	57.60	12	22.40	347.40
		107B	10.0	3.0	5.5	5.5	7.0	5.5	6.5	6.5	5.5	6.5	52.50	11	110.10	12	51.50	
		407C	10.0	3.2	5.5	5.5	6.0	5.5	6.0	6.0	5.0	5.5	52.80	10	162.90	11	60.45	
		305B	10.0	3.0	7.5	7.5	8.0	8.0	7.5	7.0	7.0	8.5	69.00	3	231.90	10	56.00	
		6243D	10.0	3.2	4.5	5.0	6.0	5.0	6.5	6.5	5.5	6.5	52.80	9	284.70	10	79.80	
		207C	10.0	3.3	6.0	6.5	7.0	6.5	6.5	6.5	5.5	6.0	62.70	10	347.40	9	86.80	
11	10	山田 周汰									帝京高等学校							
		6243D	10.0	3.2	7.0	6.5	6.0	7.0	7.0	7.0	7.0	7.0	67.20	=5	67.20	=5	12.80	347.15
		207C	10.0	3.3	4.5	4.5	5.0	5.0	5.0	5.0	5.0	4.5	47.85	12	115.05	11	46.55	
		407C	10.0	3.2	6.0	6.0	6.0	6.5	6.5	6.0	6.0	5.5	57.60	=8	172.65	10	50.70	
		107B	10.0	3.0	7.5	7.0	7.5	7.0	7.5	8.0	8.0	8.5	67.50	5	240.15	9	47.75	
		305C	10.0	2.8	5.5	6.0	6.0	5.5	5.5	5.0	6.0	6.0	47.60	10	287.75	9	76.75	
		5237D	10.0	3.3	6.0	6.0	5.5	5.5	6.5	6.0	6.5	6.5	59.40	12	347.15	10	87.05	

第94回日本選手権水泳競技大会 飛込競技
兼 国際大会派遣選手選考会

採点詳細

男子 高飛込 決勝

開催日 2018/09/23
東京・辰巳国際水泳場

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 °C
水温 °C
天候

審判長 小谷 理貴子
副審判長 清水 国重
機械操作 後藤 福寿
記録主任 矢作 貴則

審判団
1 谷内 覚
2 吉原 直博
3 湯浅 よしの
4 野村 孝路
5 毒島 めぐみ
6 坂井 由美子
7 鈴木 羊子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
3	11	井戸畑 和馬									大阪水泳/常翔学							
		6243D	10.0	3.2	7.0	7.0	7.5	7.0	7.5	8.0	7.5		70.40	3	70.40	3	9.60	343.90
		305C	10.0	2.8	6.0	6.5	7.0	7.0	6.5	6.0	7.5		56.00	10	126.40	9	35.20	
		207C	10.0	3.3	1.5	2.0	1.5	3.5	3.0	2.5	2.5		23.10	12	149.50	12	73.85	
		5253B	10.0	3.2	6.5	7.0	7.5	7.0	7.0	7.0	7.5		67.20	6	216.70	12	71.20	
		407C	10.0	3.2	7.0	7.5	7.5	6.5	7.0	7.0	7.0		67.20	5	283.90	11	80.60	
		107B	10.0	3.0	6.0	7.0	7.0	6.0	6.5	6.5	7.0		60.00	11	343.90	11	90.30	
5	12	遠藤 拓人									JOC EA							
		407C	10.0	3.2	6.5	6.5	6.5	7.0	7.0	6.5	7.5		64.00	11	64.00	11	16.00	340.05
		107B	10.0	3.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5		67.50	=7	131.50	8	30.10	
		6243D	10.0	3.2	6.0	5.0	6.5	6.0	6.5	6.5	6.0		59.20	7	190.70	9	32.65	
		207C	10.0	3.3	3.5	3.5	3.5	3.5	4.0	3.5	4.5		34.65	12	225.35	11	62.55	
		307C	10.0	3.4	4.5	4.5	4.5	4.5	4.5	4.5	5.0		45.90	11	271.25	12	93.25	
		5253B	10.0	3.2	7.0	7.0	7.5	7.5	7.5	7.0	7.0		68.80	6	340.05	12	94.15	