

第41回 全国JOCジュニアオリンピックカップ
春季水泳競技大会

採点詳細

男子 1m 飛板飛込 決勝

9-11歳

開催日 2019/03/30

タニエーブ ロビースフェニックスプール

審判長 清水 国重

審判団

制限選択飛回数 3回
自由選択飛回数 3回
難易率合計 5.4以内
気温 28.0℃
水温 30.0℃
天候

機械操作 佐藤 毅

記録主任 中島 直樹

1 横山 健
2 倉澤 歩
3 西出 好範
4 山賀 健一郎
5 石沢 孝行

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
13	1	春日 瑛士 小⑤									三重DC							
			103B	1.0	1.7	7.5	7.0	7.0	7.0	8.0			36.55	=3	36.55	=3	2.55	257.95
			203C	1.0	2.0	6.5	7.5	7.0	6.5	7.0			41.00	1	77.55	1		
			301B	1.0	1.7	7.0	7.5	6.5	6.5	6.5			34.00	3	111.55	2	2.40	
			303C	1.0	2.1	7.5	7.0	6.5	7.0	7.0			44.10	2	155.65	1		
			105C	1.0	2.4	7.5	7.0	7.5	6.5	8.0			52.80	1	208.45	1		
			403C	1.0	2.2	7.5	7.5	7.5	7.5	7.5			49.50	1	257.95	1		
11	2	外ヶ崎 亮太 小⑤									大阪水泳学校							
			103B	1.0	1.7	7.5	7.5	7.5	8.0	8.0			39.10	1	39.10	1		242.70
			201B	1.0	1.6	7.0	7.5	7.5	7.0	7.5			35.20	5	74.30	2	3.25	
			303C	1.0	2.1	6.0	5.0	5.5	6.0	5.0			34.65	2	108.95	3	5.00	
			203C	1.0	2.0	8.0	7.5	7.5	7.5	8.0			46.00	1	154.95	3	0.70	
			403C	1.0	2.2	6.5	6.5	6.5	6.5	6.0			42.90	2	197.85	2	10.60	
			104B	1.0	2.3	6.0	6.5	7.5	6.5	6.5			44.85	3	242.70	2	15.25	
2	3	中尾 亮太朗 小⑤									米子DC							
			103B	1.0	1.7	7.5	7.0	7.5	7.5	6.5			37.40	2	37.40	2	1.70	235.15
			301B	1.0	1.7	7.0	7.5	7.0	7.5	7.0			36.55	3	73.95	3	3.60	
			203C	1.0	2.0	6.5	6.5	7.0	7.5	6.5			40.00	1	113.95	1		
			104B	1.0	2.3	6.0	6.5	6.0	6.0	5.0			41.40	3	155.35	2	0.30	
			303C	1.0	2.1	5.5	5.5	4.0	6.0	5.0			33.60	=10	188.95	3	19.50	
			403C	1.0	2.2	7.0	7.0	7.0	7.0	6.0			46.20	2	235.15	3	22.80	
4	4	二羽 修万 小⑤									小松DC							
			103B	1.0	1.7	7.0	7.0	7.0	7.5	7.5			36.55	=3	36.55	=3	2.55	201.75
			201B	1.0	1.6	7.0	8.0	7.5	7.5	8.0			36.80	2	73.35	4	4.20	
			303C	1.0	2.1	4.0	4.0	3.5	4.0	4.0			25.20	12	98.55	4	15.40	
			105C	1.0	2.4	3.5	3.0	4.5	3.5	3.5			25.20	12	123.75	6	31.90	
			203C	1.0	2.0	6.0	6.0	5.0	5.5	5.5			34.00	9	157.75	7	50.70	
			403C	1.0	2.2	7.5	7.0	6.5	6.5	6.5			44.00	4	201.75	4	56.20	
14	5	渡邊 聖也 小⑥									長岡DC							
			103B	1.0	1.7	5.5	5.5	5.0	6.0	6.0			28.90	=11	28.90	=11	10.20	197.95
			301B	1.0	1.7	7.0	7.0	6.0	7.0	7.0			35.70	4	64.60	6	12.95	
			203C	1.0	2.0	5.0	4.5	4.0	4.5	4.5			27.00	=10	91.60	=5	22.35	
			104B	1.0	2.3	4.5	4.5	4.5	4.5	4.0			31.05	8	122.65	7	33.00	
			303C	1.0	2.1	6.0	6.0	5.5	5.5	5.5			35.70	7	158.35	6	50.10	
			403C	1.0	2.2	6.0	6.0	5.5	6.0	6.0			39.60	=5	197.95	5	60.00	

第41回 全国JOCジュニアオリンピックカップ
春季水泳競技大会

採点詳細

男子 1m 飛板飛込 決勝

9-11歳

開催日 2019/03/30

タニエーブ ロビースフェニックスプール

審判長 清水 国重

審判団

制限選択飛回数 3回
自由選択飛回数 3回
難易率合計 5.4以内
気温 28.0℃
水温 30.0℃
天候

機械操作 佐藤 毅

記録主任 中島 直樹

1 横山 健
2 倉澤 歩
3 西出 好範
4 山賀 健一郎
5 石沢 孝行

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
5	6	坂田 力毅 小⑤						カタキ			高岡SC							
		103B	1.0	1.7	6.0	6.5	6.0	6.5	6.5	6.0		31.45	=7	31.45	=7	7.65	194.50	
		203C	1.0	2.0	4.5	4.5	4.5	5.0	4.0			27.00	10	58.45	9	19.10		
		301B	1.0	1.7	6.5	7.0	6.5	6.5	6.5			33.15	4	91.60	=5	22.35		
		104C	1.0	2.2	6.0	5.5	4.5	6.0	5.5			37.40	6	129.00	4	26.65		
		303C	1.0	2.1	5.5	5.5	4.0	5.5	5.0			33.60	=10	162.60	4	45.85		
		403C	1.0	2.2	5.5	5.0	4.5	5.0	4.0			31.90	10	194.50	6	63.45		
10	7	田中 優稀 小⑤						カキ			三重DC							
		103B	1.0	1.7	6.5	6.5	6.0	5.5	6.0			31.45	=7	31.45	=7	7.65	188.05	
		203C	1.0	2.0	3.5	4.0	3.0	3.5	3.5			21.00	13	52.45	11	25.10		
		301B	1.0	1.7	6.0	6.0	6.0	5.5	7.0			30.60	6	83.05	12	30.90		
		303C	1.0	2.1	5.5	6.0	6.0	5.5	5.0			35.70	7	118.75	9	36.90		
		403C	1.0	2.2	4.0	5.0	3.5	5.0	4.5			29.70	12	148.45	10	60.00		
		104C	1.0	2.2	5.5	5.5	7.0	6.0	6.5			39.60	=5	188.05	7	69.90		
3	8	茶木 壱星 小⑤						キイ			大分DC							
		103B	1.0	1.7	5.5	5.5	5.5	6.0	6.5			28.90	=11	28.90	=11	10.20	184.65	
		301B	1.0	1.7	6.5	6.0	7.5	6.0	6.5			32.30	=6	61.20	7	16.35		
		203C	1.0	2.0	5.0	5.0	4.0	5.5	5.0			30.00	7	91.20	7	22.75		
		403C	1.0	2.2	4.5	4.5	3.5	4.5	4.5			29.70	10	120.90	8	34.75		
		104C	1.0	2.2	5.5	6.0	6.5	6.0	6.0			39.60	4	160.50	5	47.95		
		303C	1.0	2.1	4.5	4.0	3.5	3.5	4.0			24.15	14	184.65	8	73.30		
1	9	柴田 純平 小⑥						シハタ			高岡SC							
		103B	1.0	1.7	6.0	6.5	6.5	6.5	5.0			32.30	6	32.30	6	6.80	184.15	
		301B	1.0	1.7	5.0	6.0	5.5	6.0	4.5			28.05	9	60.35	8	17.20		
		203C	1.0	2.0	5.0	5.5	3.5	4.5	4.0			27.00	=10	87.35	9	26.60		
		5132D	1.0	2.2	3.0	3.0	2.5	3.5	3.5			20.90	13	108.25	13	47.40		
		104C	1.0	2.2	5.5	5.5	5.5	5.5	5.5			36.30	6	144.55	12	63.90		
		403C	1.0	2.2	6.5	6.5	5.5	6.0	5.5			39.60	=5	184.15	9	73.80		
9	10	石沢 遥斗 小④						シワ			長岡DC							
		103B	1.0	1.7	7.0	6.5	7.5	6.5	6.5			34.00	5	34.00	5	5.10	181.70	
		201B	1.0	1.6	6.0	6.0	6.5	7.0	7.0			31.20	8	65.20	5	12.35		
		301B	1.0	1.7	4.5	4.5	4.0	4.5	4.5			22.95	14	88.15	8	25.80		
		104B	1.0	2.3	6.0	5.5	5.0	5.5	5.5			37.95	5	126.10	5	29.55		
		203C	1.0	2.0	4.5	4.5	4.0	4.5	5.0			27.00	13	153.10	8	55.35		
		403C	1.0	2.2	4.0	4.5	3.0	4.5	4.5			28.60	12	181.70	10	76.25		

第41回 全国JOCジュニアオリンピックカップ
春季水泳競技大会

採点詳細

男子 1m 飛板飛込 決勝

9-11歳

開催日 2019/03/30

タニエーブ ロビースフェニックスプール

審判長 清水 国重

審判団

制限選択飛回数 3回
自由選択飛回数 3回
難易率合計 5.4以内
気温 28.0℃
水温 30.0℃
天候

機械操作 佐藤 毅

記録主任 中島 直樹

1 横山 健
2 倉澤 歩
3 西出 好範
4 山賀 健一郎
5 石沢 孝行

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
8	11	古谷 英成 小⑤									栃木DC							
		103B	1.0	1.7	5.5	5.0	5.5	5.5	5.5	5.5		28.05	13	28.05	13	11.05		181.45
		201B	1.0	1.6	5.0	6.0	5.0	5.0	5.0	5.0		24.00	11	52.05	12	25.50		
		303C	1.0	2.1	4.0	3.5	4.0	3.5	3.5	3.5		23.10	13	75.15	14	38.80		
		104C	1.0	2.2	6.0	5.5	6.5	6.0	6.0	6.0		39.60	4	114.75	10	40.90		
		203C	1.0	2.0	7.0	6.5	5.5	6.0	6.0	6.0		37.00	5	151.75	9	56.70		
		403C	1.0	2.2	4.5	5.0	3.5	5.0	4.0	4.0		29.70	11	181.45	11	76.50		
12	12	早川 優哉 小⑤									小松DC							
		103B	1.0	1.7	5.5	4.5	4.5	5.5	4.5	4.5		24.65	14	24.65	14	14.45		172.00
		301B	1.0	1.7	6.5	6.5	5.0	6.5	6.0	6.0		32.30	=6	56.95	10	20.60		
		5122D	1.0	1.9	5.5	5.0	5.0	5.0	5.5	5.5		29.45	8	86.40	10	27.55		
		104C	1.0	2.2	4.0	4.0	4.5	4.0	3.0	3.0		26.40	11	112.80	12	42.85		
		203C	1.0	2.0	6.0	6.0	5.0	5.5	6.0	6.0		35.00	8	147.80	11	60.65		
		403C	1.0	2.2	3.5	3.5	4.0	4.0	3.0	3.0		24.20	13	172.00	12	85.95		
6	13	町田 千音 小④									長岡DC							
		103B	1.0	1.7	6.0	6.0	5.5	6.0	6.0	6.0		30.60	10	30.60	10	8.50		170.40
		301B	1.0	1.7	4.0	4.5	4.0	4.0	4.5	4.5		21.25	12	51.85	13	25.70		
		5122D	1.0	1.9	5.5	5.5	5.5	5.0	5.5	5.5		31.35	5	83.20	11	30.75		
		104C	1.0	2.2	4.5	4.5	5.0	5.5	4.5	4.5		30.80	9	114.00	11	41.65		
		203C	1.0	2.0	3.0	3.5	2.5	3.5	3.0	3.0		19.00	14	133.00	14	75.45		
		403C	1.0	2.2	6.0	6.0	5.5	5.5	5.5	5.5		37.40	8	170.40	13	87.55		
7	14	片岡 三亮 小⑤									コンセント							
		103B	1.0	1.7	6.0	6.0	5.0	6.5	6.5	6.5		31.45	=7	31.45	=7	7.65		170.00
		301B	1.0	1.7	3.5	4.0	3.5	3.5	4.0	4.0		18.70	14	50.15	14	27.40		
		203C	1.0	2.0	5.0	5.0	4.0	5.5	4.5	4.5		29.00	9	79.15	13	34.80		
		303C	1.0	2.1	3.0	3.0	2.5	2.5	2.5	2.5		16.80	14	95.95	14	59.70		
		403C	1.0	2.2	6.5	6.5	6.0	6.0	5.5	5.5		40.70	3	136.65	13	71.80		
		104B	1.0	2.3	4.5	5.0	5.5	5.0	4.5	4.5		33.35	9	170.00	14	87.95		