

令和3年度全国高等学校総合体育大会水泳競技
第89回日本高等学校選手権水泳競技大会

採点詳細
女子 3m 飛板飛込 決勝

開催日 2021/08/19

開始時間 14:45

長野運動公園総合市民プール

制限選択飛回数 5回

自由選択飛回数 5回

難易率合計 9.5以内

気温 28.0℃

水温 27.6℃

天候 晴れ

Referee 毒島 めぐみ

Asst. Ref 西出 好範

Operator 西山達也/滝澤一仁

Rec Cheif 島田 佐由理

Judges 10Round

1 布村 隆

2 寺島 美千代

3 秋山 真有美

4 佐藤 律樹

5 山本 泰子

6 小野寺 光喜

7 川城 智亮

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.	
12	1	金戸 凜																		
		103 B	3m	1.6	7.0	8.5	8.0	8.0	8.5	8.5	9.0		40.00	3	40.00	3	4.10	522.30		
		201 B	3m	1.8	8.0	8.0	8.5	8.0	9.0	9.0	8.5		45.00	1	85.00	1				
		301 B	3m	1.9	8.0	8.5	8.5	8.5	8.5	8.5	7.5		48.45	1	133.45	1				
		403 B	3m	2.1	7.5	8.0	7.0	7.5	8.5	8.5	7.5		48.30	1	181.75	1				
		5132 D	3m	2.1	5.5	8.0	7.0	7.0	7.5	7.0	6.5		44.10	1	225.85	1				
		205 B	3m	3.0	6.5	7.0	6.5	7.0	6.0	7.0	7.5		61.50	1	287.35	1				
		107 B	3m	3.1	5.0	5.0	4.5	4.5	7.0	6.5	5.5		48.05	1	335.40	1				
		405 B	3m	3.0	8.0	8.0	7.5	7.0	7.5	7.5	8.0		69.00	1	404.40	1				
		5335 D	3m	2.9	6.5	7.5	7.0	7.0	8.0	7.0	6.5		60.90	1	465.30	1				
		305 B	3m	3.0	6.5	7.0	5.5	6.0	6.5	6.5	5.0		57.00	1	522.30	1				
11	2	山崎 佳蓮																		
		103 B	3m	1.6	7.0	7.5	7.5	7.5	8.0	8.0	7.5		36.00	=4	36.00	=4	8.10	440.00		
		201 B	3m	1.8	7.0	7.0	7.5	8.0	7.5	7.5	7.0		39.60	2	75.60	2	9.40			
		301 B	3m	1.9	8.0	7.5	8.0	8.0	7.5	7.0	7.5		43.70	2	119.30	2	14.15			
		403 B	3m	2.1	6.0	5.5	7.0	6.5	7.0	7.5	7.5		43.05	4	162.35	2	19.40			
		5231 D	3m	2.0	6.5	6.5	7.5	7.0	7.0	6.5	7.0		41.00	2	203.35	2	22.50			
		107 C	3m	2.8	5.5	5.5	5.0	4.5	5.0	6.5	4.5		43.40	10	246.75	2	40.60			
		5152 B	3m	3.0	5.5	5.0	5.5	5.5	5.0	5.0	5.0		46.50	4	293.25	2	42.15			
		405 C	3m	2.7	5.5	5.0	5.5	5.0	5.5	6.5	6.0		44.55	3	337.80	2	66.60			
		205 C	3m	2.8	7.0	7.0	7.0	6.5	7.0	6.5	7.5		58.80	2	396.60	2	68.70			
		305 C	3m	2.8	5.0	5.0	5.5	5.5	6.0	5.0	5.0		43.40	4	440.00	2	82.30			
5	3	大内 晴名																		
		103 B	3m	1.6	6.0	5.5	6.5	5.5	6.0	7.0	7.0		29.60	12	29.60	12	14.50	413.30		
		201 B	3m	1.8	6.5	7.0	6.0	6.5	7.5	5.5	7.0		36.00	=5	65.60	10	19.40			
		301 B	3m	1.9	7.0	7.0	7.5	7.5	7.5	6.5	7.0		40.85	3	106.45	5	27.00			
		403 B	3m	2.1	7.0	7.0	7.0	7.5	7.0	7.0	7.0		44.10	=2	150.55	3	31.20			
		5132 D	3m	2.1	6.5	6.5	5.5	6.5	7.5	5.5	7.0		40.95	3	191.50	3	34.35			
		105 B	3m	2.4	7.0	7.0	7.0	7.5	7.0	6.5	7.5		50.40	2	241.90	3	45.45			
		205 C	3m	2.8	5.0	5.0	5.0	5.5	6.0	4.5	5.5		43.40	6	285.30	3	50.10			
		305 C	3m	2.8	5.0	5.0	5.0	5.0	5.5	6.0	5.5		43.40	4	328.70	4	75.70			
		405 C	3m	2.7	5.5	5.5	5.0	6.5	7.5	7.0	6.0		48.60	4	377.30	3	88.00			
		5152 B	3m	3.0	3.5	4.5	4.0	4.0	3.5	4.0	4.0		36.00	9	413.30	3	109.00			
7	4	村山 聖来																		
		103 B	3m	1.6	6.0	6.0	6.5	7.0	7.0	6.0	6.5		30.40	=10	30.40	=10	13.70	397.45		
		201 B	3m	1.8	7.0	6.0	7.0	6.5	7.0	7.0	8.0		37.80	=3	68.20	6	16.80			
		301 B	3m	1.9	7.0	5.5	6.5	6.0	7.0	7.0	7.5		38.95	4	107.15	4	26.30			
		403 B	3m	2.1	6.0	7.0	6.0	5.5	7.0	6.5	6.0		38.85	=8	146.00	5	35.75			
		5132 D	3m	2.1	5.0	4.5	6.0	5.0	6.0	6.0	7.0		35.70	8	181.70	5	44.15			
		105 B	3m	2.4	6.5	7.0	6.0	7.0	6.5	6.5	7.0		48.00	4	229.70	5	57.65			
		305 C	3m	2.8	6.0	6.0	5.0	5.5	6.0	5.5	5.0		47.60	=2	277.30	5	58.10			
		5152 B	3m	3.0	3.0	2.5	3.5	2.5	2.0	4.0	2.5		24.00	11	301.30	6	103.10			
		205 C	3m	2.8	5.5	5.5	5.5	5.0	6.5	5.0	6.0		46.20	5	347.50	6	117.80			
		405 C	3m	2.7	6.0	6.5	6.0	6.0	7.0	6.5	5.5		49.95	3	397.45	4	124.85			

令和3年度全国高等学校総合体育大会水泳競技
第89回日本高等学校選手権水泳競技大会

採点詳細
女子 3m 飛板飛込 決勝

開催日 2021/08/19

開始時間 14:45

長野運動公園総合市民プール

Referee 毒島 めぐみ

Judges 10Round

Asst. Ref 西出 好範

1 布村 隆

2 寺島 美千代

3 秋山 真有美

4 佐藤 律樹

5 山本 泰子

6 小野寺 光喜

7 川城 智亮

制限選択飛回数 5回

Operator 西山達也/滝澤一仁

自由選択飛回数 5回

難易率合計 9.5以内

Rec Cheif 島田 佐由理

気温 28.0°C

水温 27.6°C

天候 晴れ

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.	
6	5	望月 来華																		
			103 B	3m	1.6	6.5	6.5	6.5	6.5	6.5	6.5	6.0		31.20	=7	31.20	=7	12.90	397.25	
			201 B	3m	1.8	6.5	7.0	7.0	6.5	7.0	6.0	6.0		36.00	=5	67.20	=7	17.80		
			301 B	3m	1.9	6.5	6.5	6.0	6.5	6.5	5.5	5.5		36.10	5	103.30	6	30.15		
			403 B	3m	2.1	7.0	6.5	6.0	6.5	7.5	7.5	7.5		44.10	=2	147.40	4	34.35		
			5132 D	3m	2.1	5.5	6.0	6.0	5.5	5.5	6.0	6.0		36.75	7	184.15	4	41.70		
			205 C	3m	2.8	6.0	6.0	6.0	4.5	5.5	6.0	5.0		49.00	3	233.15	4	54.20		
			305 C	3m	2.8	5.5	5.5	5.5	5.5	6.5	5.5	5.0		46.20	5	279.35	4	56.05		
			405 C	3m	2.7	6.0	6.0	6.0	6.5	7.0	6.5	6.5		51.30	2	330.65	3	73.75		
			107 C	3m	2.8	4.5	4.0	4.0	3.5	3.5	5.0	4.0		33.60	11	364.25	4	101.05		
			5152 B	3m	3.0	3.5	3.5	4.5	3.5	4.0	4.5	3.0		33.00	11	397.25	5	125.05		
8	6	乗松 飛羽																		
			103 B	3m	1.6	5.5	6.5	6.5	6.5	7.0	6.5	6.0		31.20	=7	31.20	=7	12.90	387.35	
			201 B	3m	1.8	7.0	7.0	6.5	6.5	7.0	6.5	6.5		36.00	=5	67.20	=7	17.80		
			301 B	3m	1.9	4.0	4.5	5.5	5.0	5.0	5.5	4.5		27.55	10	94.75	9	38.70		
			403 B	3m	2.1	6.0	6.5	5.5	6.0	7.0	7.0	5.5		38.85	=8	133.60	9	48.15		
			5132 D	3m	2.1	5.5	5.5	5.0	5.0	5.0	5.5	5.5		33.60	=10	167.20	10	58.65		
			105 B	3m	2.4	6.0	6.5	6.0	6.5	7.0	7.0	6.0		45.60	=8	212.80	10	74.55		
			205 C	3m	2.8	5.5	5.0	6.0	5.0	6.0	6.5	5.5		47.60	=2	260.40	8	75.00		
			305 C	3m	2.8	5.0	4.5	4.5	5.0	5.0	4.5	4.0		39.20	6	299.60	7	104.80		
			405 C	3m	2.7	5.5	5.5	4.5	6.0	6.5	5.5	5.5		44.55	6	344.15	7	121.15		
			5233 D	3m	2.4	5.0	6.0	5.5	6.0	6.0	6.0	6.5		43.20	=5	387.35	6	134.95		
2	7	松田 心杏																		
			403 B	3m	2.1	6.5	7.0	7.0	7.0	7.0	6.5	7.0		44.10	1	44.10	1		387.05	
			103 B	3m	1.6	6.5	7.0	6.5	6.5	6.0	6.5	5.5		31.20	8	75.30	3	9.70		
			201 B	3m	1.8	6.5	7.0	6.0	6.5	7.0	6.0	6.5		35.10	6	110.40	3	23.05		
			301 B	3m	1.9	6.0	6.5	5.5	5.5	5.5	6.0	5.5		32.30	12	142.70	6	39.05		
			5132 D	3m	2.1	6.0	6.5	6.0	5.5	6.0	5.0	6.0		37.80	=4	180.50	6	45.35		
			105 B	3m	2.4	7.0	7.0	6.5	6.5	6.5	6.5	6.5		46.80	=5	227.30	6	60.05		
			5335 D	3m	2.9	5.0	3.5	4.5	4.0	5.5	4.5	4.5		39.15	8	266.45	6	68.95		
			305 C	3m	2.8	5.0	4.5	4.0	4.5	4.5	4.5	4.0		37.80	7	304.25	5	100.15		
			205 C	3m	2.8	6.0	6.0	6.0	6.5	6.0	5.5	6.0		50.40	3	354.65	5	110.65		
			405 C	3m	2.7	4.0	4.0	3.0	3.5	4.5	4.0	4.0		32.40	12	387.05	7	135.25		
1	8	関野 思衣																		
			403 B	3m	2.1	7.0	7.0	6.0	6.5	6.5	6.5	6.0		40.95	2	40.95	2	3.15	380.30	
			103 B	3m	1.6	6.5	6.5	6.0	6.0	6.5	5.5	7.5		30.40	=9	71.35	5	13.65		
			201 B	3m	1.8	6.0	5.5	5.5	6.0	5.5	5.5	5.5		29.70	8	101.05	7	32.40		
			301 B	3m	1.9	7.0	7.0	6.5	6.5	7.0	7.0	6.5		38.95	7	140.00	7	41.75		
			5132 D	3m	2.1	6.0	6.5	5.5	6.0	5.5	6.0	6.5		37.80	=4	177.80	7	48.05		
			5233 D	3m	2.4	6.0	6.5	6.0	6.0	6.0	6.0	5.0		43.20	11	221.00	7	66.35		
			105 B	3m	2.4	6.0	6.0	5.5	5.5	5.0	5.5	6.0		40.80	7	261.80	7	73.60		
			205 C	3m	2.8	4.0	4.0	3.5	3.5	4.0	4.0	2.5		32.20	8	294.00	8	110.40		
			303 C	3m	2.0	5.5	5.5	5.5	6.0	6.5	6.0	6.0		35.00	10	329.00	8	136.30		
			405 C	3m	2.7	7.0	6.5	5.5	6.5	6.5	6.0	6.0		51.30	2	380.30	8	142.00		

令和3年度全国高等学校総合体育大会水泳競技
第89回日本高等学校選手権水泳競技大会

採点詳細
女子 3m 飛板飛込 決勝

開催日 2021/08/19

開始時間 14:45

長野運動公園総合市民プール

制限選択飛回数 5回

自由選択飛回数 5回

難易率合計 9.5以内

気温 28.0℃

水温 27.6℃

天候 晴れ

Referee 毒島 めぐみ

Asst. Ref 西出 好範

Operator 西山達也/滝澤一仁

Rec Cheif 島田 佐由理

Judges 10Round

1 布村 隆

2 寺島 美千代

3 秋山 真有美

4 佐藤 律樹

5 山本 泰子

6 小野寺 光喜

7 川城 智亮

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.	
3	9	小坂橋 咲良																		
			103 B	3m	1.6	7.0	6.5	6.0	6.5	6.5	7.0	6.0		31.20	=7	31.20	=7	12.90	365.95	
			201 B	3m	1.8	5.5	5.5	5.5	5.0	6.0	5.0	5.0		28.80	=11	60.00	11	25.00		
			301 B	3m	1.9	4.5	5.5	5.0	5.0	5.0	5.5	5.0		28.50	9	88.50	11	44.95		
			403 B	3m	2.1	6.5	6.5	6.0	6.5	7.0	7.0	5.0		40.95	5	129.45	11	52.30		
			5132 D	3m	2.1	6.0	6.5	6.0	6.5	6.0	6.0	6.0		37.80	=4	167.25	9	58.60		
			105 B	3m	2.4	6.5	6.5	6.0	6.0	7.0	6.5	6.5		46.80	=5	214.05	9	73.30		
			203 B	3m	2.2	5.5	6.0	6.0	5.0	6.0	5.5	4.5		37.40	9	251.45	9	83.95		
			405 C	3m	2.7	4.0	4.0	5.0	5.0	5.0	6.5	5.0		40.50	5	291.95	9	112.45		
			305 C	3m	2.8	4.0	4.0	3.5	3.5	4.0	3.5	3.5		30.80	12	322.75	9	142.55		
			5233 D	3m	2.4	6.0	6.0	5.5	6.0	7.0	6.0	5.5		43.20	=5	365.95	9	156.35		
4	10	田所 三夏姫																		
			201 B	3m	1.8	7.0	7.0	6.0	6.5	7.0	6.0	6.5		36.00	=4	36.00	=4	8.10	356.75	
			103 B	3m	1.6	6.0	6.5	5.5	6.5	5.5	6.5	6.5		30.40	=9	66.40	9	18.60		
			301 B	3m	1.9	6.0	5.5	5.0	5.5	5.0	5.5	5.0		30.40	7	96.80	8	36.65		
			403 B	3m	2.1	7.0	6.5	6.0	6.0	6.0	6.5	5.5		38.85	=8	135.65	8	46.10		
			5132 D	3m	2.1	5.5	5.5	5.5	5.0	4.5	5.5	4.5		33.60	=10	169.25	8	56.60		
			405 C	3m	2.7	6.0	6.0	6.0	5.0	5.0	6.0	5.0		45.90	7	215.15	8	72.20		
			305 C	3m	2.8	3.5	3.0	3.5	4.5	4.0	3.5	3.0		29.40	=11	244.55	10	90.85		
			5233 D	3m	2.4	5.5	5.5	4.5	4.0	4.5	4.0	3.5		31.20	9	275.75	10	128.65		
			105 B	3m	2.4	5.5	7.0	6.5	6.5	6.0	5.5	5.5		43.20	7	318.95	10	146.35		
			205 C	3m	2.8	4.5	4.5	4.5	4.5	5.0	5.0	4.5		37.80	8	356.75	10	165.55		
10	11	千葉 真央																		
			103 B	3m	1.6	6.5	7.0	7.5	7.5	7.0	7.5	7.0		34.40	6	34.40	6	9.70	332.95	
			201 B	3m	1.8	7.0	7.0	6.0	7.0	7.0	7.0	6.5		37.80	=3	72.20	4	12.80		
			301 B	3m	1.9	1.5	3.5	4.0	4.5	4.0	1.5	2.0		18.05	12	90.25	10	43.20		
			403 B	3m	2.1	6.5	6.5	6.0	5.5	7.0	7.0	5.0		39.90	6	130.15	10	51.60		
			5132 D	3m	2.1	4.5	4.0	4.0	4.0	4.5	5.5	4.0		26.25	12	156.40	12	69.45		
			105 B	3m	2.4	6.0	7.0	6.0	5.5	6.5	7.0	6.5		45.60	=8	202.00	11	85.35		
			205 C	3m	2.8	3.0	4.0	3.5	4.0	4.0	4.0	3.0		32.20	10	234.20	11	101.20		
			305 C	3m	2.8	2.5	2.0	2.5	3.0	3.0	3.5	2.5		22.40	12	256.60	11	147.80		
			405 C	3m	2.7	5.0	5.0	5.0	5.0	6.0	5.5	6.0		41.85	8	298.45	11	166.85		
			5152 B	3m	3.0	3.5	4.5	4.5	3.0	4.0	4.0	3.0		34.50	10	332.95	11	189.35		
9	12	戸田 萌々香																		
			103 B	3m	1.6	6.5	6.0	6.5	6.5	6.0	7.0	5.5		30.40	=10	30.40	=10	13.70	329.85	
			201 B	3m	1.8	5.0	5.0	5.5	5.0	5.5	5.5	5.5		28.80	=11	59.20	12	25.80		
			301 B	3m	1.9	4.0	5.0	5.0	4.0	4.5	5.5	4.5		26.60	11	85.80	12	47.65		
			403 B	3m	2.1	5.5	6.0	6.0	5.5	6.0	7.0	6.0		37.80	11	123.60	12	58.15		
			5132 D	3m	2.1	5.5	5.5	5.5	5.0	5.5	6.5	6.5		34.65	9	158.25	11	67.60		
			105 B	3m	2.4	5.0	5.5	5.5	5.0	5.5	6.5	5.5		39.60	12	197.85	12	89.50		
			205 C	3m	2.8	3.5	4.0	4.0	3.5	3.0	3.5	3.0		29.40	=11	227.25	12	108.15		
			305 C	3m	2.8	2.5	3.0	2.5	4.0	3.5	4.0	2.5		25.20	10	252.45	12	151.95		
			405 C	3m	2.7	5.0	4.5	4.5	5.0	4.5	5.0	4.5		37.80	9	290.25	12	175.05		
			5233 D	3m	2.4	5.0	5.5	5.5	6.0	5.5	5.0	5.5		39.60	7	329.85	12	192.45		