

RESULT

DUET Technical Routine

THE 93rd JAPAN SYNCHRONISED SWIMMING CHAMPIONSHIPS

Tokyo Tatsumi International Swimming Center

29/Apr/2017 10:35

Referee SUMI Akiko JPN Assistant Referee INOUE Nobuko JPN

EXECUTION

1	ANDRADE Mireya	MEX
2	CHEW Hock Chye Ste	SGP
3	VAN DER POL Diane	CAN
4	WAHYUNDARI Dhaniss	INA
5	YAMADA Tomoko	JPN

IMPRESSION

1	LUPI Pierangela	ITA
2	KOBOLAK Gabriella	HUN
3	LATCHFORD Debbie	USA
4	HIGUCHI Yasuko	JPN
5	GUIJARRO Rosa	ESP

ELEMENTS

1	THIVAIYOU Maria	GRE
2	SAITO Yuki	JPN
3	LOEHNDORF Linda	USA
4	KAVAKLIOGLU Marie	Y TUR
5	DELAPORTE Annick	FRA

WT	
EX	30%
IM	30%
EL	40%

Elements							
	E1	E2	E3	E4	E5	Total	
DD	3.1	1.9	2.1	2.8	2.4	12.3	

Rank	Order	Club Name	YB		Judges					AVER	CALC	Req P	Panel Score	P	Routine Result	Behind
					1	2	3	4	5							
1	20	IMURA														
		OOYA Kirara	1999	EX	8.2	7.9	8.3	8.0	8.3	8.1667	24.5000	24.5000		81.4068	0.0000	
		YASUNAGA Mashiro	1999	IM	8.3	8.2	8.0	8.0	8.0	8.0667	24.2000	24.2000				
				EL												
				#1	7.8	8.1	8.3	8.3	8.2	8.2000	25.4200					
				#2	7.8	8.2	8.0	8.0	8.1	8.0333	15.2633					
				#3	7.6	8.1	7.8	8.2	8.0	7.9667	16.7300					
				#4	7.6	8.3	8.4	8.4	8.2	8.3000	23.2400					
				#5	8.0	8.4	8.2	8.5	8.3	8.3000	19.9200					
										RAW TOTAL	100.5733					
											81.7669	32.7068				
												81.4068				
2	14	AQLUB CHOFU														
		KITAHAMA Minami	1995	EX	7.9	8.1	8.2	8.2	8.3	8.1667	24.5000	24.5000		80.6716	0.7352	
		KITAMURA Yui	1999	IM	8.1	7.7	8.2	8.2	7.8	8.0333	24.1000	24.1000				
				EL												
				#1	7.9	8.5	8.3	7.7	8.1	8.1000	25.1100					
				#2	7.7	8.2	8.2	7.6	8.0	7.9667	15.1367					
				#3	7.7	8.3	7.8	7.6	7.7	7.7333	16.2400					
				#4	8.0	8.6	8.4	7.8	8.0	8.1333	22.7733					
				#5	8.0	8.4	8.1	7.6	8.1	8.0667	19.3600					
										RAW TOTAL	98.6200					
											80.1789	32.0716				
												80.6716				

RESULT

DUET Technical Routine

THE 93rd JAPAN SYNCHRONISED SWIMMING CHAMPIONSHIPS

Tokyo Tatsumi International Swimming Center

29/Apr/2017 10:35

Rank	Order	Club Name	YB		Judges					AVER	CALC	Req P	Panel Score	P	Routine Result	Behind
				1	2	3	4	5								
3	15	PIER-88														
		YOSHIDA Megumu	1995	EX	8.2	7.9	7.9	8.1	8.2	8.0667	24.2000	24.2000		79.7149	1.6919	
		SUGITO Mizuki	1994	IM	8.2	8.1	8.1	8.0	7.5	8.0667	24.2000	24.2000				
		R) FUKAI Kaoru	1999	EL												
		#1			8.0	7.7	7.4	7.8	8.4	7.8333	24.2833					
		#2			7.8	7.9	7.8	8.0	8.2	7.9000	15.0100					
		#3			7.6	6.8	7.6	7.6	7.9	7.6000	15.9600					
		#4			7.8	7.6	7.7	7.9	8.1	7.8000	21.8400					
		#5			7.9	7.8	8.2	7.9	8.2	8.0000	19.2000					
		RAW TOTAL									96.2933					
											78.2872	31.3149				
												79.7149				
4	7	TOKYO														
		SAWADA Mako	1996	EX	8.1	8.0	8.1	7.8	8.1	8.0667	24.2000	24.2000		78.9908	2.4160	
		FUJIYAMA Keina	1998	IM	8.2	8.0	8.1	7.7	7.6	7.9333	23.8000	23.8000				
		EL														
		#1			7.9	7.7	7.6	7.8	8.1	7.8000	24.1800					
		#2			7.7	7.4	7.2	7.6	7.9	7.5667	14.3767					
		#3			8.0	8.0	7.9	7.7	7.9	7.9333	16.6600					
		#4			7.8	7.8	7.8	7.8	8.1	7.8000	21.8400					
		#5			7.7	7.4	7.9	7.4	7.7	7.6000	18.2400					
		RAW TOTAL									95.2967					
											77.4770	30.9908				
												78.9908				
5	5	IMURA														
		HOSOKAWA Riko	1995	EX	7.8	7.8	7.8	7.7	7.7	7.7667	23.3000	23.3000		77.3843	4.0225	
		OTA Yumi	1996	IM	7.8	8.2	7.5	7.8	7.9	7.8333	23.5000	23.5000				
		EL														
		#1			7.6	7.8	7.6	7.7	8.0	7.7000	23.8700					
		#2			7.7	7.6	7.2	7.6	7.9	7.6333	14.5033					
		#3			7.4	7.5	7.0	7.5	7.3	7.4000	15.5400					
		#4			7.8	7.7	7.3	7.7	7.8	7.7333	21.6533					
		#5			7.7	7.6	7.7	7.7	7.9	7.7000	18.4800					
		RAW TOTAL									94.0466					
											76.4607	30.5843				
												77.3843				

RESULT

DUET Technical Routine

THE 93rd JAPAN SYNCHRONISED SWIMMING CHAMPIONSHIPS

Tokyo Tatsumi International Swimming Center

29/Apr/2017 10:35

Rank	Order	Club Name	YB		Judges					Req	Panel	P	Routine	Behind
				1	2	3	4	5	AVER	CALC	P	Score	Result	
6	11	ATHENA												
		YAMASHITA Erika	1998	EX	7.9	7.6	7.8	7.8	7.9	7.8333		23.5000	77.0271	4.3797
		YANAGISAWA Akane	1998	IM	8.1	7.7	7.8	7.9	7.8	7.8333		23.5000		
		EL												
		#1			7.4	7.6	7.5	7.6	7.9	7.5667		23.4567		
		#2			6.9	7.2	7.0	7.5	6.6	7.0333		13.3633		
		#3			7.4	7.8	7.6	7.6	7.8	7.6667		16.1000		
		#4			7.3	7.5	7.4	7.7	7.7	7.5333		21.0933		
		#5			7.2	7.8	7.5	7.6	7.8	7.6333		18.3200		
		RAW TOTAL										92.3333		
												75.0677		
												30.0271		
												77.0271		
7	25	HIROSHIMA												
		TANABE Sara	1997	EX	7.5	7.4	7.8	7.6	7.7	7.6000		22.8000	75.6667	5.7401
		ITOU Karen	1999	IM	7.3	7.8	7.6	7.8	7.6	7.6667		23.0000		
		EL												
		#1			7.5	7.6	7.3	7.8	8.0	7.6333		23.6633		
		#2			7.3	7.4	7.0	7.5	7.6	7.4000		14.0600		
		#3			7.2	7.6	7.1	7.5	7.8	7.4333		15.6100		
		#4			7.4	7.6	7.4	7.5	7.5	7.4667		20.9067		
		#5			6.9	7.4	7.2	7.4	7.7	7.3333		17.6000		
		RAW TOTAL										91.8400		
												74.6667		
												29.8667		
												75.6667		
8	27	AQLUB CHOFU												
		SATO Ayaka	1997	EX	7.4	7.8	7.4	7.7	7.9	7.6333		22.9000	75.5854	5.8214
		ASAHI Reina	1998	IM	7.7	7.6	7.8	7.6	7.1	7.6333		22.9000		
		EL												
		#1			7.4	7.5	7.4	7.7	7.6	7.5000		23.2500		
		#2			7.2	7.7	7.2	7.6	7.2	7.3333		13.9333		
		#3			7.4	7.6	7.1	7.4	7.4	7.4000		15.5400		
		#4			7.6	7.4	7.4	7.7	7.7	7.5667		21.1867		
		#5			7.4	7.5	7.3	7.4	7.1	7.3667		17.6800		
		RAW TOTAL										91.5900		
												74.4634		
												29.7854		
												75.5854		

RESULT

DUET Technical Routine

THE 93rd JAPAN SYNCHRONISED SWIMMING CHAMPIONSHIPS

Tokyo Tatsumi International Swimming Center

29/Apr/2017 10:35

Rank	Order	Club Name	YB		Judges					AVER	CALC	Req P	Panel Score	P	Routine Result	Behind
				1	2	3	4	5								
9	29	TOYAMA SC														
		HAYASHI Honoka	1999	EX	7.6	7.4	7.5	7.6	7.6	7.5667	22.7000	22.7000		75.5422	5.8646	
		TAKAI Haruhi	2000	IM	7.9	7.7	7.7	7.6	7.8	7.7333	23.2000	23.2000				
		EL														
		#1			7.5	7.8	7.6	7.5	7.5	7.5333	23.3533					
		#2			7.3	7.4	7.5	7.3	7.3	7.3333	13.9333					
		#3			7.4	7.3	7.8	7.3	7.6	7.4333	15.6100					
		#4			7.3	7.5	7.4	7.4	7.7	7.4333	20.8133					
		#5			7.2	7.2	7.6	7.2	7.4	7.2667	17.4400					
		RAW TOTAL									91.1499					
											74.1056		29.6422			
													75.5422			
10	17	KYOTO														
		NISHIYAMA Maho	1999	EX	7.5	7.6	7.8	7.5	7.5	7.5333	22.6000	22.6000		75.1301	6.2767	
		MITSUHASHI Yuriko	1999	IM	7.6	7.9	7.5	7.6	7.6	7.6000	22.8000	22.8000				
		EL														
		#1			7.3	7.5	7.4	7.6	7.7	7.5000	23.2500					
		#2			7.2	7.1	7.3	7.6	7.8	7.3667	13.9967					
		#3			7.2	7.2	7.2	7.2	7.1	7.2000	15.1200					
		#4			7.3	7.6	7.5	7.5	7.3	7.4333	20.8133					
		#5			7.4	7.5	7.6	7.7	7.9	7.6000	18.2400					
		RAW TOTAL									91.4200					
											74.3252		29.7301			
													75.1301			
11	8	AQLUB FUJISAWA														
		WATANABE Yumeno	2000	EX	7.5	7.5	7.7	7.4	7.8	7.5667	22.7000	22.7000		75.0856	6.3212	
		TATSUNO Moe	2000	IM	7.7	7.7	7.7	7.5	7.9	7.7000	23.1000	23.1000				
		R) HIRAOKA Konami	1999	EL												
		#1			7.2	7.4	7.4	7.2	7.5	7.3333	22.7333					
		#2			7.4	7.6	7.3	7.3	6.9	7.3333	13.9333					
		#3			7.4	7.5	7.1	7.1	7.0	7.2000	15.1200					
		#4			7.5	7.4	7.0	7.3	7.1	7.2667	20.3467					
		#5			7.7	7.5	7.5	7.3	7.4	7.4667	17.9200					
		RAW TOTAL									90.0533					
											73.2141		29.2856			
													75.0856			

RESULT

DUET Technical Routine

THE 93rd JAPAN SYNCHRONISED SWIMMING CHAMPIONSHIPS

Tokyo Tatsumi International Swimming Center

29/Apr/2017 10:35

Rank	Order	Club Name	YB		Judges					AVER	Req	Panel	P	Routine	Behind
					1	2	3	4	5		Calc	P	Score	Result	
12	18	FUKUOKA													
		SUZUKI Hina	1999	EX	7.5	7.5	7.5	7.6	7.6	7.5333	22.6000		22.6000	75.0834	6.3234
		SHIMOHAMA Miyu	1999	IM	7.8	8.0	7.4	7.6	7.4	7.6000	22.8000		22.8000		
				EL											
				#1	7.6	7.7	7.8	7.3	7.5	7.6000	23.5600				
				#2	7.4	7.3	7.4	7.2	7.3	7.3333	13.9333				
				#3	7.3	7.3	7.3	7.3	7.5	7.3000	15.3300				
				#4	7.3	7.5	7.5	7.2	7.2	7.3333	20.5333				
				#5	7.6	7.4	7.6	7.4	7.3	7.4667	17.9200				
										RAW TOTAL	91.2766				
											74.2086		29.6834		
													75.0834		
13	13	JOYFUL AC													
		ITOYAMA Mao	1999	EX	8.1	7.7	7.6	7.3	7.6	7.6333	22.9000		22.9000	75.0124	6.3944
		SATOU Tomoka	2001	IM	7.7	8.0	7.6	7.4	7.4	7.5667	22.7000		22.7000		
				EL											
				#1	7.6	7.5	7.0	7.2	7.0	7.2333	22.4233				
				#2	7.3	7.3	7.2	7.3	7.4	7.3000	13.8700				
				#3	7.6	7.2	7.3	7.2	7.6	7.3667	15.4700				
				#4	7.6	7.6	7.1	7.4	7.5	7.5000	21.0000				
				#5	7.4	7.3	7.4	7.3	7.7	7.3667	17.6800				
										RAW TOTAL	90.4433				
											73.5311		29.4124		
													75.0124		
14	33	NAKAMORI													
		ASANO Yuna	1996	EX	7.6	7.4	7.4	7.5	7.8	7.5000	22.5000		22.5000	74.7382	6.6686
		NAKAMORI Yumeno	1997	IM	7.8	8.0	7.3	7.6	7.0	7.5667	22.7000		22.7000		
				EL											
				#1	7.4	7.6	7.3	7.3	7.8	7.4333	23.0433				
				#2	7.4	7.3	7.4	7.2	7.4	7.3667	13.9967				
				#3	7.5	7.5	7.3	7.5	7.6	7.5000	15.7500				
				#4	7.2	7.3	7.2	7.4	7.5	7.3000	20.4400				
				#5	7.2	7.4	7.4	7.5	7.1	7.3333	17.6000				
										RAW TOTAL	90.8300				
											73.8455		29.5382		
													74.7382		

RESULT

DUET Technical Routine

THE 93rd JAPAN SYNCHRONISED SWIMMING CHAMPIONSHIPS

Tokyo Tatsumi International Swimming Center

29/Apr/2017 10:35

Rank	Order	Club Name	YB		Judges					AVER	CALC	Req P	Panel Score	P	Routine Result	Behind
					1	2	3	4	5							
15	32	KANAZAWA														
		KIJIMA Moeka	1999	EX	7.5	7.2	7.7	7.3	7.6	7.4667	22.4000	22.4000		74.5339	6.8729	
		NAGAI Midori	1999	IM	7.5	7.4	7.4	7.4	7.2	7.4000	22.2000	22.2000				
		EL														
		#1			7.4	7.5	8.4	7.4	7.7	7.5333	23.3533					
		#2			7.4	7.7	7.9	7.3	7.3	7.4667	14.1867					
		#3			7.3	7.3	7.6	7.1	7.4	7.3333	15.4000					
		#4			7.4	7.5	8.0	7.4	7.8	7.5667	21.1867					
		#5			7.4	7.4	7.7	7.3	7.6	7.4667	17.9200					
		RAW TOTAL									92.0467					
											74.8347	29.9339				
												74.5339				
16	4	TOYAMA PALACE														
		WAKASUGI Mizuho	1999	EX	7.5	7.3	7.5	7.3	7.5	7.4333	22.3000	22.3000		74.1930	7.2138	
		OTA Kaori	2000	IM	7.6	7.3	7.6	7.4	7.5	7.5000	22.5000	22.5000				
		R) NAKAMURA Moeri	2001	EL												
		#1			7.6	7.4	7.1	7.5	7.7	7.5000	23.2500					
		#2			7.6	7.5	6.8	7.6	7.0	7.3667	13.9967					
		#3			7.5	7.6	7.2	7.4	6.7	7.3667	15.4700					
		#4			7.3	7.4	6.8	7.4	6.5	7.1667	20.0667					
		#5			7.3	7.4	7.3	7.6	6.7	7.3333	17.6000					
		RAW TOTAL									90.3834					
											73.4824	29.3930				
												74.1930				