

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

男子 1m 飛板飛込 決勝

9-11歳

開催日 2011/08/26
大阪プール

審判長 木村 勉

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 3回
自由選択飛回数 3回
難易率合計 5.4以内
気温 29.5℃
水温 29.5℃
天候 晴れ

機械操作 高山 優子
記録主任 中島 直樹

1 伊藤 正明
2 松尾 進也
3 塚田 貴則
4 坂田 芳寛
5 江川 優子

1 二木 廣幸
2 松井 一美
3 鈴木 義孝
4 和田 守弘
5 瓶子 勇治郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
22	1	清水 日向									米子DC							
		103B	1.0	1.7	1.7	7.0	7.5	7.0	8.0	7.5	0.0 0.0		37.40	=2	37.40	=2	0.85	264.55
		201A	1.0	1.7	1.7	8.5	8.5	9.0	8.5	8.5	0.0 0.0		43.35	1	80.75	1		
		301B	1.0	1.7	1.7	7.5	7.5	7.5	9.0	8.0	0.0 0.0		39.10	3	119.85	1		
		104B	1.0	2.3	2.3	6.0	7.0	6.0	7.0	6.0	0.0 0.0		43.70	4	163.55	1		
		203C	1.0	2.0	2.0	8.0	7.5	8.5	7.0	8.0	0.0 0.0		47.00	2	210.55	1		
		403B	1.0	2.4	2.4	8.0	7.0	5.0	7.5	8.0	0.0 0.0		54.00	2	264.55	1		
2	2	西田 玲雄									大阪水泳学校							
		103B	1.0	1.7	1.7	8.0	7.5	7.0	7.5	7.0	0.0 0.0		37.40	=2	37.40	=2	0.85	263.20
		301C	1.0	1.6	1.6	7.5	8.5	7.5	7.0	7.5	0.0 0.0		36.00	5	73.40	3	7.35	
		203C	1.0	2.0	2.0	6.0	6.5	6.5	7.0	7.0	0.0 0.0		40.00	2	113.40	2	6.45	
		303C	1.0	2.1	2.1	8.0	6.5	6.5	6.5	7.5	0.0 0.0		43.05	5	156.45	2	7.10	
		403B	1.0	2.4	2.4	7.0	7.5	7.0	7.0	7.0	0.0 0.0		50.40	1	206.85	2	3.70	
		104B	1.0	2.3	2.3	9.0	8.5	8.0	8.0	8.0	0.0 0.0		56.35	1	263.20	2	1.35	
4	3	遠藤 拓人									宮城DC							
		401B	1.0	1.5	1.5	8.5	8.0	8.0	8.0	7.5	0.0 0.0		36.00	4	36.00	4	2.25	234.95
		103B	1.0	1.7	1.7	6.0	7.0	5.5	6.5	7.0	0.0 0.0		33.15	=9	69.15	4	11.60	
		303C	1.0	2.1	2.1	5.5	5.5	4.5	5.0	5.5	0.0 0.0		33.60	7	102.75	5	17.10	
		203C	1.0	2.0	2.0	6.5	7.0	7.0	7.0	7.0	0.0 0.0		42.00	6	144.75	5	18.80	
		104C	1.0	2.2	2.2	6.5	6.5	7.0	6.0	7.0	0.0 0.0		44.00	3	188.75	3	21.80	
		403C	1.0	2.2	2.2	6.0	7.0	7.0	7.0	7.0	0.0 0.0		46.20	3	234.95	3	29.60	
12	4	青木 俊輔									ジョイフル							
		103B	1.0	1.7	1.7	6.5	7.5	7.5	7.5	7.5	0.0 0.0		38.25	1	38.25	1		221.55
		201B	1.0	1.6	1.6	7.5	7.5	8.0	7.5	8.0	0.0 0.0		36.80	3	75.05	2	5.70	
		303C	1.0	2.1	2.1	6.0	6.0	6.0	6.0	6.0	0.0 0.0		37.80	5	112.85	3	7.00	
		104C	1.0	2.2	2.2	6.0	6.0	6.5	6.0	6.0	0.0 0.0		39.60	7	152.45	3	11.10	
		203C	1.0	2.0	2.0	7.0	6.0	6.0	4.5	5.5	0.0 0.0		35.00	=7	187.45	4	23.10	
		403C	1.0	2.2	2.2	5.5	4.5	6.0	4.0	5.5	0.0 0.0		34.10	=12	221.55	4	43.00	
17	5	中川 虎太郎									石川DC							
		103B	1.0	1.7	1.7	6.5	6.5	4.5	6.5	5.5	0.0 0.0		31.45	9	31.45	9	6.80	210.20
		401B	1.0	1.5	1.5	8.0	7.5	8.0	8.0	7.5	0.0 0.0		35.25	6	66.70	5	14.05	
		5132D	1.0	2.2	2.2	5.5	5.5	5.0	5.0	6.0	0.0 0.0		35.20	6	101.90	7	17.95	
		104B	1.0	2.3	2.3	6.5	6.5	7.0	7.0	6.5	0.0 0.0		46.00	3	147.90	4	15.65	
		403B	1.0	2.4	2.4	3.5	4.0	4.5	5.0	5.0	0.0 0.0		32.40	12	180.30	5	30.25	
		203B	1.0	2.3	2.3	4.0	5.0	4.0	4.5	4.5	0.0 0.0		29.90	17	210.20	5	54.35	

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

男子 1m 飛板飛込 決勝

9-11歳

開催日 2011/08/26

大阪プール

審判長 木村 勉

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 3回

自由選択飛回数 3回

難易率合計 5.4 以内

気温 29.5℃

水温 29.5℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 伊藤 正明

2 松尾 進也

3 塚田 貴則

4 坂田 芳寛

5 江川 優子

1 二木 廣幸

2 松井 一美

3 鈴木 義孝

4 和田 守弘

5 瓶子 勇治郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
13	6	佐藤 康大									福島県D. C			C							
		103B	1.0	1.7	7.0	6.0	6.5	6.5	6.5	6.5	0.0	0.0			33.15	5	33.15	5	5.10	204.30	
		201B	1.0	1.6	6.0	7.0	5.0	6.5	6.5	6.5	0.0	0.0			30.40	14	63.55	10	17.20		
		303C	1.0	2.1	5.5	6.5	5.5	6.5	6.5	6.5	0.0	0.0			38.85	4	102.40	6	17.45		
		105C	1.0	2.4	4.5	4.5	5.5	5.5	5.5	5.5	0.0	0.0			37.20	8	139.60	6	23.95		
		403C	1.0	2.2	4.0	5.0	4.0	5.0	4.5	4.5	0.0	0.0			29.70	18	169.30	6	41.25		
		203C	1.0	2.0	6.0	5.5	6.0	5.5	6.5	6.5	0.0	0.0			35.00	10	204.30	6	60.25		
14	7	井戸畑 和馬									大阪水泳学校										
		103B	1.0	1.7	5.5	6.0	5.0	6.0	5.0	5.0	0.0	0.0			28.05	15	28.05	15	10.20	203.70	
		201A	1.0	1.7	7.0	7.0	7.0	7.5	7.5	7.5	0.0	0.0			36.55	4	64.60	7	16.15		
		301B	1.0	1.7	4.5	5.5	5.5	5.5	5.0	5.0	0.0	0.0			27.20	=14	91.80	10	28.05		
		203C	1.0	2.0	6.5	5.5	6.0	6.5	5.5	5.5	0.0	0.0			36.00	10	127.80	11	35.75		
		403C	1.0	2.2	6.5	6.5	5.5	6.0	6.0	6.0	0.0	0.0			40.70	4	168.50	7	42.05		
		104C	1.0	2.2	5.0	5.5	6.0	5.0	5.5	5.5	0.0	0.0			35.20	=7	203.70	7	60.85		
7	8	中 秀太郎									石川D C										
		103B	1.0	1.7	4.5	6.0	5.0	6.0	6.0	6.0	0.0	0.0			28.90	=13	28.90	=13	9.35	198.50	
		201B	1.0	1.6	7.0	7.0	7.5	7.5	7.5	7.5	0.0	0.0			35.20	7	64.10	9	16.65		
		303C	1.0	2.1	6.5	7.0	7.0	6.0	7.0	7.0	0.0	0.0			43.05	1	107.15	4	12.70		
		104B	1.0	2.3	4.0	4.5	3.5	3.0	2.5	2.5	0.0	0.0			24.15	21	131.30	8	32.25		
		203B	1.0	2.3	4.5	4.0	4.0	4.0	4.0	4.0	0.0	0.0			27.60	19	158.90	10	51.65		
		403C	1.0	2.2	6.0	5.5	6.5	6.0	6.0	6.0	0.0	0.0			39.60	5	198.50	8	66.05		
19	9	森淵 海斗									神辺S P C										
		401B	1.0	1.5	6.5	7.0	7.0	7.0	7.0	7.0	0.0	0.0			31.50	=7	31.50	=7	6.75	195.10	
		201A	1.0	1.7	5.5	5.5	6.5	6.0	6.5	6.5	0.0	0.0			30.60	=11	62.10	11	18.65		
		301B	1.0	1.7	5.5	5.5	6.5	5.5	6.0	6.0	0.0	0.0			28.90	12	91.00	11	28.85		
		103B	1.0	1.7	6.5	7.0	6.0	7.0	6.5	6.5	0.0	0.0			34.00	11	125.00	12	38.55		
		203C	1.0	2.0	6.0	5.5	6.5	5.5	6.5	6.5	0.0	0.0			36.00	6	161.00	9	49.55		
		403C	1.0	2.2	5.0	5.0	5.5	4.0	6.0	6.0	0.0	0.0			34.10	=12	195.10	9	69.45		
1	10	山本 馨									大分D. C										
		201B	1.0	1.6	5.5	6.0	5.5	6.0	6.0	6.0	0.0	0.0			28.00	16	28.00	16	10.25	194.95	
		103B	1.0	1.7	6.5	7.0	6.0	7.0	6.0	6.0	0.0	0.0			33.15	=9	61.15	13	19.60		
		303C	1.0	2.1	3.0	3.5	3.0	3.0	3.5	3.5	0.0	0.0			19.95	23	81.10	16	38.75		
		403C	1.0	2.2	4.5	4.5	5.0	5.0	4.5	4.5	0.0	0.0			30.80	14	111.90	17	51.65		
		203B	1.0	2.3	6.0	6.0	6.0	4.0	4.5	4.5	0.0	0.0			37.95	5	149.85	14	60.70		
		104C	1.0	2.2	6.0	6.5	8.0	7.0	7.0	7.0	0.0	0.0			45.10	4	194.95	10	69.60		

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

男子 1m 飛板飛込 決勝

9-11歳

開催日 2011/08/26

大阪プール

審判長 木村 勉

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 3回

自由選択飛回数 3回

難易率合計 5.4以内

気温 29.5℃

水温 29.5℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 伊藤 正明

2 松尾 進也

3 塚田 貴則

4 坂田 芳寛

5 江川 優子

1 二木 廣幸

2 松井 一美

3 鈴木 義孝

4 和田 守弘

5 瓶子 勇治郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
11	11	松本 慧									米沢DC							
		103B	1.0	1.7	5.5	5.5	6.0	7.0	6.5	0.0	0.0		30.60	=11	30.60	=11	7.65	191.15
		201A	1.0	1.7	4.5	4.5	4.0	4.5	5.0	0.0	0.0		22.95	22	53.55	=16	27.20	
		5211A	1.0	1.8	4.5	6.5	5.5	6.5	6.0	0.0	0.0		32.40	8	85.95	12	33.90	
		104C	1.0	2.2	7.0	6.5	7.5	7.0	7.0	0.0	0.0		46.20	2	132.15	7	31.40	
		403C	1.0	2.2	4.5	5.0	4.5	5.5	5.5	0.0	0.0		33.00	=10	165.15	8	45.40	
		203C	1.0	2.0	4.5	4.5	4.5	4.0	3.5	0.0	0.0		26.00	20	191.15	11	73.40	
3	12	中野渡 涼									三重DC							
		201A	1.0	1.7	5.5	5.5	6.5	6.0	5.5	0.0	0.0		28.90	=13	28.90	=13	9.35	188.75
		401C	1.0	1.4	5.5	6.5	4.5	5.5	6.0	0.0	0.0		23.80	=20	52.70	19	28.05	
		303C	1.0	2.1	3.0	4.0	3.5	4.0	4.0	0.0	0.0		24.15	20	76.85	21	43.00	
		104C	1.0	2.2	8.5	7.5	8.0	7.5	8.0	0.0	0.0		51.70	1	128.55	9	35.00	
		203C	1.0	2.0	4.0	4.5	4.0	4.5	3.5	0.0	0.0		25.00	20	153.55	11	57.00	
		403C	1.0	2.2	4.0	5.0	5.5	6.0	5.5	0.0	0.0		35.20	=7	188.75	12	75.80	
8	13	山田 周汰									トビウajrdc							
		401B	1.0	1.5	6.0	5.5	6.5	6.0	6.5	0.0	0.0		27.75	17	27.75	17	10.50	188.15
		301B	1.0	1.7	7.5	7.0	8.0	7.5	7.5	0.0	0.0		38.25	2	66.00	6	14.75	
		103B	1.0	1.7	4.5	5.5	5.5	5.5	5.0	0.0	0.0		27.20	=14	93.20	9	26.65	
		104C	1.0	2.2	3.5	4.0	4.0	4.5	5.0	0.0	0.0		27.50	19	120.70	13	42.85	
		201B	1.0	1.6	6.5	6.5	6.5	6.0	6.0	0.0	0.0		30.40	=16	151.10	12	59.45	
		5122D	1.0	1.9	6.5	6.5	7.5	6.5	6.0	0.0	0.0		37.05	6	188.15	13	76.40	
10	14	白井 友也									スイトピア							
		103B	1.0	1.7	6.0	6.5	5.5	6.5	5.5	0.0	0.0		30.60	=11	30.60	=11	7.65	184.60
		201B	1.0	1.6	6.0	7.0	7.0	7.0	7.5	0.0	0.0		33.60	8	64.20	8	16.55	
		301B	1.0	1.7	6.0	6.5	7.0	6.5	6.0	0.0	0.0		32.30	9	96.50	8	23.35	
		401B	1.0	1.5	7.5	7.0	7.0	7.0	7.0	0.0	0.0		31.50	13	128.00	10	35.55	
		5111A	1.0	1.8	3.5	5.0	4.0	3.0	5.0	0.0	0.0		22.50	21	150.50	13	60.05	
		104C	1.0	2.2	5.0	5.0	5.5	5.5	5.0	0.0	0.0		34.10	=12	184.60	14	79.95	
6	15	浅田 光									石川DC							
		103B	1.0	1.7	5.5	5.0	4.5	6.0	5.0	0.0	0.0		26.35	19	26.35	19	11.90	183.70
		301B	1.0	1.7	5.0	4.5	5.0	6.0	6.0	0.0	0.0		27.20	18	53.55	=16	27.20	
		5122D	1.0	1.9	5.0	4.0	5.0	4.5	4.0	0.0	0.0		25.65	18	79.20	18	40.65	
		104C	1.0	2.2	5.0	6.0	5.0	5.5	6.0	0.0	0.0		36.30	9	115.50	15	48.05	
		203C	1.0	2.0	5.0	6.0	5.5	5.5	5.5	0.0	0.0		33.00	=10	148.50	15	62.05	
		403C	1.0	2.2	4.5	5.0	6.0	5.0	6.0	0.0	0.0		35.20	=7	183.70	15	80.85	

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

男子 1m 飛板飛込 決勝

9-11歳

開催日 2011/08/26

大阪プール

審判長 木村 勉

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 3回

自由選択飛回数 3回

難易率合計 5.4以内

気温 29.5℃

水温 29.5℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 伊藤 正明

2 松尾 進也

3 塚田 貴則

4 坂田 芳寛

5 江川 優子

1 二木 廣幸

2 松井 一美

3 鈴木 義孝

4 和田 守弘

5 瓶子 勇治郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
20	16	瀬古 洋介									ジョイフル										
		101A	1.0	1.4	5.0	5.0	5.0	5.5	5.0	0.0	0.0	21.00	=23	21.00	=23	17.25	176.05				
		201A	1.0	1.7	6.0	5.0	6.0	7.0	6.0	0.0	0.0	30.60	=11	51.60	21	29.15					
		401B	1.0	1.5	5.0	5.0	5.5	6.5	5.5	0.0	0.0	24.00	21	75.60	22	44.25					
		103B	1.0	1.7	6.0	6.5	5.5	6.0	6.0	0.0	0.0	30.60	15	106.20	19	57.35					
		203C	1.0	2.0	6.0	5.5	6.0	5.0	6.0	0.0	0.0	35.00	=7	141.20	17	69.35					
		301B	1.0	1.7	6.5	7.0	7.0	6.5	7.0	0.0	0.0	34.85	11	176.05	16	88.50					
18	17	倉知 諄									群馬DC										
		301B	1.0	1.7	6.0	7.0	6.0	7.0	6.0	0.0	0.0	32.30	6	32.30	6	5.95	171.50				
		103B	1.0	1.7	6.5	5.5	5.5	6.0	5.5	0.0	0.0	28.90	=16	61.20	12	19.55					
		201B	1.0	1.6	4.5	4.5	5.5	4.5	3.5	0.0	0.0	21.60	22	82.80	15	37.05					
		203C	1.0	2.0	5.0	5.0	5.0	5.5	5.0	0.0	0.0	30.00	16	112.80	16	50.75					
		5122D	1.0	1.9	6.0	6.0	6.0	5.0	5.0	0.0	0.0	32.30	13	145.10	16	65.45					
		104C	1.0	2.2	4.0	4.0	4.0	3.0	4.5	0.0	0.0	26.40	19	171.50	17	93.05					
21	18	佐々木 健人									トビウオjrdc										
		401B	1.0	1.5	6.5	6.0	5.0	6.5	5.5	0.0	0.0	27.00	18	27.00	18	11.25	168.45				
		301B	1.0	1.7	4.0	4.0	3.5	3.5	4.5	0.0	0.0	19.55	24	46.55	24	34.20					
		103B	1.0	1.7	5.5	6.0	6.5	6.0	6.0	0.0	0.0	30.60	=10	77.15	19	42.70					
		104C	1.0	2.2	3.5	5.0	5.0	4.5	4.0	0.0	0.0	29.70	17	106.85	18	56.70					
		201B	1.0	1.6	7.0	5.5	6.5	6.5	6.0	0.0	0.0	30.40	=16	137.25	19	73.30					
		402C	1.0	1.6	7.0	6.0	7.0	6.0	6.5	0.0	0.0	31.20	15	168.45	18	96.10					
15	19	大矢 颯斗									フリップス										
		401B	1.0	1.5	7.0	6.5	7.0	7.0	7.5	0.0	0.0	31.50	=7	31.50	=7	6.75	165.60				
		101B	1.0	1.3	6.5	6.5	6.0	7.0	6.5	0.0	0.0	25.35	19	56.85	14	23.90					
		301B	1.0	1.7	5.5	5.5	6.0	5.5	5.0	0.0	0.0	28.05	13	84.90	13	34.95					
		103C	1.0	1.6	4.0	5.0	4.0	5.5	4.0	0.0	0.0	20.80	24	105.70	=20	57.85					
		403C	1.0	2.2	5.0	4.5	4.0	5.0	5.0	0.0	0.0	31.90	14	137.60	18	72.95					
		203C	1.0	2.0	5.0	5.0	4.5	4.5	4.0	0.0	0.0	28.00	18	165.60	19	98.95					
9	20	金戸 快									KANETO DC										
		401B	1.0	1.5	7.0	6.0	7.0	7.5	6.5	0.0	0.0	30.75	10	30.75	10	7.50	162.00				
		201B	1.0	1.6	4.5	4.5	4.0	5.5	5.0	0.0	0.0	22.40	23	53.15	18	27.60					
		103B	1.0	1.7	6.0	6.0	6.0	6.5	6.0	0.0	0.0	30.60	=10	83.75	14	36.10					
		301B	1.0	1.7	7.0	6.5	5.5	6.5	6.5	0.0	0.0	33.15	12	116.90	14	46.65					
		403C	1.0	2.2	3.0	3.5	3.0	3.0	3.0	0.0	0.0	19.80	=22	136.70	20	73.85					
		104C	1.0	2.2	3.5	3.5	4.0	4.0	4.0	0.0	0.0	25.30	21	162.00	20	102.55					

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

男子 1m 飛板飛込 決勝

9-11歳

開催日 2011/08/26

大阪プール

審判長 木村 勉

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 3回

自由選択飛回数 3回

難易率合計 5.4以内

気温 29.5℃

水温 29.5℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 伊藤 正明

2 松尾 進也

3 塚田 貴則

4 坂田 芳寛

5 江川 優子

1 二木 廣幸

2 松井 一美

3 鈴木 義孝

4 和田 守弘

5 瓶子 勇治郎

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
5	21	熊木 流希									群馬DC										
		201B	1.0	1.6	4.5	5.0	4.0	4.5	5.0	0.0	0.0	22.40	22	22.40	22	15.85	161.90				
		301B	1.0	1.7	5.5	6.0	6.5	6.0	5.5	0.0	0.0	29.75	15	52.15	20	28.60					
		401B	1.0	1.5	4.5	4.0	3.5	4.0	4.5	0.0	0.0	18.75	24	70.90	24	48.95					
		402C	1.0	1.6	5.5	6.0	5.5	5.0	5.5	0.0	0.0	26.40	20	97.30	24	66.25					
		203C	1.0	2.0	6.0	5.5	6.0	5.0	5.5	0.0	0.0	34.00	9	131.30	22	79.25					
		103B	1.0	1.7	5.5	5.5	6.0	7.0	6.5	0.0	0.0	30.60	16	161.90	21	102.65					
24	22	内藤 大空									福山T. C										
		101A	1.0	1.4	5.0	5.0	4.5	5.0	5.5	0.0	0.0	21.00	=23	21.00	=23	17.25	151.30				
		201A	1.0	1.7	6.0	5.0	5.5	6.0	5.5	0.0	0.0	28.90	=16	49.90	22	30.85					
		401B	1.0	1.5	6.0	5.5	6.5	6.5	5.5	0.0	0.0	27.00	17	76.90	20	42.95					
		5111A	1.0	1.8	6.0	3.5	5.5	5.0	5.5	0.0	0.0	28.80	18	105.70	=20	57.85					
		103B	1.0	1.7	6.0	5.5	6.0	6.0	6.0	0.0	0.0	30.60	15	136.30	21	74.25					
		203C	1.0	2.0	2.5	3.0	2.0	2.5	2.5	0.0	0.0	15.00	24	151.30	22	113.25					
23	23	後藤 啓佑									神辺S P C										
		101A	1.0	1.4	5.5	6.0	5.5	6.5	6.0	0.0	0.0	24.50	=20	24.50	=20	13.75	143.70				
		201A	1.0	1.7	5.5	6.5	5.5	6.5	6.0	0.0	0.0	30.60	=11	55.10	15	25.65					
		301B	1.0	1.7	5.0	5.0	5.0	6.0	4.5	0.0	0.0	25.50	19	80.60	17	39.25					
		401B	1.0	1.5	4.5	6.0	5.0	5.0	5.0	0.0	0.0	22.50	23	103.10	22	60.45					
		5111A	1.0	1.8	4.0	3.5	3.5	2.0	4.5	0.0	0.0	19.80	=22	122.90	23	87.65					
		103C	1.0	1.6	3.5	4.5	4.5	4.5	4.0	0.0	0.0	20.80	23	143.70	23	120.85					
16	24	大須賀 成彦									香川DC										
		101A	1.0	1.4	6.0	6.0	5.0	6.0	5.5	0.0	0.0	24.50	=20	24.50	=20	13.75	140.30				
		201A	1.0	1.7	4.5	4.5	4.5	5.0	5.0	0.0	0.0	23.80	=20	48.30	23	32.45					
		301B	1.0	1.7	5.5	5.0	5.0	5.5	6.0	0.0	0.0	27.20	=14	75.50	23	44.35					
		103C	1.0	1.6	5.0	5.0	4.5	5.0	4.5	0.0	0.0	23.20	22	98.70	23	64.85					
		302C	1.0	1.6	3.0	4.0	4.0	4.5	3.5	0.0	0.0	18.40	24	117.10	24	93.45					
		402C	1.0	1.6	4.5	5.0	5.5	4.0	5.0	0.0	0.0	23.20	22	140.30	24	124.25					