

第34回 全国JOCジュニアオリンピックカップ  
夏季水泳競技大会飛込競技

採点詳細

男子 高飛込 決勝

14-15歳

開催日 2011/08/27  
大阪プール

制限選択飛回数 4回  
自由選択飛回数 4回  
難易率合計 7.6以内  
気温 29.0℃  
水温 29.4℃  
天候 晴れ

審判長 木村 勉  
副審判長 細川・駒谷  
機械操作 高山 優子  
記録主任 中島 直樹

審判団(A) 4Round  
1 伊藤 正明  
2 畑岡 寿  
3 鈴木 羊子  
4 山本 孝  
5 瓶子 勇治郎  
審判団(B) 4Round  
1 安田 千万樹  
2 松井 一美  
3 毒島 泰士  
4 高橋 史倫  
5 湯浅 よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
8	1	桑田 真治									神辺SPC									
		103B	10.0	1.6	8.5	8.0	7.5	7.0	8.5	0.0	0.0	38.40	=6	38.40	=6	8.15	404.90			
		403B	10.0	2.0	7.5	8.0	7.5	7.0	8.0	0.0	0.0	46.00	1	84.40	1					
		201B	10.0	1.8	8.0	8.0	7.5	6.5	7.5	0.0	0.0	41.40	6	125.80	1					
		5132D	10.0	2.1	8.0	8.5	8.0	7.5	9.0	0.0	0.0	51.45	=2	177.25	1					
		107B	10.0	3.0	6.5	6.0	6.5	6.5	7.0	0.0	0.0	58.50	2	235.75	1					
		5152B	10.0	2.9	6.0	5.5	5.0	5.5	6.5	0.0	0.0	49.30	4	285.05	1					
		407C	10.0	3.2	7.0	6.5	7.0	7.0	7.0	0.0	0.0	67.20	1	352.25	1					
		305C	10.0	2.7	6.0	7.0	6.5	6.0	7.0	0.0	0.0	52.65	5	404.90	1					
4	2	岡本 宗									栃木DC									
		103B	10.0	1.6	8.5	8.5	9.0	8.0	8.5	0.0	0.0	40.80	4	40.80	4	5.75	385.25			
		301B	7.5	1.9	6.5	7.0	5.5	6.5	6.5	0.0	0.0	37.05	7	77.85	4	6.55				
		403B	10.0	2.0	6.5	6.5	7.0	7.0	7.0	0.0	0.0	41.00	7	118.85	5	6.95				
		5132D	10.0	2.1	8.5	8.5	8.5	7.0	9.0	0.0	0.0	53.55	1	172.40	3	4.85				
		107B	10.0	3.0	6.0	7.5	6.0	6.5	6.5	0.0	0.0	57.00	3	229.40	2	6.35				
		405B	10.0	2.8	5.0	4.5	6.0	4.5	4.5	0.0	0.0	39.20	8	268.60	3	16.45				
		205C	5.0	3.0	6.5	7.0	6.5	7.5	8.0	0.0	0.0	63.00	2	331.60	2	20.65				
		5152B	10.0	2.9	6.0	7.0	6.0	6.0	6.5	0.0	0.0	53.65	4	385.25	2	19.65				
19	3	荒木 宥図									長岡DC									
		201B	7.5	1.8	8.0	7.5	7.5	7.0	8.0	0.0	0.0	41.40	3	41.40	3	5.15	357.20			
		103B	10.0	1.6	8.0	8.5	8.5	7.0	8.5	0.0	0.0	40.00	5	81.40	2	3.00				
		301B	10.0	1.9	7.0	7.0	7.0	7.0	7.0	0.0	0.0	39.90	8	121.30	2	4.50				
		5132D	10.0	2.1	8.0	8.5	8.0	7.0	8.5	0.0	0.0	51.45	=2	172.75	2	4.50				
		105B	7.5	2.4	7.5	6.5	7.5	7.5	8.0	0.0	0.0	54.00	4	226.75	3	9.00				
		203B	5.0	2.3	6.5	5.5	6.5	7.5	7.0	0.0	0.0	46.00	6	272.75	2	12.30				
		303C	5.0	2.1	6.5	6.0	6.0	6.0	6.5	0.0	0.0	38.85	9	311.60	3	40.65				
		403B	5.0	2.4	6.5	6.0	7.0	6.0	6.5	0.0	0.0	45.60	7	357.20	3	47.70				
6	4	大森 大輝									神辺SPC									
		103B	10.0	1.6	8.0	7.0	6.5	7.0	7.0	0.0	0.0	33.60	13	33.60	13	12.95	340.45			
		403B	10.0	2.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0	42.00	2	75.60	7	8.80				
		201B	10.0	1.8	6.5	6.5	7.0	7.0	7.0	0.0	0.0	36.90	14	112.50	9	13.30				
		5132D	10.0	2.1	5.0	4.5	5.0	6.0	5.5	0.0	0.0	32.55	15	145.05	12	32.20				
		107B	10.0	3.0	5.5	5.5	5.5	5.5	4.0	0.0	0.0	49.50	5	194.55	8	41.20				
		405B	10.0	2.8	6.0	5.5	6.0	7.0	6.5	0.0	0.0	51.80	3	246.35	4	38.70				
		205C	5.0	3.0	5.0	5.0	5.0	6.0	5.5	0.0	0.0	46.50	4	292.85	4	59.40				
		305C	7.5	2.8	6.0	5.0	6.5	5.5	5.5	0.0	0.0	47.60	6	340.45	4	64.45				
12	5	大出 遼太郎									宇都宮南高校									
		103B	10.0	1.6	8.0	7.5	7.5	7.0	7.5	0.0	0.0	36.00	10	36.00	10	10.55	339.00			
		403B	10.0	2.0	7.0	6.5	7.0	6.5	7.0	0.0	0.0	41.00	3	77.00	5	7.40				
		5231D	10.0	2.0	6.5	6.5	6.5	6.5	7.0	0.0	0.0	39.00	=9	116.00	7	9.80				
		612B	10.0	1.9	4.5	6.0	5.5	7.0	6.0	0.0	0.0	33.25	=13	149.25	9	28.00				
		107B	10.0	3.0	5.5	4.5	5.5	5.0	4.5	0.0	0.0	45.00	7	194.25	9	41.50				
		205B	7.5	3.0	5.5	4.0	5.5	5.0	5.5	0.0	0.0	48.00	5	242.25	7	42.80				
		305C	10.0	2.7	3.5	4.5	4.0	5.5	4.0	0.0	0.0	33.75	13	276.00	10	76.25				
		405B	10.0	2.8	7.5	7.5	7.5	7.5	7.5	0.0	0.0	63.00	1	339.00	5	65.90				

第34回 全国JOCジュニアオリンピックカップ  
夏季水泳競技大会飛込競技

採点詳細

男子 高飛込 決勝

14-15歳

開催日 2011/08/27

大阪プール

審判長 木村 勉

審判団(A) 4Round

審判団(B) 4Round

制限選択飛回数 4回

副審判長 細川・駒谷

1 伊藤 正明

1 安田 千万樹

自由選択飛回数 4回

2 畑岡 寿

2 松井 一美

難易率合計 7.6以内

機械操作 高山 優子

3 鈴木 羊子

3 毒島 泰士

気温 29.0℃

記録主任 中島 直樹

4 山本 孝

4 高橋 史倫

水温 29.4℃

5 瓶子 勇治郎

5 湯浅 よしの

天候 晴れ

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
16	6	八木 燦太									スイトピア									
		103B	7.5	1.6	8.0	8.0	8.0	8.0	6.5	8.0	0.0	0.0			38.40	=6	38.40	=6	8.15	331.30
		301B	10.0	1.9	6.0	5.5	6.5	6.5	7.0	7.0	0.0	0.0			36.10	8	74.50	8	9.90	
		403B	10.0	2.0	8.0	8.0	7.0	7.0	7.5	7.5	0.0	0.0			45.00	2	119.50	4	6.30	
		5132D	7.5	2.1	7.0	7.0	7.5	7.0	7.0	7.0	0.0	0.0			44.10	=8	163.60	6	13.65	
		105B	7.5	2.4	6.5	5.5	6.5	6.5	7.0	7.0	0.0	0.0			46.80	6	210.40	4	25.35	
		203B	5.0	2.3	4.5	5.0	4.5	5.5	5.0	5.0	0.0	0.0			33.35	16	243.75	6	41.30	
		303C	5.0	2.1	5.5	6.0	5.5	4.5	4.5	4.5	0.0	0.0			32.55	16	276.30	9	75.95	
		405C	10.0	2.5	6.5	7.5	7.5	7.0	8.0	8.0	0.0	0.0			55.00	3	331.30	6	73.60	
7	7	崎戸 史也									佐賀DC									
		103B	10.0	1.6	7.5	7.0	7.0	7.0	7.5	7.5	0.0	0.0			34.40	12	34.40	12	12.15	330.25
		201B	10.0	1.8	6.5	7.5	7.0	6.5	6.5	6.5	0.0	0.0			36.00	9	70.40	10	14.00	
		301B	10.0	1.9	6.5	6.0	6.5	7.0	6.5	6.5	0.0	0.0			37.05	13	107.45	11	18.35	
		403B	10.0	2.0	8.5	8.0	7.5	7.0	8.5	8.5	0.0	0.0			48.00	5	155.45	7	21.80	
		614B	10.0	2.4	6.0	5.5	6.0	5.5	6.5	6.5	0.0	0.0			42.00	9	197.45	7	38.30	
		105B	5.0	2.6	5.0	4.5	4.5	4.5	5.0	5.0	0.0	0.0			36.40	11	233.85	11	51.20	
		405C	5.0	3.1	6.0	6.5	5.5	6.0	6.0	6.0	0.0	0.0			55.80	3	289.65	5	62.60	
		205C	7.5	2.8	5.0	4.5	4.5	5.0	5.5	5.5	0.0	0.0			40.60	12	330.25	7	74.65	
2	8	野口 基勝									佐賀DC									
		103B	10.0	1.6	8.0	7.5	7.0	7.5	8.0	8.0	0.0	0.0			36.80	9	36.80	9	9.75	324.65
		201B	10.0	1.8	4.5	5.0	6.0	4.5	5.0	5.0	0.0	0.0			26.10	17	62.90	14	21.50	
		301B	10.0	1.9	7.5	7.5	7.5	7.0	8.5	8.5	0.0	0.0			42.75	5	105.65	12	20.15	
		403B	10.0	2.0	7.5	7.5	8.0	7.0	7.5	7.5	0.0	0.0			45.00	7	150.65	8	26.60	
		105B	7.5	2.4	6.0	5.5	5.5	5.5	5.5	5.5	0.0	0.0			39.60	=13	190.25	10	45.50	
		305C	7.5	2.8	6.5	6.0	6.5	6.5	7.0	7.0	0.0	0.0			54.60	2	244.85	5	40.20	
		405C	7.5	2.7	5.0	5.0	4.5	4.5	4.5	4.5	0.0	0.0			37.80	11	282.65	7	69.60	
		5233D	10.0	2.4	6.0	6.5	6.0	5.5	5.5	5.5	0.0	0.0			42.00	9	324.65	8	80.25	
9	9	荒田 恭兵									高岡SC									
		103B	10.0	1.6	7.0	6.5	8.0	7.5	7.5	7.5	0.0	0.0			35.20	11	35.20	11	11.35	324.40
		5132D	10.0	2.1	6.5	6.5	6.0	6.5	7.0	7.0	0.0	0.0			40.95	4	76.15	6	8.25	
		403B	10.0	2.0	6.5	6.5	6.5	6.5	6.5	6.5	0.0	0.0			39.00	=9	115.15	8	10.65	
		301B	10.0	1.9	5.5	6.0	5.5	6.5	6.0	6.0	0.0	0.0			33.25	=13	148.40	10	28.85	
		107C	10.0	2.7	4.0	5.5	4.5	5.0	4.0	4.0	0.0	0.0			36.45	17	184.85	13	50.90	
		405C	7.5	2.7	7.0	7.5	7.0	6.5	6.5	6.5	0.0	0.0			55.35	1	240.20	9	44.85	
		205B	10.0	2.9	5.0	5.5	5.0	5.5	5.5	5.5	0.0	0.0			46.40	5	286.60	6	65.65	
		305C	10.0	2.7	5.0	6.0	4.5	4.5	4.5	4.5	0.0	0.0			37.80	15	324.40	9	80.50	
17	10	金子 正典									川口SC									
		103B	10.0	1.6	8.0	8.5	8.5	7.0	8.0	8.0	0.0	0.0			39.20	5	39.20	5	7.35	320.30
		403B	10.0	2.0	4.5	5.0	5.0	4.0	6.0	6.0	0.0	0.0			29.00	13	68.20	11	16.20	
		201B	10.0	1.8	6.0	6.5	7.0	6.5	7.5	7.5	0.0	0.0			36.00	15	104.20	13	21.60	
		5132D	10.0	2.1	7.0	7.5	6.0	7.0	7.0	7.0	0.0	0.0			44.10	=8	148.30	11	28.95	
		405B	10.0	2.8	7.0	6.0	7.0	7.0	7.5	7.5	0.0	0.0			58.80	1	207.10	5	28.65	
		305C	7.5	2.8	3.0	5.0	4.0	4.0	4.0	4.0	0.0	0.0			33.60	15	240.70	8	44.35	
		205B	10.0	2.9	4.0	5.0	4.5	5.0	4.5	4.5	0.0	0.0			40.60	8	281.30	8	70.95	
		107B	10.0	3.0	4.5	3.5	4.5	4.0	4.5	4.5	0.0	0.0			39.00	13	320.30	10	84.60	

第34回 全国JOCジュニアオリンピックカップ  
夏季水泳競技大会飛込競技

採点詳細

男子 高飛込 決勝 14-15歳

開催日 2011/08/27

大阪プール

審判長 木村 勉

審判団(A) 4Round

審判団(B) 4Round

制限選択飛回数 4回

副審判長 細川・駒谷

1 伊藤 正明

1 安田 千万樹

自由選択飛回数 4回

2 畑岡 寿

2 松井 一美

難易率合計 7.6以内

機械操作 高山 優子

3 鈴木 羊子

3 毒島 泰士

気温 29.0℃

記録主任 中島 直樹

4 山本 孝

4 高橋 史倫

水温 29.4℃

5 瓶子 勇治郎

5 湯浅 よしの

天候 晴れ

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
10	11	有岡 優一									J S S宝塚										
		403B	10.0	2.0	7.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0			42.00	2	42.00	2	4.55	318.55	
		103B	10.0	1.6	8.0	8.0	7.5	6.5	8.0	8.0	0.0	0.0			37.60	6	79.60	3	4.80		
		5132D	10.0	2.1	4.0	5.5	6.0	6.5	7.0	7.0	0.0	0.0			37.80	12	117.40	6	8.40		
		612B	10.0	1.9	8.0	8.0	9.0	7.5	8.5	8.5	0.0	0.0			46.55	6	163.95	5	13.30		
		203B	5.0	2.3	4.5	5.5	6.0	6.0	6.0	6.0	0.0	0.0			40.25	12	204.20	6	31.55		
		303C	5.0	2.1	5.0	5.5	5.0	5.0	5.5	5.5	0.0	0.0			32.55	17	236.75	10	48.30		
		105B	7.5	2.4	5.0	5.0	5.5	5.5	6.0	6.0	0.0	0.0			38.40	10	275.15	11	77.10		
		405C	5.0	3.1	5.0	5.5	4.5	4.5	4.5	4.5	0.0	0.0			43.40	8	318.55	11	86.35		
11	12	稻沢 隆輝									福島県D. C										
		612B	10.0	1.9	8.5	8.0	8.5	8.0	8.0	8.0	0.0	0.0			46.55	1	46.55	1		306.05	
		103B	10.0	1.6	5.5	6.0	5.5	6.0	5.5	5.5	0.0	0.0			27.20	16	73.75	9	10.65		
		403B	10.0	2.0	8.0	8.0	8.0	7.0	7.5	7.5	0.0	0.0			47.00	1	120.75	3	5.05		
		5132D	10.0	2.1	7.5	8.0	8.0	7.0	7.5	7.5	0.0	0.0			48.30	4	169.05	4	8.20		
		405C	7.5	2.7	2.5	2.5	2.5	2.5	3.0	3.0	0.0	0.0			20.25	19	189.30	11	46.45		
		5235D	10.0	2.8	3.0	4.5	3.5	3.5	4.5	4.5	0.0	0.0			32.20	18	221.50	13	63.55		
		305C	10.0	2.7	2.5	3.5	3.5	2.0	2.5	2.5	0.0	0.0			22.95	19	244.45	14	107.80		
		205C	7.5	2.8	7.5	6.5	7.0	7.5	7.5	7.5	0.0	0.0			61.60	2	306.05	12	98.85		
5	13	笠井 貴史									長岡DC										
		103B	10.0	1.6	7.0	6.5	6.5	7.5	7.0	7.0	0.0	0.0			32.80	14	32.80	14	13.75	302.55	
		301B	10.0	1.9	6.0	5.5	6.0	7.0	6.0	6.0	0.0	0.0			34.20	=10	67.00	13	17.40		
		403B	10.0	2.0	7.0	7.5	7.5	7.0	7.0	7.0	0.0	0.0			43.00	4	110.00	10	15.80		
		5132D	10.0	2.1	5.5	5.5	5.5	5.5	4.0	4.0	0.0	0.0			34.65	12	144.65	13	32.60		
		303C	5.0	2.1	6.5	6.0	6.0	7.0	7.5	7.5	0.0	0.0			40.95	10	185.60	12	50.15		
		105B	7.5	2.4	5.0	5.0	5.0	5.0	4.5	4.5	0.0	0.0			36.00	12	221.60	12	63.45		
		405C	7.5	2.7	5.0	5.5	6.0	5.5	5.5	5.5	0.0	0.0			44.55	7	266.15	12	86.10		
		205C	7.5	2.8	4.5	4.5	4.0	4.5	4.0	4.0	0.0	0.0			36.40	16	302.55	13	102.35		
20	14	松本 駿									米沢DC										
		103B	7.5	1.6	5.5	6.0	5.5	6.0	6.5	6.5	0.0	0.0			28.00	=16	28.00	=16	18.55	283.60	
		612B	7.5	1.8	5.0	5.5	5.0	5.0	6.0	6.0	0.0	0.0			27.90	15	55.90	17	28.50		
		403B	7.5	2.1	7.0	6.5	7.0	6.5	7.0	7.0	0.0	0.0			43.05	3	98.95	14	26.85		
		301B	7.5	1.9	5.0	6.0	5.0	6.0	5.5	5.5	0.0	0.0			31.35	16	130.30	14	46.95		
		105B	7.5	2.4	5.5	5.5	5.0	5.5	4.5	4.5	0.0	0.0			38.40	15	168.70	14	67.05		
		405C	7.5	2.7	5.5	4.5	6.0	6.0	5.0	5.0	0.0	0.0			44.55	7	213.25	14	71.80		
		205C	7.5	2.8	5.5	5.5	5.5	5.5	5.0	5.0	0.0	0.0			46.20	6	259.45	13	92.80		
		303C	5.0	2.1	3.5	4.0	3.5	4.0	4.0	4.0	0.0	0.0			24.15	20	283.60	14	121.30		
1	15	古橋 達弥									浜松学院中										
		103B	7.5	1.6	5.5	6.0	5.5	6.0	6.0	6.0	0.0	0.0			28.00	=16	28.00	=16	18.55	266.65	
		201B	7.5	1.8	6.0	6.5	6.5	6.5	6.0	6.0	0.0	0.0			34.20	=10	62.20	15	22.20		
		301B	7.5	1.9	5.5	4.5	5.5	5.0	5.0	5.0	0.0	0.0			29.45	19	91.65	17	34.15		
		403B	7.5	2.1	4.5	5.0	5.5	4.5	5.0	5.0	0.0	0.0			30.45	17	122.10	17	55.15		
		105B	7.5	2.4	5.5	7.0	6.0	7.0	5.0	5.0	0.0	0.0			44.40	8	166.50	15	69.25		
		203C	5.0	2.0	4.5	6.0	5.5	6.0	5.5	5.5	0.0	0.0			34.00	14	200.50	15	84.55		
		303C	5.0	2.1	4.5	5.0	4.0	3.0	4.5	4.5	0.0	0.0			27.30	=17	227.80	15	124.45		
		5132D	7.5	2.1	5.5	6.5	6.5	5.5	6.5	6.5	0.0	0.0			38.85	14	266.65	15	138.25		

第34回 全国JOCジュニアオリンピックカップ  
夏季水泳競技大会飛込競技

採点詳細

男子 高飛込 決勝

14-15歳

開催日 2011/08/27  
大阪プール

審判長 木村 勉

審判団(A) 4Round

審判団(B) 4Round

制限選択飛回数 4回  
自由選択飛回数 4回  
難易率合計 7.6以内  
気温 29.0℃  
水温 29.4℃  
天候 晴れ

副審判長 細川・駒谷

1 伊藤 正明

1 安田 千万樹

機械操作 高山 優子

2 畑岡 寿

2 松井 一美

記録主任 中島 直樹

3 鈴木 羊子

3 毒島 泰士

4 山本 孝

4 高橋 史倫

5 瓶子 勇治郎

5 湯浅 よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
15	16	貝塚 佑介									ジョイフル										
		103B	10.0	1.6	6.0	6.0	6.5	7.0	7.0	0.0	0.0	31.20	15		31.20	15	15.35			254.10	
		301B	10.0	1.9	4.0	4.5	4.5	4.5	5.5	0.0	0.0	25.65	18		56.85	16	27.55				
		403B	10.0	2.0	7.0	6.5	6.5	6.5	6.0	0.0	0.0	39.00	=9		95.85	16	29.95				
		5132D	10.0	2.1	4.5	4.0	4.5	4.5	5.0	0.0	0.0	28.35	18		124.20	16	53.05				
		105B	5.0	2.6	4.5	4.5	5.0	6.0	5.0	0.0	0.0	37.70	16		161.90	16	73.85				
		405B	10.0	2.8	4.0	4.5	4.0	5.0	3.0	0.0	0.0	35.00	13		196.90	16	88.15				
		303C	5.0	2.1	4.0	5.0	3.0	4.5	4.5	0.0	0.0	27.30	=17		224.20	16	128.05				
		203B	5.0	2.3	4.5	4.5	4.0	5.0	4.0	0.0	0.0	29.90	17		254.10	16	150.80				
3	17	久保田 亮祐									天理中										
		103B	7.5	1.6	5.5	6.0	5.5	6.0	5.0	0.0	0.0	27.20	18		27.20	18	19.35			247.50	
		201B	7.5	1.8	4.5	4.5	4.5	4.5	4.0	0.0	0.0	24.30	19		51.50	18	32.90				
		403B	7.5	2.1	5.5	5.0	5.5	6.0	6.0	0.0	0.0	35.70	16		87.20	18	38.60				
		5111A	7.5	2.0	3.5	4.0	3.5	4.5	4.0	0.0	0.0	23.00	20		110.20	20	67.05				
		105B	7.5	2.4	5.5	5.0	5.5	5.5	5.5	0.0	0.0	39.60	=13		149.80	18	85.95				
		405C	7.5	2.7	5.0	4.0	5.5	4.5	5.0	0.0	0.0	39.15	9		188.95	17	96.10				
		203B	5.0	2.3	5.0	5.0	4.0	5.5	4.5	0.0	0.0	33.35	=14		222.30	17	129.95				
		303C	5.0	2.1	4.5	4.0	4.0	4.0	4.0	0.0	0.0	25.20	19		247.50	17	157.40				
13	18	水間 誠人									川口SC										
		103B	7.5	1.6	5.5	5.5	5.0	5.5	5.0	0.0	0.0	25.60	19		25.60	19	20.95			245.80	
		612B	7.5	1.8	3.5	4.5	5.5	5.0	4.0	0.0	0.0	13.50	20	2.0	39.10	20	45.30				
		403B	7.5	2.1	5.5	5.5	5.5	6.5	5.5	0.0	0.0	34.65	17		73.75	20	52.05				
		301B	7.5	1.9	6.5	7.0	7.0	7.0	7.0	0.0	0.0	39.90	10		113.65	18	63.60				
		105C	5.0	2.4	5.5	4.5	6.0	5.5	6.0	0.0	0.0	40.80	11		154.45	17	81.30				
		205C	5.0	3.0	3.0	3.0	3.5	3.0	3.5	0.0	0.0	28.50	19		182.95	18	102.10				
		303C	5.0	2.1	3.5	4.0	3.5	3.0	3.0	0.0	0.0	21.00	20		203.95	19	148.30				
		405C	5.0	3.1	4.5	4.5	4.0	5.0	4.5	0.0	0.0	41.85	=10		245.80	18	159.10				
14	19	寺分 元則									神久呂中										
		103B	7.5	1.6	4.5	4.5	5.0	5.5	4.5	0.0	0.0	22.40	20		22.40	20	24.15			242.90	
		201B	7.5	1.8	4.5	5.5	6.0	5.0	5.5	0.0	0.0	28.80	14		51.20	19	33.20				
		301B	7.5	1.9	4.0	4.0	4.0	5.0	4.5	0.0	0.0	23.75	20		74.95	19	50.85				
		403B	7.5	2.1	4.5	6.0	5.5	6.5	5.5	0.0	0.0	35.70	11		110.65	19	66.60				
		5231D	7.5	2.0	5.0	5.5	5.0	5.5	4.0	0.0	0.0	31.00	18		141.65	19	94.10				
		105B	7.5	2.4	5.5	5.5	4.5	5.0	5.0	0.0	0.0	37.20	10		178.85	19	106.20				
		405C	7.5	2.7	4.5	5.0	4.5	4.0	4.5	0.0	0.0	36.45	12		215.30	18	136.95				
		203B	5.0	2.3	4.0	4.5	4.0	3.5	4.0	0.0	0.0	27.60	18		242.90	19	162.00				
18	20	前田 大地									天理中										
		301B	7.5	1.9	6.0	6.5	7.0	7.0	6.5	0.0	0.0	38.00	8		38.00	8	8.55			218.10	
		103B	7.5	1.6	6.0	6.0	5.5	6.5	7.0	0.0	0.0	29.60	12		67.60	12	16.80				
		403B	7.5	2.1	5.0	4.5	4.0	5.5	5.0	0.0	0.0	30.45	18		98.05	15	27.75				
		5111A	7.5	2.0	1.0	4.5	4.5	5.0	4.5	0.0	0.0	27.00	19		125.05	15	52.20				
		105B	7.5	2.4								Fault	20		125.05	20	110.70				
		303C	5.0	2.1	3.0	3.5	3.0	2.0	2.5	0.0	0.0	17.85	20		142.90	20	142.15				
		203B	5.0	2.3	4.5	5.5	4.5	4.0	5.5	0.0	0.0	33.35	=14		176.25	20	176.00				
		405C	7.5	2.7	5.5	5.0	5.5	4.5	5.0	0.0	0.0	41.85	=10		218.10	20	186.80				