

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

女子 1m 飛板飛込 決勝

12-13歳

開催日 2011/08/28
大阪プール

審判長 山崎 雅夫

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回
自由選択飛回数 3回
難易率合計 7.2以内
気温 28.5℃
水温 28.0℃
天候 晴れ

機械操作 高山 優子
記録主任 中島 直樹

1 樋口 まゆみ
2 中村 小松
3 能松 裕
4 細川 陽一
5 坂田 芳寛

1 畑岡 寿
2 柴田 哲治
3 二木 廣幸
4 早水 健治
5 木綿 薫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
5	1	藤原 蒼									岡山DC										
		103B	1.0	1.7	8.0	8.0	6.5	6.5	8.0	0.0	0.0	38.25	2	38.25	2	1.70	299.60				
		201B	1.0	1.6	7.0	8.0	6.0	6.5	7.5	0.0	0.0	33.60	7	71.85	2	3.20					
		303C	1.0	2.1	6.5	5.5	6.5	6.0	6.5	0.0	0.0	39.90	5	111.75	4	4.10					
		5111A	1.0	1.8	6.0	5.0	6.0	5.0	6.5	0.0	0.0	30.60	18	142.35	6	16.85					
		105C	1.0	2.4	8.0	7.0	7.0	7.5	7.5	0.0	0.0	52.80	1	195.15	2	3.15					
		203B	1.0	2.3	7.0	7.5	8.0	8.0	8.5	0.0	0.0	54.05	1	249.20	1						
		403B	1.0	2.4	6.5	7.0	7.0	7.0	7.5	0.0	0.0	50.40	2	299.60	1						
17	2	金戸 華									セントラルスポーツ										
		103B	1.0	1.7	7.0	7.0	6.5	6.0	6.0	0.0	0.0	33.15	6	33.15	6	6.80	288.65				
		201B	1.0	1.6	8.0	8.5	7.0	7.5	8.0	0.0	0.0	37.60	=2	70.75	3	4.30					
		301B	1.0	1.7	8.5	8.5	7.5	8.5	8.5	0.0	0.0	43.35	=2	114.10	2	1.75					
		403C	1.0	2.2	7.0	7.5	6.0	7.0	6.5	0.0	0.0	45.10	1	159.20	1						
		104B	1.0	2.3	5.0	6.0	6.0	5.0	6.0	0.0	0.0	39.10	7	198.30	1						
		203B	1.0	2.3	5.5	5.5	6.5	5.0	5.0	0.0	0.0	36.80	11	235.10	3	14.10					
		303C	1.0	2.1	8.5	8.5	8.0	8.5	8.5	0.0	0.0	53.55	1	288.65	2	10.95					
26	3	岩佐 美理香									川口SC										
		103B	1.0	1.7	6.0	7.0	6.0	6.0	6.5	0.0	0.0	31.45	=10	31.45	=10	8.50	281.90				
		201B	1.0	1.6	7.5	8.0	7.5	7.0	7.5	0.0	0.0	36.00	5	67.45	8	7.60					
		403C	1.0	2.2	7.5	7.0	7.0	7.5	7.5	0.0	0.0	48.40	1	115.85	1						
		301B	1.0	1.7	8.0	7.0	7.0	6.5	8.5	0.0	0.0	37.40	=3	153.25	2	5.95					
		5132D	1.0	2.2	6.0	6.0	5.5	5.0	5.5	0.0	0.0	37.40	=10	190.65	3	7.65					
		104B	1.0	2.3	7.5	7.5	6.5	5.5	6.5	0.0	0.0	47.15	3	237.80	2	11.40					
		303C	1.0	2.1	7.0	7.5	7.0	7.0	6.5	0.0	0.0	44.10	6	281.90	3	17.70					
7	4	森澤 育美									高知SC										
		201B	1.0	1.6	7.5	7.5	6.5	8.0	8.0	0.0	0.0	36.80	3	36.80	3	3.15	274.50				
		301B	1.0	1.7	7.5	7.5	7.0	7.5	7.5	0.0	0.0	38.25	1	75.05	1						
		401B	1.0	1.5	9.0	9.0	7.0	8.0	9.0	0.0	0.0	39.00	6	114.05	3	1.80					
		104C	1.0	2.2	5.0	4.5	5.0	4.5	5.0	0.0	0.0	31.90	=12	145.95	4	13.25					
		203C	1.0	2.0	5.5	6.0	5.5	6.0	7.0	0.0	0.0	35.00	12	180.95	6	17.35					
		303C	1.0	2.1	7.0	8.0	7.0	7.0	7.5	0.0	0.0	45.15	4	226.10	4	23.10					
		403C	1.0	2.2	7.0	7.5	7.0	7.5	7.5	0.0	0.0	48.40	3	274.50	4	25.10					
22	5	山吹 理子									福山T. C										
		103B	1.0	1.7	6.5	6.0	6.5	4.5	6.0	0.0	0.0	31.45	=10	31.45	=10	8.50	270.80				
		201B	1.0	1.6	8.0	8.0	7.0	7.5	8.0	0.0	0.0	37.60	=2	69.05	5	6.00					
		303C	1.0	2.1	6.5	6.5	5.5	5.0	7.5	0.0	0.0	38.85	7	107.90	6	7.95					
		401B	1.0	1.5	8.5	8.0	7.0	8.0	8.5	0.0	0.0	36.75	=5	144.65	5	14.55					
		104B	1.0	2.3	5.0	5.5	5.0	5.0	5.0	0.0	0.0	34.50	=13	179.15	7	19.15					
		203B	1.0	2.3	6.5	6.5	7.0	5.5	6.5	0.0	0.0	44.85	5	224.00	5	25.20					
		403B	1.0	2.4	6.0	6.5	6.5	6.5	6.5	0.0	0.0	46.80	5	270.80	5	28.80					

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

女子 1m 飛板飛込 決勝

12-13歳

開催日 2011/08/28

大阪プール

審判長 山崎 雅夫

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.5℃

水温 28.0℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 樋口 まゆみ

2 中村 小松

3 能松 裕

4 細川 陽一

5 坂田 芳寛

1 畑岡 寿

2 柴田 哲治

3 二木 廣幸

4 早水 健治

5 木綿 薫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
11	6	藤原 ゆりの									スイトピア									
		103B	1.0	1.7	6.0	6.0	5.5	6.0	6.0	6.0	0.0	0.0			30.60	=13	30.60	=13	9.35	264.05
		201B	1.0	1.6	5.0	6.0	5.5	5.5	5.5	5.5	0.0	0.0			26.40	19	57.00	16	18.05	
		301B	1.0	1.7	8.0	8.5	7.5	8.0	8.0	8.0	0.0	0.0			40.80	4	97.80	13	18.05	
		403C	1.0	2.2	4.5	5.0	4.0	6.0	5.0	5.0	0.0	0.0			31.90	=12	129.70	13	29.50	
		104C	1.0	2.2	7.0	6.5	7.0	6.5	7.5	7.5	0.0	0.0			45.10	2	174.80	8	23.50	
		203C	1.0	2.0	7.5	7.0	7.0	6.0	7.0	7.0	0.0	0.0			42.00	7	216.80	9	32.40	
		303C	1.0	2.1	7.5	7.5	8.0	6.5	7.5	7.5	0.0	0.0			47.25	4	264.05	6	35.55	
20	7	佐々木 那奈									高知SC									
		103B	1.0	1.7	8.5	8.0	7.5	7.5	8.0	8.0	0.0	0.0			39.95	1	39.95	1		257.40
		203C	1.0	2.0	5.0	5.5	3.5	4.5	4.5	4.5	0.0	0.0			28.00	18	67.95	6	7.10	
		301B	1.0	1.7	9.0	8.5	8.0	7.5	9.0	9.0	0.0	0.0			43.35	=2	111.30	5	4.55	
		401B	1.0	1.5	9.0	8.0	7.0	8.0	8.5	8.5	0.0	0.0			36.75	=5	148.05	3	11.15	
		105C	1.0	2.4	5.5	6.0	5.5	4.5	5.5	5.5	0.0	0.0			39.60	6	187.65	4	10.65	
		303C	1.0	2.1	4.5	6.0	5.5	5.0	5.0	5.0	0.0	0.0			32.55	13	220.20	6	29.00	
		403B	1.0	2.4	5.0	6.0	5.5	5.0	5.0	5.0	0.0	0.0			37.20	13	257.40	7	42.20	
19	8	大窪 博美									水戸DS									
		103B	1.0	1.7	7.0	5.5	6.5	7.0	7.5	7.5	0.0	0.0			34.85	=4	34.85	=4	5.10	255.65
		201B	1.0	1.6	6.0	6.5	6.5	6.0	6.5	6.5	0.0	0.0			30.40	=13	65.25	10	9.80	
		301B	1.0	1.7	7.0	6.5	7.0	6.0	7.5	7.5	0.0	0.0			34.85	11	100.10	10	15.75	
		403C	1.0	2.2	6.0	6.0	6.0	6.0	6.5	6.5	0.0	0.0			39.60	2	139.70	7	19.50	
		104C	1.0	2.2	6.0	6.5	7.0	6.5	6.5	6.5	0.0	0.0			42.90	3	182.60	5	15.70	
		5122D	1.0	1.9	6.0	6.0	7.0	6.5	7.0	7.0	0.0	0.0			37.05	10	219.65	7	29.55	
		203C	1.0	2.0	6.5	6.0	6.0	5.5	6.0	6.0	0.0	0.0			36.00	14	255.65	8	43.95	
2	9	吉田 真実									福島県D. C									
		103B	1.0	1.7	6.0	7.0	6.0	6.0	6.0	6.0	0.0	0.0			30.60	=13	30.60	=13	9.35	254.50
		201B	1.0	1.6	6.5	7.5	6.0	7.0	6.5	6.5	0.0	0.0			32.00	=10	62.60	12	12.45	
		301B	1.0	1.7	7.5	7.0	6.5	8.0	7.5	7.5	0.0	0.0			37.40	9	100.00	11	15.85	
		5132D	1.0	2.2	4.5	4.5	5.0	6.0	5.0	5.0	0.0	0.0			31.90	=12	131.90	12	27.30	
		203B	1.0	2.3	5.5	5.5	6.0	5.5	5.5	5.5	0.0	0.0			37.95	=8	169.85	10	28.45	
		303C	1.0	2.1	7.5	7.0	8.5	7.0	8.0	8.0	0.0	0.0			47.25	2	217.10	8	32.10	
		403C	1.0	2.2	5.5	6.0	5.5	5.5	6.5	6.5	0.0	0.0			37.40	=10	254.50	9	45.10	
14	10	高剛 愛加									石川DC									
		103B	1.0	1.7	7.0	6.5	7.0	7.0	6.5	6.5	0.0	0.0			34.85	=4	34.85	=4	5.10	250.45
		201B	1.0	1.6	7.0	7.0	6.5	7.0	6.5	6.5	0.0	0.0			32.80	9	67.65	7	7.40	
		301B	1.0	1.7	7.5	7.0	7.5	7.5	7.5	7.5	0.0	0.0			38.25	8	105.90	7	9.95	
		401B	1.0	1.5	6.5	6.0	7.0	7.5	7.0	7.0	0.0	0.0			30.75	17	136.65	8	22.55	
		5122D	1.0	1.9	6.0	6.5	6.0	5.5	6.0	6.0	0.0	0.0			34.20	15	170.85	9	27.45	
		203C	1.0	2.0	6.5	6.5	7.5	6.5	7.0	7.0	0.0	0.0			40.00	8	210.85	11	38.35	
		403C	1.0	2.2	6.0	6.0	6.0	6.0	6.5	6.5	0.0	0.0			39.60	8	250.45	10	49.15	

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

女子 1m 飛板飛込 決勝

12-13歳

開催日 2011/08/28

大阪プール

審判長 山崎 雅夫

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.5℃

水温 28.0℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 樋口 まゆみ

2 中村 小松

3 能松 裕

4 細川 陽一

5 坂田 芳寛

1 畑岡 寿

2 柴田 哲治

3 二木 廣幸

4 早水 健治

5 木綿 薫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
10	11	森淵 茉莉愛									神辺 S P C										
		103B	1.0	1.7	5.5	6.0	6.5	7.0	5.5	0.0	0.0	30.60	=13	30.60	=13	9.35	245.20				
		201A	1.0	1.7	5.5	5.0	5.5	5.0	5.0	0.0	0.0	26.35	20	56.95	17	18.10					
		301B	1.0	1.7	7.0	6.0	6.5	6.5	7.0	0.0	0.0	34.00	=13	90.95	15	24.90					
		401B	1.0	1.5	7.5	7.5	7.0	7.5	7.5	0.0	0.0	33.75	9	124.70	16	34.50					
		104C	1.0	2.2	6.5	6.5	5.0	6.0	6.5	0.0	0.0	41.80	=4	166.50	=12	31.80					
		203C	1.0	2.0	6.0	6.5	6.5	6.0	6.5	0.0	0.0	38.00	9	204.50	12	44.70					
		403C	1.0	2.2	6.0	6.0	6.5	5.5	6.5	0.0	0.0	40.70	7	245.20	11	54.40					
8	12	宮上 幸									福山 T. C										
		103B	1.0	1.7	7.0	6.0	6.5	6.0	6.5	0.0	0.0	32.30	=7	32.30	=7	7.65	244.65				
		203C	1.0	2.0	6.5	6.5	6.0	6.0	6.0	0.0	0.0	37.00	4	69.30	4	5.75					
		301B	1.0	1.7	6.5	6.5	6.5	6.0	7.0	0.0	0.0	33.15	=15	102.45	8	13.40					
		401B	1.0	1.5	7.0	7.5	7.0	7.5	7.0	0.0	0.0	32.25	11	134.70	10	24.50					
		104B	1.0	2.3	5.0	5.0	5.0	4.5	5.5	0.0	0.0	34.50	=13	169.20	11	29.10					
		303C	1.0	2.1	6.5	7.0	7.0	6.5	7.0	0.0	0.0	43.05	6	212.25	10	36.95					
		403B	1.0	2.4	4.5	5.0	4.5	4.0	4.5	0.0	0.0	32.40	16	244.65	12	54.95					
9	13	美濃部 沙羅									J S S 宝塚										
		101A	1.0	1.4	7.0	7.0	7.0	7.0	7.5	0.0	0.0	29.40	17	29.40	17	10.55	232.25				
		5111A	1.0	1.8	6.5	6.0	6.0	6.0	7.5	0.0	0.0	33.30	8	62.70	11	12.35					
		301A	1.0	1.8	7.5	6.5	7.0	7.0	6.5	0.0	0.0	36.90	10	99.60	12	16.25					
		203C	1.0	2.0	5.5	5.5	6.0	6.0	6.5	0.0	0.0	35.00	8	134.60	11	24.60					
		403C	1.0	2.2	5.0	5.0	4.5	3.5	5.5	0.0	0.0	31.90	16	166.50	=12	31.80					
		303C	1.0	2.1	4.5	4.5	4.5	4.5	4.0	0.0	0.0	28.35	17	194.85	13	54.35					
		104C	1.0	2.2	5.5	6.5	5.5	5.5	6.0	0.0	0.0	37.40	=10	232.25	13	67.35					
23	14	片山 るな									長岡 D C										
		103B	1.0	1.7	6.5	6.5	6.0	6.0	6.5	0.0	0.0	32.30	=7	32.30	=7	7.65	231.65				
		201A	1.0	1.7	6.5	6.5	6.5	7.5	7.0	0.0	0.0	34.00	6	66.30	9	8.75					
		301A	1.0	1.8	6.5	6.0	6.5	6.5	6.0	0.0	0.0	34.20	12	100.50	9	15.35					
		5122D	1.0	1.9	6.0	6.0	6.0	6.5	6.5	0.0	0.0	35.15	7	135.65	9	23.55					
		104C	1.0	2.2	5.5	5.0	3.5	3.5	4.0	0.0	0.0	27.50	=17	163.15	15	35.15					
		203C	1.0	2.0	4.5	6.0	4.5	4.0	6.5	0.0	0.0	30.00	=15	193.15	14	56.05					
		403C	1.0	2.2	5.5	6.0	6.0	5.5	6.0	0.0	0.0	38.50	9	231.65	14	67.95					
1	15	宮田 衣布紀									和歌山 D C										
		103B	1.0	1.7	5.5	5.5	5.5	5.0	5.5	0.0	0.0	28.05	19	28.05	19	11.90	224.20				
		201B	1.0	1.6	6.5	7.0	6.0	6.5	6.5	0.0	0.0	31.20	12	59.25	14	15.80					
		301B	1.0	1.7	5.0	4.5	3.0	5.0	4.5	0.0	0.0	23.80	23	83.05	18	32.80					
		401B	1.0	1.5	7.0	7.0	6.0	7.0	7.0	0.0	0.0	31.50	15	114.55	17	44.65					
		104C	1.0	2.2	6.0	6.5	6.5	6.0	6.5	0.0	0.0	41.80	=4	156.35	16	41.95					
		303C	1.0	2.1	4.5	6.0	5.0	4.5	5.0	0.0	0.0	30.45	14	186.80	17	62.40					
		403C	1.0	2.2	5.5	6.0	5.5	5.5	6.5	0.0	0.0	37.40	=10	224.20	15	75.40					

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

女子 1m 飛板飛込 決勝

12-13歳

開催日 2011/08/28

大阪プール

審判長 山崎 雅夫

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.5℃

水温 28.0℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 樋口 まゆみ

2 中村 小松

3 能松 裕

4 細川 陽一

5 坂田 芳寛

1 畑岡 寿

2 柴田 哲治

3 二木 廣幸

4 早水 健治

5 木綿 薫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
16	16	遠藤 朱莉									宮城DC							
		103B	1.0	1.7	6.0	6.0	6.0	5.5	5.5	5.5	0.0	0.0	28.90	18	28.90	18	11.05	219.95
		201B	1.0	1.6	6.0	6.5	6.0	6.0	6.5	6.5	0.0	0.0	29.60	15	58.50	15	16.55	
		301B	1.0	1.7	6.0	6.5	6.5	6.5	6.0	6.0	0.0	0.0	32.30	17	90.80	16	25.05	
		403C	1.0	2.2	6.0	6.0	5.0	5.5	5.5	5.5	0.0	0.0	37.40	=3	128.20	14	31.00	
		104C	1.0	2.2	3.5	4.0	4.0	3.5	2.5	2.5	0.0	0.0	24.20	21	152.40	17	45.90	
		203C	1.0	2.0	5.5	6.0	6.5	5.5	6.0	6.0	0.0	0.0	35.00	12	187.40	16	61.80	
		303C	1.0	2.1	5.0	5.5	5.0	4.0	5.5	5.5	0.0	0.0	32.55	15	219.95	16	79.65	
13	17	島雄 智佳子									セントラルスポーツ							
		103B	1.0	1.7	6.5	5.5	6.5	6.5	6.5	5.5	0.0	0.0	31.45	=10	31.45	=10	8.50	216.90
		201B	1.0	1.6	6.0	6.5	6.0	7.0	6.5	6.5	0.0	0.0	30.40	=13	61.85	13	13.20	
		301B	1.0	1.7	7.0	6.0	6.5	6.5	7.0	7.0	0.0	0.0	34.00	=13	95.85	14	20.00	
		403C	1.0	2.2	5.0	4.5	4.5	4.5	5.5	5.5	0.0	0.0	30.80	16	126.65	15	32.55	
		104B	1.0	2.3	5.0	6.0	6.0	4.0	5.5	5.5	0.0	0.0	37.95	=8	164.60	14	33.70	
		203C	1.0	2.0	4.5	4.0	5.0	4.0	3.5	3.5	0.0	0.0	25.00	18	189.60	15	59.60	
		303C	1.0	2.1	4.0	4.5	4.5	4.0	4.5	4.5	0.0	0.0	27.30	19	216.90	17	82.70	
24	18	原田 あいか									三重DC							
		101A	1.0	1.4	5.5	5.0	7.0	6.0	6.5	6.5	0.0	0.0	25.20	=20	25.20	=20	14.75	179.05
		301C	1.0	1.6	5.5	5.0	6.0	5.0	4.0	4.0	0.0	0.0	24.80	21	50.00	21	25.05	
		201A	1.0	1.7	5.0	4.5	5.0	4.5	5.0	5.0	0.0	0.0	24.65	21	74.65	22	41.20	
		5211A	1.0	1.8	5.0	5.0	6.5	6.0	5.5	5.5	0.0	0.0	29.70	20	104.35	21	54.85	
		103C	1.0	1.6	4.5	5.0	4.0	4.0	5.5	5.5	0.0	0.0	21.60	=24	125.95	23	72.35	
		5111A	1.0	1.8	4.5	5.5	4.5	4.5	4.5	4.5	0.0	0.0	24.30	19	150.25	20	98.95	
		302C	1.0	1.6	6.0	6.0	6.0	5.5	6.5	6.5	0.0	0.0	28.80	17	179.05	18	120.55	
15	19	山下 彩智実									高知SC							
		101B	1.0	1.3	6.0	6.0	6.5	5.5	6.0	6.0	0.0	0.0	23.40	=23	23.40	=23	16.55	176.95
		201A	1.0	1.7	5.5	5.5	4.5	5.5	5.5	5.5	0.0	0.0	28.05	17	51.45	20	23.60	
		301C	1.0	1.6	4.0	5.0	5.5	5.0	5.0	5.0	0.0	0.0	24.00	22	75.45	21	40.40	
		401B	1.0	1.5	6.5	6.5	7.0	6.0	7.0	7.0	0.0	0.0	30.00	19	105.45	19	53.75	
		5111A	1.0	1.8	4.5	5.0	3.0	4.0	5.0	5.0	0.0	0.0	24.30	20	129.75	19	68.55	
		103C	1.0	1.6	4.5	5.0	5.0	5.0	6.0	6.0	0.0	0.0	24.00	=20	153.75	18	95.45	
		302C	1.0	1.6	4.5	5.0	4.5	5.0	5.0	5.0	0.0	0.0	23.20	22	176.95	19	122.65	
27	20	濱田 彩日香									香川DC							
		101A	1.0	1.4	5.5	5.0	4.5	5.0	5.0	5.0	0.0	0.0	21.00	25	21.00	25	18.95	175.60
		201A	1.0	1.7	4.0	3.5	5.5	3.0	5.0	5.0	0.0	0.0	21.25	24	42.25	26	32.80	
		301B	1.0	1.7	6.0	6.0	6.0	5.5	5.5	5.5	0.0	0.0	29.75	18	72.00	23	43.85	
		401B	1.0	1.5	6.5	6.0	6.5	6.0	5.5	5.5	0.0	0.0	27.75	=22	99.75	22	59.45	
		5111A	1.0	1.8	5.0	6.0	5.0	4.5	5.0	5.0	0.0	0.0	27.00	19	126.75	21	71.55	
		302C	1.0	1.6	4.5	5.0	3.5	4.0	4.5	4.5	0.0	0.0	20.80	25	147.55	23	101.65	
		103B	1.0	1.7	5.0	6.0	5.5	5.0	6.0	6.0	0.0	0.0	28.05	18	175.60	20	124.00	

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

女子 1m 飛板飛込 決勝

12-13歳

開催日 2011/08/28

大阪プール

審判長 山崎 雅夫

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.5℃

水温 28.0℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 樋口 まゆみ

2 中村 小松

3 能松 裕

4 細川 陽一

5 坂田 芳寛

1 畑岡 寿

2 柴田 哲治

3 二木 廣幸

4 早水 健治

5 木綿 薫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
18	21	浅田 亜実									アサダ アミ フリップーズ								
		401B	1.0	1.5	7.0	6.5	7.0	7.0	7.0	7.0	0.0	0.0	31.50	9	31.50	9	8.45	175.30	
		101B	1.0	1.3	5.5	4.5	3.5	4.5	4.5	4.5	0.0	0.0	17.55	27	49.05	22	26.00		
		201C	1.0	1.5	6.5	6.5	6.5	7.0	6.5	6.5	0.0	0.0	29.25	19	78.30	20	37.55		
		5111A	1.0	1.8	4.0	3.5	4.5	4.0	3.5	3.5	0.0	0.0	20.70	26	99.00	23	60.20		
		403C	1.0	2.2	3.5	4.5	4.0	4.0	4.5	4.5	0.0	0.0	27.50	=17	126.50	22	71.80		
		203C	1.0	2.0	4.0	4.0	4.0	3.5	4.5	4.5	0.0	0.0	24.00	=20	150.50	19	98.70		
		103C	1.0	1.6	4.5	6.0	5.5	4.5	5.5	5.5	0.0	0.0	24.80	=20	175.30	21	124.30		
12	22	森川 いずみ									モリカワ イズミ 香川DC								
		101B	1.0	1.3	6.0	6.0	6.0	6.0	5.0	6.0	0.0	0.0	23.40	=23	23.40	=23	16.55	174.60	
		201B	1.0	1.6	5.5	6.0	6.5	6.0	6.0	6.0	0.0	0.0	28.80	16	52.20	18	22.85		
		301B	1.0	1.7	6.0	5.0	5.5	5.0	6.0	6.0	0.0	0.0	28.05	20	80.25	19	35.60		
		401B	1.0	1.5	5.5	4.5	6.5	5.5	5.5	5.5	0.0	0.0	24.75	25	105.00	20	54.20		
		103B	1.0	1.7	4.5	4.5	5.0	4.0	5.0	5.0	0.0	0.0	23.80	=22	128.80	20	69.50		
		203C	1.0	2.0	3.5	3.5	3.5	2.5	4.0	4.0	0.0	0.0	21.00	24	149.80	21	99.40		
		302C	1.0	1.6	4.5	5.5	5.5	4.5	6.0	6.0	0.0	0.0	24.80	=20	174.60	22	125.00		
4	23	中 しず玖									ナカ シズク 石川DC								
		103B	1.0	1.7	4.0	4.0	3.5	4.0	3.5	4.0	0.0	0.0	19.55	26	19.55	26	20.40	169.15	
		201B	1.0	1.6	6.5	6.5	6.0	7.0	7.0	7.0	0.0	0.0	32.00	=10	51.55	19	23.50		
		301B	1.0	1.7	7.0	6.5	6.5	6.5	6.5	6.5	0.0	0.0	33.15	=15	84.70	17	31.15		
		401B	1.0	1.5	6.0	5.5	7.0	6.0	6.5	6.5	0.0	0.0	27.75	=22	112.45	18	46.75		
		202B	1.0	1.6	4.0	4.0	5.0	4.5	5.0	5.0	0.0	0.0	21.60	=24	134.05	18	64.25		
		302B	1.0	1.7	3.0	3.0	2.5	3.0	3.0	3.0	0.0	0.0	15.30	26	149.35	22	99.85		
		403C	1.0	2.2	3.0	4.0	2.5	2.5	3.5	3.5	0.0	0.0	19.80	24	169.15	23	130.45		
3	24	木下 こころ									キノシタ ココロ 天理中								
		101A	1.0	1.4	5.5	5.0	6.5	5.0	6.5	6.5	0.0	0.0	23.80	22	23.80	22	16.15	167.85	
		5111A	1.0	1.8	4.5	4.5	3.5	4.0	4.5	4.5	0.0	0.0	23.40	22	47.20	25	27.85		
		401B	1.0	1.5	4.5	5.5	5.0	4.5	5.0	5.0	0.0	0.0	21.75	24	68.95	24	46.90		
		201A	1.0	1.7	6.0	5.0	6.5	5.5	5.5	5.5	0.0	0.0	28.90	21	97.85	24	61.35		
		301B	1.0	1.7	5.0	4.5	4.0	4.5	5.5	5.5	0.0	0.0	23.80	=22	121.65	24	76.65		
		103B	1.0	1.7	4.5	4.5	5.0	4.0	5.0	5.0	0.0	0.0	23.80	22	145.45	25	103.75		
		402C	1.0	1.6	4.0	5.0	4.5	5.0	4.5	4.5	0.0	0.0	22.40	23	167.85	24	131.75		
6	25	三上 可純									ミカミ カスミ 大阪水泳学校								
		101A	1.0	1.4	6.0	5.5	7.0	6.0	6.0	6.0	0.0	0.0	25.20	=20	25.20	=20	14.75	147.40	
		401B	1.0	1.5	5.0	5.0	5.5	4.5	5.5	5.5	0.0	0.0	23.25	23	48.45	23	26.60		
		201A	1.0	1.7	4.5	4.0	4.0	4.0	4.0	4.0	0.0	0.0	20.40	25	68.85	25	47.00		
		301B	1.0	1.7	5.0	5.0	5.0	5.5	5.0	5.0	0.0	0.0	25.50	24	94.35	25	64.85		
		5111A	1.0	1.8	2.0	2.5	2.5	2.0	3.5	3.5	0.0	0.0	12.60	27	106.95	27	91.35		
		103B	1.0	1.7	4.0	4.5	4.0	4.0	4.5	4.5	0.0	0.0	21.25	23	128.20	26	121.00		
		202B	1.0	1.6	4.0	4.0	4.0	4.0	4.5	4.5	0.0	0.0	19.20	25	147.40	25	152.20		

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

女子 1m 飛板飛込 決勝

12-13歳

開催日 2011/08/28

大阪プール

審判長 山崎 雅夫

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.5℃

水温 28.0℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 樋口 まゆみ

2 中村 小松

3 能松 裕

4 細川 陽一

5 坂田 芳寛

1 畑岡 寿

2 柴田 哲治

3 二木 廣幸

4 早水 健治

5 木綿 薫

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
25	26	小関 蓮									米沢DC							
		201A	1.0	1.7	6.0	6.0	5.5	5.5	6.5	0.0	0.0		29.75	16	29.75	16	10.20	147.35
		301C	1.0	1.6	4.0	4.0	3.5	3.5	4.5	0.0	0.0		18.40	26	48.15	24	26.90	
		103C	1.0	1.6	4.0	4.0	3.5	4.5	4.0	0.0	0.0		19.20	26	67.35	26	48.50	
		5111A	1.0	1.8	2.0	3.0	5.5	2.0	2.0	0.0	0.0		12.60	27	79.95	27	79.25	
		403C	1.0	2.2	6.0	5.5	5.5	5.5	6.0	0.0	0.0		37.40	=10	117.35	25	80.95	
		203C	1.0	2.0	4.5	5.5	6.0	3.5	5.0	0.0	0.0		30.00	=15	147.35	24	101.85	
		104C	1.0	2.2									Fault	27	147.35	26	152.25	
21	27	稲沢 麻紀									福島県D. C							
		103B	1.0	1.7	4.0	3.5	3.0	4.0	3.5	0.0	0.0		18.70	27	18.70	27	21.25	140.30
		401B	1.0	1.5	4.5	4.5	3.5	5.0	4.0	0.0	0.0		19.50	25	38.20	27	36.85	
		201B	1.0	1.6	3.5	5.0	3.5	4.0	3.5	0.0	0.0		17.60	27	55.80	27	60.05	
		301B	1.0	1.7	6.5	6.0	7.0	6.5	6.5	0.0	0.0		33.15	10	88.95	26	70.25	
		5122D	1.0	1.9	3.0	3.5	3.5	2.0	3.0	0.0	0.0		18.05	26	107.00	26	91.30	
		403C	1.0	2.2	2.5	3.5	2.0	2.0	2.0	0.0	0.0		14.30	27	121.30	27	127.90	
		203C	1.0	2.0	3.5	4.0	2.5	2.0	3.5	0.0	0.0		19.00	26	140.30	27	159.30	