

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2011/08/28
大阪プール

審判長 木村 勉

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回
自由選択飛回数 4回
難易率合計 9.5以内
気温 28.5℃
水温 29.5℃
天候 晴れ

機械操作 高山 優子
記録主任 中島 直樹

1 二木 廣幸
2 樋口 まゆみ
3 山本 孝
4 瓶子 笑里佳
5 秋山 真有美

1 鈴木 羊子
2 柴田 哲治
3 黒木 美枝
4 瓶子 勇治郎
5 谷内 寛

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
19	1	荒木 宥図						アキ ュト			長岡DC										
		103B	3.0	3.0	1.6	7.5	7.5	6.5	7.5	6.5	0.0	0.0			34.40	=6	34.40	=6	8.65	408.05	
		201B	3.0	3.0	1.8	7.0	6.5	6.0	6.5	6.0	0.0	0.0			34.20	=8	68.60	10	9.90		
		301B	3.0	3.0	1.9	7.5	7.5	7.0	8.5	7.0	0.0	0.0			41.80	3	110.40	8	11.15		
		403B	3.0	3.0	2.1	6.0	6.0	5.5	6.5	6.0	0.0	0.0			37.80	=7	148.20	5	12.05		
		5132D	3.0	3.0	2.1	6.0	6.0	6.0	6.0	6.0	0.0	0.0			37.80	=7	186.00	7	16.05		
		205C	3.0	3.0	2.8	7.5	7.0	7.0	7.0	8.0	0.0	0.0			60.20	1	246.20	2	0.80		
		305C	3.0	3.0	2.8	6.5	6.0	6.0	6.0	6.0	0.0	0.0			50.40	=3	296.60	1			
		405C	3.0	3.0	2.7	6.5	6.5	7.0	6.5	6.5	0.0	0.0			52.65	3	349.25	1			
		5235D	3.0	3.0	2.8	7.0	7.5	7.0	6.0	7.0	0.0	0.0			58.80	2	408.05	1			
15	2	野口 基勝						ガチ モキ			佐賀DC										
		103B	3.0	3.0	1.6	7.0	7.0	6.5	7.5	6.0	0.0	0.0			32.80	=8	32.80	=8	10.25	391.00	
		201B	3.0	3.0	1.8	7.0	7.0	7.0	7.0	6.5	0.0	0.0			37.80	=4	70.60	7	7.90		
		301B	3.0	3.0	1.9	7.5	7.5	7.0	7.0	7.0	0.0	0.0			40.85	4	111.45	5	10.10		
		403B	3.0	3.0	2.1	5.5	6.0	5.5	6.0	5.5	0.0	0.0			35.70	=9	147.15	6	13.10		
		5132D	3.0	3.0	2.1	6.5	6.5	6.5	6.5	5.5	0.0	0.0			40.95	5	188.10	=5	13.95		
		105B	3.0	3.0	2.4	7.5	6.5	6.5	7.0	6.5	0.0	0.0			48.00	=3	236.10	5	10.90		
		205C	3.0	3.0	2.8	6.0	6.5	5.5	6.5	6.5	0.0	0.0			53.20	1	289.30	2	7.30		
		305C	3.0	3.0	2.8	6.0	6.0	7.0	6.0	5.5	0.0	0.0			50.40	4	339.70	2	9.55		
		405C	3.0	3.0	2.7	6.0	6.0	6.5	6.5	6.5	0.0	0.0			51.30	6	391.00	2	17.05		
12	3	岡本 宗						カチ シュウ			栃木DC										
		103B	3.0	3.0	1.6	7.0	6.0	7.0	7.0	6.0	0.0	0.0			32.00	=12	32.00	=12	11.05	379.75	
		201B	3.0	3.0	1.8	6.0	7.0	7.5	7.0	6.5	0.0	0.0			36.90	7	68.90	9	9.60		
		301B	3.0	3.0	1.9	6.0	6.0	6.0	5.5	4.5	0.0	0.0			33.25	=14	102.15	11	19.40		
		403B	3.0	3.0	2.1	7.0	6.5	7.0	7.0	6.5	0.0	0.0			43.05	1	145.20	7	15.05		
		5132D	3.0	3.0	2.1	7.0	7.0	7.0	6.5	6.0	0.0	0.0			43.05	=1	188.25	4	13.80		
		205C	3.0	3.0	2.8	5.5	4.5	6.0	4.5	3.5	0.0	0.0			40.60	13	228.85	6	18.15		
		105B	3.0	3.0	2.4	7.5	6.5	7.0	7.0	7.0	0.0	0.0			50.40	=3	279.25	7	17.35		
		405B	3.0	3.0	3.0	3.5	4.5	2.0	4.0	4.0	0.0	0.0			34.50	14	313.75	8	35.50		
		5152B	3.0	3.0	3.0	7.5	6.0	7.5	7.5	7.0	0.0	0.0			66.00	1	379.75	3	28.30		
8	4	稲沢 隆輝						イサワ リュウキ			福島県D. C										
		103B	3.0	3.0	1.6	7.5	7.5	7.0	7.0	7.0	0.0	0.0			34.40	=6	34.40	=6	8.65	375.40	
		403B	3.0	3.0	2.1	6.5	7.5	6.5	7.5	7.0	0.0	0.0			44.10	1	78.50	1			
		5132D	3.0	3.0	2.1	7.0	7.0	6.5	8.0	6.5	0.0	0.0			43.05	1	121.55	1			
		201B	3.0	3.0	1.8	7.0	7.5	6.5	7.5	7.0	0.0	0.0			38.70	6	160.25	1			
		301B	3.0	3.0	1.9	7.5	7.5	7.5	7.0	7.0	0.0	0.0			41.80	4	202.05	1			
		105B	3.0	3.0	2.4	6.0	5.5	6.0	6.0	5.0	0.0	0.0			42.00	=9	244.05	3	2.95		
		405C	3.0	3.0	2.7	5.5	6.0	6.0	5.0	5.0	0.0	0.0			44.55	10	288.60	3	8.00		
		305C	3.0	3.0	2.8	4.5	4.0	4.5	4.0	3.5	0.0	0.0			35.00	13	323.60	6	25.65		
		205C	3.0	3.0	2.8	7.0	6.0	6.0	6.0	6.5	0.0	0.0			51.80	5	375.40	4	32.65		
20	5	松本 駿						マツモト シュン			米沢DC										
		103B	3.0	3.0	1.6	7.5	7.5	7.0	7.5	7.0	0.0	0.0			35.20	=4	35.20	=4	7.85	374.90	
		201B	3.0	3.0	1.8	6.0	6.0	6.5	6.5	6.0	0.0	0.0			33.30	10	68.50	11	10.00		
		301B	3.0	3.0	1.9	6.0	5.5	6.5	6.0	6.5	0.0	0.0			35.15	=12	103.65	10	17.90		
		403B	3.0	3.0	2.1	6.5	6.0	6.5	6.5	7.0	0.0	0.0			40.95	=2	144.60	9	15.65		
		5132D	3.0	3.0	2.1	6.0	7.0	5.5	6.0	6.0	0.0	0.0			37.80	=7	182.40	10	19.65		
		205C	3.0	3.0	2.8	5.5	5.5	5.5	6.0	5.5	0.0	0.0			46.20	5	228.60	7	18.40		
		305C	3.0	3.0	2.8	6.5	6.0	6.0	6.5	6.0	0.0	0.0			51.80	2	280.40	6	16.20		
		405C	3.0	3.0	2.7	5.0	5.0	5.0	6.0	5.0	0.0	0.0			40.50	9	320.90	7	28.35		
		105B	3.0	3.0	2.4	7.5	7.0	7.5	7.5	7.5	0.0	0.0			54.00	4	374.90	5	33.15		

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2011/08/28

大阪プール

審判長 木村 勉

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回

自由選択飛回数 4回

難易率合計 9.5以内

気温 28.5℃

水温 29.5℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 二木 廣幸

2 樋口 まゆみ

3 山本 孝

4 瓶子 笑里佳

5 秋山 真有美

1 鈴木 羊子

2 柴田 哲治

3 黒木 美枝

4 瓶子 勇治郎

5 谷内 寛

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
10	6	荒田 恭兵									高岡 S C										
		103B	3.0	3.0	1.6	6.5	7.0	7.0	7.5	6.0	0.0	0.0			32.80	=8	32.80	=8	10.25	372.80	
		5132D	3.0	2.1	7.0	7.0	7.0	7.0	6.5	6.0	0.0	0.0			43.05	2	75.85	3	2.65		
		403B	3.0	2.1	5.5	6.0	6.5	6.5	6.5	6.0	0.0	0.0			38.85	8	114.70	4	6.85		
		201B	3.0	1.8	6.0	6.5	6.5	6.5	6.5	6.0	0.0	0.0			34.20	=14	148.90	4	11.35		
		301B	3.0	1.9	7.0	6.5	6.5	6.5	6.0	6.0	0.0	0.0			36.10	11	185.00	8	17.05		
		105B	3.0	2.4	6.0	6.0	6.0	5.5	5.5	5.5	0.0	0.0			42.00	=9	227.00	8	20.00		
		5134D	3.0	2.5	6.0	5.5	5.5	7.5	6.5	6.5	0.0	0.0			45.00	9	272.00	8	24.60		
		205C	3.0	2.8	6.0	6.0	7.0	7.0	6.0	6.0	0.0	0.0			53.20	=1	325.20	3	24.05		
		305C	3.0	2.8	6.0	5.5	5.5	5.5	6.0	6.0	0.0	0.0			47.60	9	372.80	6	35.25		
1	7	崎戸 史也									佐賀 D C										
		103B	3.0	1.6	7.5	7.5	7.0	7.5	7.0	7.0	0.0	0.0			35.20	=4	35.20	=4	7.85	369.90	
		201B	3.0	1.8	7.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0			37.80	=4	73.00	5	5.50		
		301B	3.0	1.9	8.0	7.5	7.0	8.0	6.5	6.5	0.0	0.0			42.75	2	115.75	3	5.80		
		403B	3.0	2.1	6.5	6.5	6.5	6.5	7.0	7.0	0.0	0.0			40.95	=2	156.70	3	3.55		
		5132D	3.0	2.1	6.5	7.0	6.5	6.0	6.0	6.0	0.0	0.0			39.90	6	196.60	2	5.45		
		105B	3.0	2.4	6.5	7.0	7.0	8.0	7.0	7.0	0.0	0.0			50.40	2	247.00	1			
		205C	3.0	2.8	4.0	4.5	4.5	4.5	3.5	3.5	0.0	0.0			36.40	13	283.40	5	13.20		
		305C	3.0	2.8	5.0	4.0	5.0	5.0	4.5	4.5	0.0	0.0			40.60	8	324.00	4	25.25		
		405C	3.0	2.7	6.0	5.5	5.5	6.0	4.5	4.5	0.0	0.0			45.90	10	369.90	7	38.15		
5	8	桑田 真治									神辺 S P C										
		103B	3.0	1.6	6.5	6.5	7.0	7.5	6.0	6.0	0.0	0.0			32.00	=12	32.00	=12	11.05	367.10	
		5132D	3.0	2.1	6.0	6.0	4.5	7.0	7.0	7.0	0.0	0.0			39.90	3	71.90	6	6.60		
		301B	3.0	1.9	7.0	7.0	6.5	7.0	6.5	6.5	0.0	0.0			38.95	=6	110.85	7	10.70		
		201B	3.0	1.8	6.0	6.5	6.0	6.5	7.0	7.0	0.0	0.0			34.20	=14	145.05	8	15.20		
		403B	3.0	2.1	7.0	7.0	6.5	6.5	7.0	7.0	0.0	0.0			43.05	=1	188.10	=5	13.95		
		5134D	3.0	2.5	3.5	3.5	4.5	6.0	6.5	6.5	0.0	0.0			35.00	18	223.10	9	23.90		
		305C	3.0	2.8	5.5	5.5	5.5	6.0	6.0	6.0	0.0	0.0			47.60	=7	270.70	9	25.90		
		205C	3.0	2.8	6.5	6.0	6.0	6.5	6.5	6.5	0.0	0.0			53.20	=1	323.90	5	25.35		
		405C	3.0	2.7	5.5	5.5	6.0	5.0	5.0	5.0	0.0	0.0			43.20	11	367.10	8	40.95		
14	9	有岡 優一									J S S 宝塚										
		403B	3.0	2.1	7.0	7.0	6.5	6.5	7.0	7.0	0.0	0.0			43.05	1	43.05	1		354.75	
		103B	3.0	1.6	7.0	6.0	6.5	6.0	6.5	6.5	0.0	0.0			30.40	15	73.45	4	5.05		
		5132D	3.0	2.1	6.0	6.0	6.0	6.5	6.0	6.0	0.0	0.0			37.80	9	111.25	6	10.30		
		201B	3.0	1.8	5.5	6.0	5.5	6.0	6.0	6.0	0.0	0.0			31.50	=18	142.75	10	17.50		
		301B	3.0	1.9	5.0	5.0	5.5	4.5	4.0	4.0	0.0	0.0			27.55	17	170.30	12	31.75		
		303B	3.0	2.3	6.0	5.5	5.5	6.0	5.5	5.5	0.0	0.0			39.10	14	209.40	12	37.60		
		205C	3.0	2.8	6.0	6.0	5.0	6.0	6.5	6.5	0.0	0.0			50.40	=3	259.80	10	36.80		
		105B	3.0	2.4	5.5	5.5	5.5	5.5	5.0	5.0	0.0	0.0			39.60	10	299.40	11	49.85		
		405C	3.0	2.7	6.5	6.5	6.5	8.0	7.5	7.5	0.0	0.0			55.35	3	354.75	9	53.30		
3	10	八木 燦太									スイトピア										
		103B	3.0	1.6	7.5	7.5	7.0	8.0	7.5	7.5	0.0	0.0			36.00	3	36.00	3	7.05	353.35	
		201B	3.0	1.8	6.5	6.5	6.0	6.5	6.0	6.0	0.0	0.0			34.20	=8	70.20	8	8.30		
		301B	3.0	1.9	7.0	6.5	7.0	7.5	5.5	5.5	0.0	0.0			38.95	=6	109.15	9	12.40		
		403B	3.0	2.1	6.0	5.5	4.0	6.0	4.0	4.0	0.0	0.0			32.55	17	141.70	11	18.55		
		5132D	3.0	2.1	7.0	7.0	6.5	6.5	6.0	6.0	0.0	0.0			42.00	3	183.70	9	18.35		
		105B	3.0	2.4	5.5	5.0	5.0	5.0	5.0	5.0	0.0	0.0			36.00	17	219.70	10	27.30		
		203B	3.0	2.2	5.5	5.5	5.5	5.5	5.0	5.0	0.0	0.0			36.30	=14	256.00	11	40.60		
		405C	3.0	2.7	6.0	5.5	6.0	6.0	6.5	6.5	0.0	0.0			48.60	5	304.60	10	44.65		
		5134D	3.0	2.5	6.5	6.5	5.5	6.5	6.5	6.5	0.0	0.0			48.75	7	353.35	10	54.70		

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2011/08/28

大阪プール

審判長 木村 勉

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回

自由選択飛回数 4回

難易率合計 9.5以内

気温 28.5℃

水温 29.5℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 二木 廣幸

2 樋口 まゆみ

3 山本 孝

4 瓶子 笑里佳

5 秋山 真有美

1 鈴木 羊子

2 柴田 哲治

3 黒木 美枝

4 瓶子 勇治郎

5 谷内 寛

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
6	11	金子 正典									カネ マサリ 川口 S C										
		403B	3.0	2.1	6.0	6.0	7.5	7.0	5.5	0.0	0.0				39.90	2	39.90	2	3.15	347.90	
		201B	3.0	1.8	7.0	7.0	7.0	7.0	6.5	0.0	0.0				37.80	=4	77.70	2	0.80		
		5132D	3.0	2.1	6.0	6.5	6.5	6.5	6.0	0.0	0.0				39.90	5	117.60	2	3.95		
		301B	3.0	1.9	7.0	7.0	7.0	7.5	6.5	0.0	0.0				39.90	4	157.50	2	2.75		
		103B	3.0	1.6	7.5	6.5	7.0	7.5	6.5	0.0	0.0				33.60	13	191.10	3	10.95		
		405B	3.0	3.0	5.5	5.5	5.5	5.0	5.0	0.0	0.0				48.00	=3	239.10	4	7.90		
		305C	3.0	2.8	6.0	6.0	5.5	5.0	5.5	0.0	0.0				47.60	=7	286.70	4	9.90		
		5152B	3.0	3.0	1.5	3.0	3.0	3.0	2.0	0.0	0.0				24.00	19	310.70	9	38.55		
		107B	3.0	3.1	4.0	4.0	3.5	4.0	4.5	0.0	0.0				37.20	16	347.90	11	60.15		
9	12	大森 大輝									マサリ タイ 神辺 S P C										
		103B	3.0	1.6	6.5	6.0	7.0	5.5	6.0	0.0	0.0				29.60	=14	29.60	=14	13.45	333.30	
		5132D	3.0	2.1	5.0	5.0	5.5	3.5	5.5	0.0	0.0				32.55	11	62.15	13	16.35		
		301B	3.0	1.9	6.0	6.0	6.5	6.5	6.0	0.0	0.0				35.15	=12	97.30	12	24.25		
		201B	3.0	1.8	5.0	6.0	5.5	6.0	6.0	0.0	0.0				31.50	=18	128.80	14	31.45		
		403B	3.0	2.1	5.5	6.0	6.0	6.0	6.0	0.0	0.0				37.80	=7	166.60	13	35.45		
		5134D	3.0	2.5	5.5	5.5	6.0	5.5	6.0	0.0	0.0				42.50	8	209.10	13	37.90		
		305C	3.0	2.8	3.5	4.0	4.0	3.5	4.0	0.0	0.0				32.20	17	241.30	15	55.30		
		205C	3.0	2.8	5.0	4.5	5.5	5.5	5.0	0.0	0.0				43.40	6	284.70	15	64.55		
		405C	3.0	2.7	7.0	6.0	6.0	6.0	6.0	0.0	0.0				48.60	8	333.30	12	74.75		
13	13	大出 遼太郎									マサリ リョウタロウ 宇都宮南高校										
		103B	3.0	1.6	6.5	7.0	6.5	7.0	7.0	0.0	0.0				32.80	=8	32.80	=8	10.25	327.45	
		201B	3.0	1.8	5.0	5.5	6.0	6.0	5.5	0.0	0.0				30.60	=13	63.40	12	15.10		
		301B	3.0	1.9	4.5	5.0	4.0	4.0	5.0	0.0	0.0				25.65	21	89.05	16	32.50		
		403B	3.0	2.1	5.0	5.5	6.0	5.5	5.5	0.0	0.0				34.65	=12	123.70	16	36.55		
		5132D	3.0	2.1	5.5	5.5	6.0	5.5	5.5	0.0	0.0				34.65	12	158.35	15	43.70		
		105B	3.0	2.4	6.0	6.0	6.0	6.5	7.0	0.0	0.0				44.40	7	202.75	=14	44.25		
		205B	3.0	3.0	5.0	4.5	5.0	4.0	5.0	0.0	0.0				43.50	11	246.25	13	50.35		
		305C	3.0	2.8	4.0	4.5	5.0	5.0	4.5	0.0	0.0				39.20	11	285.45	14	63.80		
		405B	3.0	3.0	5.0	4.5	4.5	5.5	4.5	0.0	0.0				42.00	12	327.45	13	80.60		
17	14	笠井 貴史									カシ タシ 長岡 D C										
		103B	3.0	1.6	6.0	6.0	6.0	6.0	6.0	0.0	0.0				28.80	=16	28.80	=16	14.25	300.15	
		201B	3.0	1.8	5.0	5.5	6.0	5.5	5.5	0.0	0.0				29.70	16	58.50	15	20.00		
		301B	3.0	1.9	6.0	6.0	6.5	6.5	6.5	0.0	0.0				36.10	=10	94.60	13	26.95		
		403B	3.0	2.1	6.0	6.5	6.0	6.5	6.0	0.0	0.0				38.85	5	133.45	12	26.80		
		5132D	3.0	2.1	5.5	6.5	6.0	6.0	6.0	0.0	0.0				37.80	=7	171.25	11	30.80		
		105B	3.0	2.4	5.5	5.0	5.5	6.0	5.0	0.0	0.0				38.40	=15	209.65	11	37.35		
		205C	3.0	2.8	3.5	4.0	4.5	4.0	4.5	0.0	0.0				35.00	16	244.65	14	51.95		
		305C	3.0	2.8	4.5	5.5	5.0	5.0	5.0	0.0	0.0				42.00	7	286.65	13	62.60		
		405C	3.0	2.7	1.5	1.5	2.0	2.0	1.0	0.0	0.0				13.50	20	300.15	14	107.90		
16	15	貝塚 佑介									カヅカ ユウスケ ジョイフル										
		103B	3.0	1.6	5.0	6.0	6.0	6.0	6.0	0.0	0.0				28.80	=16	28.80	=16	14.25	288.15	
		201B	3.0	1.8	5.0	5.5	5.5	5.0	6.0	0.0	0.0				28.80	17	57.60	16	20.90		
		301B	3.0	1.9	6.5	6.5	6.0	6.0	6.5	0.0	0.0				36.10	=10	93.70	14	27.85		
		403B	3.0	2.1	6.5	6.0	6.0	6.0	6.0	0.0	0.0				37.80	=7	131.50	13	28.75		
		5132D	3.0	2.1	4.0	4.5	5.0	5.0	5.0	0.0	0.0				30.45	14	161.95	14	40.10		
		105B	3.0	2.4	5.5	5.5	6.0	6.0	5.5	0.0	0.0				40.80	12	202.75	=14	44.25		
		405C	3.0	2.7	6.0	6.0	6.0	6.5	6.0	0.0	0.0				48.60	6	251.35	12	45.25		
		303B	3.0	2.3	5.0	5.5	5.5	5.5	4.5	0.0	0.0				36.80	12	288.15	12	61.10		
		205C	3.0	2.8											Fault	21	288.15	15	119.90		

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2011/08/28

大阪プール

審判長 木村 勉

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回

自由選択飛回数 4回

難易率合計 9.5以内

気温 28.5℃

水温 29.5℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 二木 廣幸

2 樋口 まゆみ

3 山本 孝

4 瓶子 笑里佳

5 秋山 真有美

1 鈴木 羊子

2 柴田 哲治

3 黒木 美枝

4 瓶子 勇治郎

5 谷内 寛

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
7	16	古橋 達弥									浜松学院中										
		103B	3.0	1.6	5.0	5.5	6.0	5.5	5.5	5.5	0.0	0.0			26.40	19	26.40	19	16.65	278.55	
		201B	3.0	1.8	5.0	5.0	5.5	5.0	6.0	6.0	0.0	0.0			27.90	18	54.30	18	24.20		
		301B	3.0	1.9	5.5	5.5	6.5	5.5	6.0	6.0	0.0	0.0			32.30	=16	86.60	17	34.95		
		401B	3.0	1.4	5.5	6.5	5.5	6.5	6.5	6.5	0.0	0.0			25.90	20	112.50	20	47.75		
		5132D	3.0	2.1	4.5	5.0	3.5	5.0	4.5	4.5	0.0	0.0			29.40	15	141.90	18	60.15		
		105B	3.0	2.4	3.5	4.5	3.5	4.0	3.5	3.5	0.0	0.0			26.40	21	168.30	21	78.70		
		203B	3.0	2.2	5.5	5.5	5.5	5.5	5.5	5.5	0.0	0.0			36.30	=14	204.60	18	92.00		
		303C	3.0	2.0	6.0	5.5	5.5	5.5	5.5	5.5	0.0	0.0			33.00	15	237.60	17	111.65		
		403B	3.0	2.1	6.5	6.5	6.5	6.5	6.5	6.5	0.0	0.0			40.95	13	278.55	16	129.50		
18	17	前田 大地									天理中										
		201B	3.0	1.8	6.0	6.0	6.0	6.0	6.0	6.0	0.0	0.0			32.40	11	32.40	11	10.65	274.05	
		103B	3.0	1.6	4.5	5.0	4.5	5.0	5.5	5.5	0.0	0.0			23.20	20	55.60	17	22.90		
		301B	3.0	1.9	5.0	5.5	4.5	4.5	5.5	5.5	0.0	0.0			28.50	20	84.10	19	37.45		
		5111A	3.0	2.0	5.5	5.5	6.0	5.5	6.5	6.5	0.0	0.0			34.00	16	118.10	18	42.15		
		401B	3.0	1.4	5.5	6.0	6.0	6.0	6.0	6.0	0.0	0.0			25.20	18	143.30	17	58.75		
		105B	3.0	2.4	5.0	6.0	5.0	6.5	5.0	5.0	0.0	0.0			38.40	=15	181.70	16	65.30		
		303B	3.0	2.3	3.5	4.5	4.5	4.0	3.5	3.5	0.0	0.0			27.60	18	209.30	16	87.30		
		403B	3.0	2.1	5.0	5.5	5.0	5.5	5.0	5.0	0.0	0.0			32.55	16	241.85	16	107.40		
		205C	3.0	2.8	3.5	4.0	3.5	4.0	4.5	4.5	0.0	0.0			32.20	17	274.05	17	134.00		
11	18	久保田 亮祐									天理中										
		103B	3.0	1.6	4.5	4.5	5.5	4.0	4.5	4.5	0.0	0.0			21.60	21	21.60	21	21.45	266.95	
		201B	3.0	1.8	5.5	6.5	6.0	5.5	5.5	5.5	0.0	0.0			30.60	=13	52.20	19	26.30		
		301B	3.0	1.9	5.5	6.0	6.5	5.5	6.0	6.0	0.0	0.0			33.25	=14	85.45	18	36.10		
		401B	3.0	1.4	5.5	6.0	6.0	6.0	5.5	5.5	0.0	0.0			24.50	21	109.95	21	50.30		
		5111A	3.0	2.0	5.0	4.5	5.0	5.0	4.0	4.0	0.0	0.0			29.00	16	138.95	19	63.10		
		105B	3.0	2.4	4.0	4.5	4.5	4.0	4.5	4.5	0.0	0.0			31.20	19	170.15	20	76.85		
		203B	3.0	2.2	6.0	6.0	5.5	6.0	5.5	5.5	0.0	0.0			38.50	12	208.65	17	87.95		
		303B	3.0	2.3	2.5	3.0	3.5	2.5	1.5	1.5	0.0	0.0			18.40	21	227.05	19	122.20		
		403B	3.0	2.1	7.0	5.5	6.5	6.0	6.5	6.5	0.0	0.0			39.90	15	266.95	18	141.10		
2	19	寺分 元則									神久呂中										
		103B	3.0	1.6	5.5	6.0	6.0	5.5	6.0	6.0	0.0	0.0			28.00	18	28.00	18	15.05	264.75	
		201B	3.0	1.8	5.0	6.0	6.0	6.0	5.5	5.5	0.0	0.0			31.50	12	59.50	14	19.00		
		301B	3.0	1.9	5.0	5.0	5.5	5.5	6.0	6.0	0.0	0.0			30.40	19	89.90	15	31.65		
		403B	3.0	2.1	5.5	5.5	6.0	5.5	6.0	6.0	0.0	0.0			35.70	=9	125.60	15	34.65		
		5231D	3.0	2.0	4.0	4.0	4.0	4.0	4.5	4.5	0.0	0.0			24.00	19	149.60	16	52.45		
		105B	3.0	2.4	4.0	4.0	4.0	4.0	4.0	4.0	0.0	0.0			28.80	20	178.40	17	68.60		
		205C	3.0	2.8	3.0	3.0	3.5	3.0	3.0	3.0	0.0	0.0			25.20	19	203.60	19	93.00		
		405C	3.0	2.7	4.5	3.5	4.0	4.0	4.0	4.0	0.0	0.0			32.40	17	236.00	18	113.25		
		303B	3.0	2.3	4.0	3.5	4.5	4.0	4.5	4.5	0.0	0.0			28.75	18	264.75	19	143.30		
4	20	藤井 瑞稀									スイトピア										
		103B	3.0	1.6	4.5	5.0	6.0	5.5	5.0	5.0	0.0	0.0			24.80	20	24.80	20	18.25	263.70	
		201B	3.0	1.8	4.5	5.0	4.5	5.0	5.0	5.0	0.0	0.0			26.10	19	50.90	21	27.60		
		301B	3.0	1.9	5.5	5.5	6.5	5.0	5.5	5.5	0.0	0.0			31.35	18	82.25	21	39.30		
		403B	3.0	2.1	5.5	5.5	6.5	5.5	5.0	5.0	0.0	0.0			34.65	=12	116.90	19	43.35		
		5132D	3.0	2.1	0.5	2.5	3.0	2.5	2.5	2.5	0.0	0.0			15.75	21	132.65	21	69.40		
		105B	3.0	2.4	6.5	6.5	6.0	6.5	6.0	6.0	0.0	0.0			45.60	6	178.25	18	68.75		
		203B	3.0	2.2	3.5	3.0	4.0	4.0	3.0	3.0	0.0	0.0			23.10	20	201.35	20	95.25		
		303B	3.0	2.3	3.5	3.5	3.0	3.0	2.5	2.5	0.0	0.0			21.85	20	223.20	21	126.05		
		405C	3.0	2.7	4.0	5.0	5.5	5.0	5.0	5.0	0.0	0.0			40.50	14	263.70	20	144.35		

第34回 全国JOCジュニアオリンピックカップ
夏季水泳競技大会飛込競技

採点詳細

男子 3m 飛板飛込 決勝

14-15歳

開催日 2011/08/28

大阪プール

審判長 木村 勉

審判団(A) 5Round

審判団(B) 4Round

制限選択飛回数 5回

自由選択飛回数 4回

難易率合計 9.5以内

気温 28.5℃

水温 29.5℃

天候 晴れ

機械操作 高山 優子

記録主任 中島 直樹

1 二木 廣幸

2 樋口 まゆみ

3 山本 孝

4 瓶子 笑里佳

5 秋山 真有美

1 鈴木 羊子

2 柴田 哲治

3 黒木 美枝

4 瓶子 勇治郎

5 谷内 覚

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
21	21	蓮田 海大									水戸DS							
		103B	3.0	1.6	6.0	6.0	6.5	6.5	6.5	5.5	0.0 0.0		29.60	=14	29.60	=14	13.45	249.70
		201B	3.0	1.8	4.0	4.5	4.0	4.0	4.0	4.0	0.0 0.0		21.60	21	51.20	20	27.30	
		301B	3.0	1.9	5.0	5.0	6.0	6.0	6.0	6.0	0.0 0.0		32.30	=16	83.50	20	38.05	
		403B	3.0	2.1	5.5	6.0	5.5	5.5	6.0	6.0	0.0 0.0		35.70	=9	119.20	17	41.05	
		5132D	3.0	2.1	2.0	3.0	2.5	2.5	4.0	4.0	0.0 0.0		16.80	20	136.00	20	66.05	
		105B	3.0	2.4	6.0	6.0	5.0	6.5	5.5	5.5	0.0 0.0		42.00	=9	178.00	19	69.00	
		203B	3.0	2.2	3.0	3.0	2.5	3.0	3.0	3.0	0.0 0.0		19.80	21	197.80	21	98.80	
		303B	3.0	2.3	4.0	4.0	4.5	4.0	3.0	3.0	0.0 0.0		27.60	18	225.40	20	123.85	
		405C	3.0	2.7	2.0	3.0	3.5	3.0	3.0	3.0	0.0 0.0		24.30	19	249.70	21	158.35	