

2013未来をつなぐ北九州総体  
平成25年度全国高等学校総合体育大会

採点詳細

女子 高飛込 決勝

開催日 2013/08/17  
福岡県立総合プール

審判長 西出 好範  
副審判長 富 泰 仁  
機械操作 若林 基  
記録主任 横尾 伸子

審判団(A) 4Round  
1 畑岡 寿  
2 佐藤 賢一  
3 中島 勝司  
4 西川 弘恵  
5 増岡 啓彰

審判団(B) 5Round  
1 品川 闊文  
2 都筑 正治  
3 篠原 邦彦  
4 春日喜美子  
5 寺田扶美鹿

制限選択飛回数 4回  
自由選択飛回数 5回  
難易率合計 7.6以内  
気温 32.8℃  
水温 30.6℃  
天候 晴れ

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	1	榎本 遼香									作新学院						4.80	505.90
		103B	10.0	1.6	9.0	8.0	8.5	8.0	8.0	8.0		39.20	3	39.20	3			
		403B	10.0	2.0	8.5	8.0	8.5	8.0	9.0	9.0		50.00	1	89.20	1			
		201B	10.0	1.8	9.0	8.5	9.0	8.5	9.5	9.5		47.70	1	136.90	1			
		5231D	10.0	2.0	8.5	8.0	8.5	8.0	8.5	8.5		50.00	1	186.90	1			
		305C	10.0	2.7	6.5	7.0	7.0	7.5	7.5	7.5		58.05	2	244.95	1			
		405B	10.0	2.8	8.5	7.5	8.0	8.0	7.5	7.5		65.80	1	310.75	1			
		205B	10.0	2.9	7.5	7.5	7.5	7.0	7.5	7.5		65.25	1	376.00	1			
		107B	10.0	3.0	6.0	6.5	6.5	6.5	7.0	7.0		58.50	1	434.50	1			
		5235D	10.0	2.8	8.5	8.5	8.5	8.5	8.5	8.5		71.40	1	505.90	1			
11	2	宇田 恵理子									米子西						8.80	442.65
		103B	10.0	1.6	6.5	7.5	7.5	7.5	7.0	7.0		35.20	6	35.20	6			
		5132D	10.0	2.1	7.0	7.5	7.0	7.5	8.0	8.0		46.20	2	81.40	2			
		403B	10.0	2.0	7.5	7.0	8.0	6.5	7.5	7.5		44.00	2	125.40	2			
		612B	10.0	1.9	6.0	7.5	6.5	6.5	7.0	7.0		38.00	5	163.40	2			
		107B	10.0	3.0	7.0	7.0	8.0	7.0	8.5	8.5		66.00	1	229.40	2			
		5152B	10.0	2.9	7.5	7.5	7.5	7.0	8.0	8.0		65.25	2	294.65	2			
		614B	10.0	2.4	7.5	7.0	7.0	8.0	7.0	7.0		51.60	4	346.25	2			
		405B	10.0	2.8	6.0	6.0	7.0	6.5	6.5	6.5		53.20	4	399.45	2			
		305C	10.0	2.7	6.0	5.0	5.5	5.0	5.5	5.5		43.20	9	442.65	2			
10	3	中野 あかり									大阪借星学園							433.05
		403B	10.0	2.0	7.0	7.5	7.5	7.5	7.0	7.0		44.00	1	44.00	1			
		103B	10.0	1.6	7.5	7.0	7.5	7.5	7.0	7.0		35.20	8	79.20	4			10.00
		5132D	10.0	2.1	6.5	6.0	7.0	6.5	7.5	7.5		42.00	3	121.20	3			15.70
		301B	10.0	1.9	7.0	6.5	7.0	7.0	7.0	7.0		39.90	4	161.10	3			25.80
		405B	10.0	2.8	7.0	6.5	6.5	6.5	7.5	7.5		56.00	3	217.10	3			27.85
		105B	7.5	2.4	6.5	7.0	6.5	6.5	5.5	5.5		46.80	8	263.90	3			46.85
		5235D	10.0	2.8	6.5	7.0	7.5	7.5	7.5	7.5		61.60	2	325.50	3			50.50
		305C	10.0	2.7	6.5	7.0	6.5	7.0	7.5	7.5		55.35	3	380.85	3			53.65
		205B	10.0	2.9	6.0	6.0	6.0	5.5	6.0	6.0		52.20	2	433.05	3			72.85
7	4	須山 由莉子									松江南							407.75
		103B	10.0	1.6	8.0	7.5	7.5	7.5	7.5	7.5		36.00	=4	36.00	=4			8.00
		301B	10.0	1.9	8.0	8.0	7.5	7.5	7.0	7.0		43.70	3	79.70	3			9.50
		403B	10.0	2.0	6.0	6.0	5.5	5.5	6.0	6.0		35.00	10	114.70	5			22.20
		5132D	10.0	2.1	6.0	5.0	6.5	6.0	6.0	6.0		37.80	=6	152.50	6			34.40
		105B	7.5	2.4	6.5	6.5	6.5	7.5	5.0	5.0		46.80	=7	199.30	5			45.65
		405C	10.0	2.5	8.0	7.0	7.0	8.0	8.0	8.0		57.50	3	256.80	5			53.95
		5235D	10.0	2.8	7.5	7.5	6.5	6.5	8.0	8.0		60.20	3	317.00	4			59.00
		205B	10.0	2.9	5.5	4.5	5.5	4.5	5.0	5.0		43.50	9	360.50	4			74.00
		305C	10.0	2.7	5.5	6.0	6.0	6.5	5.5	5.5		47.25	6	407.75	4			98.15
8	5	中谷 みゆ									宇美商業							379.50
		103B	10.0	1.6	6.5	7.5	7.0	6.5	6.5	6.5		32.00	8	32.00	8			12.00
		403B	10.0	2.0	6.5	7.0	6.0	7.0	6.5	6.5		40.00	7	72.00	9			17.20
		301B	10.0	1.9	6.5	6.5	7.0	7.0	6.0	6.0		38.00	=6	110.00	7			26.90
		201B	10.0	1.8	6.5	7.0	7.0	6.5	7.0	7.0		36.90	9	146.90	8			40.00
		205B	10.0	2.9	5.5	5.5	6.0	5.5	6.5	6.5		49.30	5	196.20	8			48.75
		303B	7.5	2.3	6.5	6.0	6.5	6.5	6.5	6.5		44.85	9	241.05	7			69.70
		5233D	10.0	2.4	6.5	6.0	6.0	5.5	6.0	6.0		43.20	6	284.25	7			91.75
		105B	10.0	2.3	6.5	6.5	6.5	6.5	6.5	6.5		44.85	8	329.10	6			105.40
		405B	10.0	2.8	6.0	6.0	6.0	5.5	6.0	6.0		50.40	3	379.50	5			126.40

2013未来をつなぐ北九州総体  
平成25年度全国高等学校総合体育大会

採点詳細

女子 高飛込 決勝

開催日 2013/08/17  
福岡県立総合プール

審判長 西出 好範  
副審判長 富 泰 仁  
機械操作 若林 基  
記録主任 横尾 伸子

審判団(A) 4Round  
1 畑岡 寿  
2 佐藤 賢一  
3 中島 勝司  
4 西川 弘恵  
5 増岡 啓彰

審判団(B) 5Round  
1 品川 闊文  
2 都筑 正治  
3 篠原 邦彦  
4 春日喜美子  
5 寺田扶美鹿

制限選択飛回数 4回  
自由選択飛回数 5回  
難易率合計 7.6以内  
気温 32.8℃  
水温 30.6℃  
天候 晴れ

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
5	6	島雄 智佳子					シマオ	チカ			東京								
		103B	10.0	1.6	7.0	7.0	7.0	7.0	6.5	7.0		33.60	7	33.60	7	10.40		370.15	
		5132D	10.0	2.1	7.0	7.0	7.0	6.5	5.5	6.5		42.00	5	75.60	5	13.60			
		403B	10.0	2.0	6.5	7.5	7.5	6.5	6.5			41.00	5	116.60	4	20.30			
		301B	10.0	1.9	6.0	6.5	6.5	6.0	6.5			36.10	10	152.70	5	34.20			
		305C	10.0	2.7	5.5	5.5	5.5	5.5	6.0			44.55	10	197.25	7	47.70			
		205B	10.0	2.9	6.5	6.5	6.5	6.0	6.0			55.10	4	252.35	6	58.40			
		624B	10.0	2.8	3.5	2.0	3.5	3.0	3.0			26.60	10	278.95	8	97.05			
		105B	7.5	2.4	6.0	6.0	6.0	5.5	6.5			43.20	10	322.15	8	112.35			
		5233D	7.5	2.4	7.0	6.5	6.5	6.0	7.0			48.00	5	370.15	6	135.75			
1	7	坂井 莉那					カイ	リナ			相模女子								
		103B	10.0	1.6	7.5	7.5	7.5	7.5	7.5			36.00	=4	36.00	=4	8.00		369.70	
		401B	10.0	1.4	7.5	7.0	7.0	7.5	7.0			30.10	11	66.10	10	23.10			
		201B	10.0	1.8	7.5	8.0	7.5	7.0	8.0			41.40	4	107.50	9	29.40			
		301B	10.0	1.9	7.5	7.5	7.5	7.5	8.0			42.75	3	150.25	7	36.65			
		105B	10.0	2.3	7.0	7.0	7.5	6.0	7.0			48.30	6	198.55	6	46.40			
		403B	5.0	2.4	5.5	5.5	6.0	6.0	5.5			40.80	11	239.35	9	71.40			
		612B	10.0	1.9	6.5	6.0	6.5	7.0	6.5			37.05	9	276.40	9	99.60			
		303C	7.5	2.0	7.5	7.5	7.5	7.0	8.0			45.00	7	321.40	9	113.10			
		203B	5.0	2.3	6.5	7.0	7.0	7.0	7.5			48.30	4	369.70	7	136.20			
9	8	山口 夏鈴					ヤマ	グチ	カリン		文化学園長野								
		403B	10.0	2.0	7.0	7.0	6.0	7.0	6.5			41.00	2	41.00	2	3.00		369.30	
		103B	10.0	1.6	7.5	7.0	6.5	8.0	7.0			34.40	9	75.40	6	13.80			
		301B	10.0	1.9	6.5	6.0	5.5	6.0	5.5			33.25	=11	108.65	8	28.25			
		201B	10.0	1.8	7.0	7.5	7.5	6.5	6.5			37.80	=6	146.45	9	40.45			
		105B	7.5	2.4	6.5	6.5	6.5	6.5	6.0			46.80	=7	193.25	9	51.70			
		405B	10.0	2.8	5.5	5.5	6.0	5.5	6.5			47.60	7	240.85	8	69.90			
		205B	10.0	2.9	5.5	5.5	6.0	5.0	4.5			46.40	5	287.25	=5	88.75			
		305C	10.0	2.7	4.5	4.0	4.5	5.0	4.5			36.45	11	323.70	7	110.80			
		5233D	7.5	2.4	6.5	6.0	6.5	4.0	6.5			45.60	7	369.30	8	136.60			
3	9	寺岡 双葉					テラ	カ	フカハ		福山葦陽								
		103B	10.0	1.6	6.5	6.5	7.0	6.0	6.5			31.20	=9	31.20	=9	12.80		366.20	
		403B	10.0	2.0	7.0	7.5	7.5	6.5	7.0			43.00	4	74.20	7	15.00			
		301B	10.0	1.9	6.5	6.0	7.0	6.5	7.0			38.00	=6	112.20	6	24.70			
		5132D	10.0	2.1	7.5	7.5	7.5	6.5	7.0			46.20	2	158.40	4	28.50			
		405B	10.0	2.8	6.5	6.5	6.5	6.5	7.0			54.60	4	213.00	4	31.95			
		107C	10.0	2.7	6.0	6.0	6.0	5.5	7.5			48.60	=5	261.60	4	49.15			
		305C	10.0	2.7	2.0	3.5	2.5	4.0	3.5			25.65	12	287.25	=5	88.75			
		205B	10.0	2.9	6.5	6.5	6.5	6.5	6.0			56.55	2	343.80	5	90.70			
		5235D	10.0	2.8	3.0	2.5	1.5	3.5	2.5			22.40	12	366.20	9	139.70			
4	10	仁儀 香菜子					ニキ	カコ			宝塚								
		103B	10.0	1.6	6.5	6.5	6.5	6.5	6.5			31.20	=9	31.20	=9	12.80		347.85	
		403B	10.0	2.0	6.0	7.0	6.5	7.0	7.0			41.00	6	72.20	8	17.00			
		301B	10.0	1.9	5.5	6.0	5.5	6.5	6.0			33.25	=11	105.45	10	31.45			
		5132D	7.5	2.1	5.5	5.5	5.5	6.0	5.0			34.65	12	140.10	10	46.80			
		105B	7.5	2.4	5.5	6.0	6.0	6.0	6.5			43.20	11	183.30	10	61.65			
		405C	7.5	2.7	6.0	6.0	6.0	6.0	6.0			48.60	=5	231.90	10	78.85			
		5233D	7.5	2.4	3.0	6.0	5.5	5.5	4.5			37.20	8	269.10	10	106.90			
		205C	7.5	2.8	5.5	5.5	4.5	5.5	5.5			46.20	6	315.30	10	119.20			
		303C	5.0	2.1	5.5	5.0	5.0	5.5	5.0			32.55	11	347.85	10	158.05			

2013未来をつなぐ北九州総体  
平成25年度全国高等学校総合体育大会

採点詳細

女子 高飛込 決勝

開催日 2013/08/17  
福岡県立総合プール

審判長 西出 好範  
副審判長 富 泰 仁  
機械操作 若林 基  
記録主任 横尾 伸子

審判団(A) 4Round  
1 畑岡 寿  
2 佐藤 賢一  
3 中島 勝司  
4 西川 弘恵  
5 増岡 啓彰

審判団(B) 5Round  
1 品川 闊文  
2 都筑 正治  
3 篠原 邦彦  
4 春日喜美子  
5 寺田扶美鹿

制限選択飛回数 4回  
自由選択飛回数 5回  
難易率合計 7.6以内  
気温 32.8℃  
水温 30.6℃  
天候 晴れ

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
6	11	遠藤 朱莉									多賀城							
		103B	10.0	1.6	6.5	6.5	6.5	6.5	6.0	6.5		31.20	=9	31.20	=9	12.80		316.35
		403B	10.0	2.0	5.5	5.5	5.0	5.5	5.5	5.5		33.00	10	64.20	11	25.00		
		301B	10.0	1.9	6.0	6.5	6.0	6.5	6.0	6.0		35.15	9	99.35	11	37.55		
		201B	7.5	1.8	6.5	7.0	6.5	6.5	6.5	6.5		35.10	11	134.45	11	52.45		
		105B	7.5	2.4	5.0	6.0	5.0	5.5	5.5	5.5		38.40	12	172.85	11	72.10		
		405B	10.0	2.8	3.5	4.0	4.5	4.0	4.0	4.0		33.60	12	206.45	11	104.30		
		203B	5.0	2.3	6.0	6.5	6.0	6.0	6.0	6.0		41.40	7	247.85	11	128.15		
		303C	5.0	2.1	5.0	5.0	5.0	5.0	5.0	5.5		31.50	12	279.35	11	155.15		
		5231D	7.5	2.0	6.0	6.5	6.5	6.0	5.0	5.0		37.00	10	316.35	11	189.55		
2	12	和田 真琴									乙訓							
		103B	10.0	1.6	7.0	6.0	5.5	6.0	6.5	6.5		29.60	12	29.60	12	14.40		313.15
		201B	7.5	1.8								Fault	12	29.60	12	59.60		
		301B	10.0	1.9	6.5	6.5	6.5	7.0	8.0	8.0		38.00	=6	67.60	12	69.30		
		5111A	5.0	1.8	7.0	6.5	7.5	7.5	6.5	6.5		37.80	=6	105.40	12	81.50		
		105B	7.5	2.4	6.5	6.5	7.0	6.5	6.5	6.5		46.80	=7	152.20	12	92.75		
		203B	5.0	2.3	6.0	6.0	6.0	6.0	6.0	6.5		41.40	10	193.60	12	117.15		
		303C	5.0	2.1	4.0	4.0	4.5	5.0	4.0	4.0		26.25	11	219.85	12	156.15		
		403B	5.0	2.4	6.5	7.0	7.0	6.5	7.0	7.0		49.20	5	269.05	12	165.45		
		5132D	10.0	2.1	7.0	6.5	7.0	7.0	7.0	7.0		44.10	8	313.15	12	192.75		