

2013未来をつなぐ北九州総体  
平成25年度全国高等学校総合体育大会

採点詳細

男子 3m 飛板飛込 決勝

開催日 2013/08/18  
福岡県立総合プール

審判長 富 泰 仁

審判団(A) 5Round

審判団(B) 6Round

制限選択飛回数 5回  
自由選択飛回数 6回  
難易率合計 9.5以内  
気温 33.5℃  
水温 30.5℃  
天候 晴れ

機械操作 若林 基  
記録主任 横尾 伸子

1 篠原 邦彦  
2 中島 勝司  
3 河田 正英  
4 都筑 正治  
5 湯浅よしの

1 春日喜美子  
2 畑岡 寿  
3 寺田扶美鹿  
4 品川 闊文  
5 西川 弘恵

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	1	長谷川 英治						ハカマ エイジ			長岡大手							
		103B	3.0	1.6	8.5	8.0	8.0	8.0	7.5	7.5		37.60	3	37.60	3	2.40	577.80	
		201B	3.0	1.8	8.5	8.5	8.0	8.0	8.0	8.0		44.10	=1	81.70	1			
		301B	3.0	1.9	7.0	7.5	7.0	7.0	7.0	7.0		39.90	=5	121.60	3	2.50		
		403B	3.0	2.1	8.0	8.5	8.0	8.0	7.5	7.5		50.40	=1	172.00	2	1.45		
		5132D	3.0	2.1	8.0	8.0	8.0	7.5	8.0	8.0		50.40	=2	222.40	1			
		107B	3.0	3.1	6.5	7.5	7.5	7.0	7.5	7.5		68.20	1	290.60	1			
		205B	3.0	3.0	7.0	6.5	6.5	5.5	7.0	7.0		60.00	=4	350.60	1			
		305B	3.0	3.0	6.0	6.0	6.0	6.5	6.0	6.0		54.00	8	404.60	1			
		405B	3.0	3.0	5.0	5.5	5.0	4.5	5.0	5.0		45.00	10	449.60	2	4.30		
		5154B	3.0	3.4	7.0	7.0	7.5	6.5	6.5	6.5		69.70	1	519.30	1			
		5152B	3.0	3.0	6.0	6.5	7.0	8.0	5.0	5.0		58.50	4	577.80	1			
8	2	須山 晴貴						スマ ハルキ			松徳学院							
		103B	3.0	1.6	7.5	8.5	8.5	8.0	8.5	8.5		40.00	=1	40.00	=1		562.40	
		201B	3.0	1.8	7.5	7.5	8.0	7.5	8.0	8.0		41.40	4	81.40	2	0.30		
		301B	3.0	1.9	7.0	7.0	7.5	7.0	8.0	8.0		40.85	4	122.25	2	1.85		
		403B	3.0	2.1	7.5	7.5	8.0	8.5	8.0	8.0		49.35	=3	171.60	3	1.85		
		5132D	3.0	2.1	7.5	8.5	8.0	8.0	7.5	7.5		49.35	4	220.95	2	1.45		
		107B	3.0	3.1	6.0	6.5	7.5	6.5	6.5	6.5		60.45	6	281.40	2	9.20		
		5152B	3.0	3.0	6.0	5.5	6.0	5.0	4.5	4.5		49.50	7	330.90	3	19.70		
		405B	3.0	3.0	6.5	7.5	7.0	7.0	7.5	7.5		64.50	1	395.40	2	9.20		
		205B	3.0	3.0	7.0	6.5	7.0	6.0	6.0	6.0		58.50	2	453.90	1			
		305C	3.0	2.8	5.5	5.5	6.5	6.0	5.5	5.5		47.60	9	501.50	3	17.80		
		5335D	3.0	2.9	6.0	7.0	7.5	7.5	6.5	6.5		60.90	1	562.40	2	15.40		
9	3	遠藤 正人						エントウ マサト			利府							
		103B	3.0	1.6	8.5	8.5	8.5	8.0	7.5	7.5		40.00	=1	40.00	=1		552.85	
		201B	3.0	1.8	7.0	7.0	7.0	8.0	6.5	6.5		37.80	=8	77.80	4	3.90		
		301B	3.0	1.9	7.5	6.5	7.0	7.0	7.0	7.0		39.90	=5	117.70	5	6.40		
		403B	3.0	2.1	7.0	8.0	7.5	8.0	7.5	7.5		48.30	5	166.00	4	7.45		
		5132D	3.0	2.1	7.0	7.5	8.0	7.5	7.5	7.5	2.0	34.65	12	200.65	6	21.75		
		205B	3.0	3.0	6.5	7.5	7.0	6.5	7.0	7.0		61.50	=3	262.15	6	28.45		
		305B	3.0	3.0	6.5	7.0	6.0	7.5	7.5	7.5		63.00	=1	325.15	5	25.45		
		5335D	3.0	2.9	6.5	6.0	6.5	7.0	6.5	6.5		56.55	7	381.70	5	22.90		
		107B	3.0	3.1	6.0	5.0	5.5	5.5	5.5	5.5		51.15	8	432.85	6	21.05		
		405B	3.0	3.0	7.0	7.5	6.0	6.5	6.5	6.5		60.00	4	492.85	5	26.45		
		5152B	3.0	3.0	6.0	7.0	6.5	7.0	6.5	6.5		60.00	3	552.85	3	24.95		
3	4	崎戸 史也						サキト フミヤ			佐賀商業							
		103B	3.0	1.6	7.0	7.5	7.5	7.0	7.0	7.0		34.40	=5	34.40	=5	5.60	552.20	
		201B	3.0	1.8	8.0	7.5	8.0	8.5	8.5	8.5		44.10	=1	78.50	3	3.20		
		301B	3.0	1.9	8.0	8.0	8.0	7.5	8.5	8.5		45.60	1	124.10	1			
		403B	3.0	2.1	7.0	8.0	8.0	8.0	7.5	7.5		49.35	=3	173.45	1			
		5132D	3.0	2.1	7.0	6.0	6.0	6.0	7.0	7.0		39.90	10	213.35	5	9.05		
		405B	3.0	3.0	6.5	6.5	6.5	7.5	7.5	7.5		61.50	=3	274.85	3	15.75		
		107B	3.0	3.1	5.0	5.0	5.0	4.5	4.0	4.0		44.95	9	319.80	6	30.80		
		205B	3.0	3.0	7.0	6.5	7.0	7.0	7.5	7.5		63.00	3	382.80	4	21.80		
		305C	3.0	2.8	5.0	5.5	6.0	5.5	5.5	5.5		46.20	9	429.00	7	24.90		
		5152B	3.0	3.0	6.5	7.0	7.5	7.0	7.0	7.0		63.00	3	492.00	6	27.30		
		5235D	3.0	2.8	6.5	7.0	7.5	7.0	7.5	7.5		60.20	2	552.20	4	25.60		
5	5	佐藤 竜馬						サトリ ヨウマ			富士東							
		103B	3.0	1.6	7.5	7.0	7.0	7.0	7.5	7.5		34.40	=5	34.40	=5	5.60	551.20	
		201B	3.0	1.8	8.0	8.0	8.0	7.5	7.5	7.5		42.30	3	76.70	5	5.00		
		301B	3.0	1.9	5.5	5.5	6.0	6.0	6.0	6.0		33.25	12	109.95	8	14.15		
		403B	3.0	2.1	8.0	7.0	7.0	7.5	7.0	7.0		45.15	8	155.10	8	18.35		
		5331D	3.0	2.1	7.0	7.0	7.0	6.5	7.0	7.0		44.10	=5	199.20	8	23.20		
		107C	3.0	2.8	7.0	7.5	7.5	6.5	7.5	7.5		61.60	2	260.80	7	29.80		
		205B	3.0	3.0	6.0	6.0	6.5	6.0	5.5	5.5		54.00	6	314.80	7	35.80		
		305C	3.0	2.8	7.5	7.5	7.5	8.0	8.0	8.0		64.40	2	379.20	7	25.40		
		405C	3.0	2.7	7.5	7.0	7.5	6.5	7.5	7.5		59.40	1	438.60	4	15.30		
		5335D	3.0	2.9	6.5	7.0	5.5	7.0	6.5	6.5		58.00	5	496.60	4	22.70		
		5235D	3.0	2.8	7.0	6.5	7.0	6.0	6.0	6.0		54.60	=6	551.20	5	26.60		

2013未来をつなぐ北九州総体  
平成25年度全国高等学校総合体育大会

採点詳細

男子 3m 飛板飛込 決勝

開催日 2013/08/18  
福岡県立総合プール

審判長 富 泰 仁

審判団(A) 5Round

審判団(B) 6Round

制限選択飛回数 5回  
自由選択飛回数 6回  
難易率合計 9.5以内  
気温 33.5℃  
水温 30.5℃  
天候 晴れ

機械操作 若林 基  
記録主任 横尾 伸子

1 篠原 邦彦  
2 中島 勝司  
3 河田 正英  
4 都筑 正治  
5 湯浅よしの

1 春日喜美子  
2 畑岡 寿  
3 寺田扶美鹿  
4 品川 闊文  
5 西川 弘恵

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
11	6	大塚 千誠									浜松修学舎								
		103B	3.0	1.6	8.0	7.5	7.5	7.5	8.0			36.80	4	36.80	4	3.20		544.25	
		201B	3.0	1.8	8.0	7.0	7.0	7.5	7.5			39.60	=5	76.40	6	5.30			
		301B	3.0	1.9	7.5	7.5	7.5	7.0	7.5			42.75	3	119.15	4	4.95			
		403B	3.0	2.1	7.0	7.5	7.0	7.5	7.5			46.20	=6	165.35	6	8.10			
		5132D	3.0	2.1	7.5	8.5	8.0	8.0	8.0			50.40	=2	215.75	4	6.65			
		105B	3.0	2.4	8.0	8.0	8.0	7.5	7.5			56.40	7	272.15	4	18.45			
		5152B	3.0	3.0	7.0	7.0	7.0	7.0	7.5			63.00	=1	335.15	2	15.45			
		405C	3.0	2.7	6.5	7.0	7.0	7.0	7.5			56.70	6	391.85	3	12.75			
		107B	3.0	3.1	6.5	6.0	6.0	6.0	6.0			55.80	4	447.65	3	6.25			
		205B	3.0	3.0	5.0	5.0	4.0	4.5	4.5			42.00	11	489.65	7	29.65			
		305C	3.0	2.8	7.0	6.5	6.5	6.5	6.5			54.60	=6	544.25	6	33.55			
10	7	荒木 宥図									帝京長岡								
		103B	3.0	1.6	6.5	6.5	7.5	6.5	6.5			31.20	11	31.20	11	8.80			542.15
		201B	3.0	1.8	6.5	7.5	7.5	7.0	8.0			39.60	=5	70.80	9	10.90			
		301B	3.0	1.9	7.5	8.0	8.0	8.0	7.5			44.65	2	115.45	6	8.65			
		403B	3.0	2.1	8.0	8.0	8.0	8.0	8.0			50.40	=1	165.85	5	7.60			
		5132D	3.0	2.1	7.5	9.0	8.5	8.5	8.5			53.55	1	219.40	3	3.00			
		105B	3.0	2.4	6.0	7.0	7.5	5.5	7.5			49.20	11	268.60	5	22.00			
		205B	3.0	3.0	6.0	6.5	7.5	6.5	7.0			60.00	=4	328.60	4	22.00			
		305C	3.0	2.8	7.0	6.0	6.5	6.0	6.0			51.80	=9	380.40	6	24.20			
		405C	3.0	2.7	7.5	7.0	6.5	7.0	7.5			58.05	3	438.45	5	15.45			
		5152B	3.0	3.0	7.0	8.0	7.5	7.5	6.5			66.00	2	504.45	2	14.85			
		5335D	3.0	2.9	4.0	5.5	3.0	4.5	4.5			37.70	12	542.15	7	35.65			
7	8	岡本 宗									宇都宮南								
		103B	3.0	1.6	7.0	6.0	6.0	6.0	6.0			28.80	12	28.80	12	11.20		528.30	
		201B	3.0	1.8	7.0	6.5	6.5	7.0	7.0			36.90	10	65.70	10	16.00			
		301B	3.0	1.9	6.5	6.0	6.0	6.5	6.0			35.15	11	100.85	11	23.25			
		403B	3.0	2.1	7.0	7.0	7.0	7.0	7.5			44.10	=9	144.95	11	28.50			
		5132D	3.0	2.1	7.0	6.5	7.0	8.0	7.0			44.10	=5	189.05	11	33.35			
		205B	3.0	3.0	6.5	7.0	7.0	6.5	7.0			61.50	=3	250.55	9	40.05			
		305B	3.0	3.0	6.5	7.0	5.0	7.0	7.0			61.50	3	312.05	8	38.55			
		5152B	3.0	3.0	7.0	6.5	7.5	6.5	4.5			60.00	4	372.05	8	32.55			
		107B	3.0	3.1	6.5	6.0	5.5	5.5	6.0			54.25	5	426.30	8	27.60			
		405B	3.0	3.0	6.0	5.5	6.0	5.5	5.5			51.00	8	477.30	8	42.00			
		5154B	3.0	3.4	5.0	5.5	4.5	5.0	5.0			51.00	9	528.30	8	49.50			
1	9	大久保 柊									土浦日本大学								
		103B	3.0	1.6	7.0	6.5	7.0	6.5	5.5			32.00	=9	32.00	=9	8.00			499.10
		201B	3.0	1.8	6.5	5.5	5.5	6.0	6.0			31.50	11	63.50	11	18.20			
		301B	3.0	1.9	7.0	7.5	7.0	6.5	7.0			39.90	=5	103.40	10	20.70			
		403B	3.0	2.1	7.0	6.5	7.0	7.0	6.0			43.05	11	146.45	10	27.00			
		5132D	3.0	2.1	6.5	7.5	7.0	6.5	7.0			43.05	9	189.50	10	32.90			
		105B	3.0	2.4	6.5	7.0	7.5	6.5	7.5			50.40	=9	239.90	11	50.70			
		205C	3.0	2.8	5.5	6.0	6.0	5.5	5.5			47.60	8	287.50	10	63.10			
		305C	3.0	2.8	6.5	6.0	7.0	6.0	5.0			51.80	=9	339.30	9	65.30			
		405C	3.0	2.7	6.5	6.0	7.0	6.5	7.0			54.00	6	393.30	9	60.60			
		5152B	3.0	3.0	6.0	6.0	6.5	5.5	6.0			54.00	7	447.30	9	72.00			
		107C	3.0	2.8	5.5	6.5	6.5	6.0	6.0			51.80	8	499.10	9	78.70			
4	10	野口 基勝									佐賀商業								
		103B	3.0	1.6	7.0	7.0	7.0	6.5	6.5			32.80	8	32.80	8	7.20		484.60	
		201B	3.0	1.8	7.5	7.0	7.0	7.5	7.0			38.70	7	71.50	7	10.20			
		301B	3.0	1.9	7.0	6.5	6.5	6.0	6.5			37.05	10	108.55	9	15.55			
		403B	3.0	2.1	7.5	7.0	7.0	7.5	7.5			46.20	=6	154.75	9	18.70			
		5132D	3.0	2.1	7.0	7.0	7.0	7.0	7.0			44.10	=5	198.85	9	23.55			
		105B	3.0	2.4	7.5	7.0	7.5	7.5	7.0			52.80	8	251.65	8	38.95			
		205C	3.0	2.8	5.0	4.5	5.5	5.0	5.0			42.00	=10	293.65	9	56.95			
		305C	3.0	2.8	5.5	4.5	4.0	5.0	5.5			42.00	12	335.65	10	68.95			
		405C	3.0	2.7	5.0	5.0	4.5	4.0	4.5			37.80	12	373.45	11	80.45			
		5235D	3.0	2.8	7.0	6.0	6.0	6.5	7.5			54.60	6	428.05	11	91.25			
		5335D	3.0	2.9	6.0	6.5	6.0	7.0	7.0			56.55	5	484.60	10	93.20			

2013未来をつなぐ北九州総体  
平成25年度全国高等学校総合体育大会

採点詳細

男子 3m 飛板飛込 決勝

開催日 2013/08/18  
福岡県立総合プール

審判長 富 泰 仁

審判団(A) 5Round

審判団(B) 6Round

制限選択飛回数 5回  
自由選択飛回数 6回  
難易率合計 9.5以内  
気温 33.5℃  
水温 30.5℃  
天候 晴れ

機械操作 若林 基  
記録主任 横尾 伸子

1 篠原 邦彦  
2 中島 勝司  
3 河田 正英  
4 都筑 正治  
5 湯浅よしの

1 春日喜美子  
2 畑岡 寿  
3 寺田扶美鹿  
4 品川 闊文  
5 西川 弘恵

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
6	11	笠井 貴史					カ	イ	カ	シ	長岡大手							
		103B	3.0	1.6	7.0	7.5	7.0	6.5	7.0			33.60	7	33.60	7	6.40		476.95
		201B	3.0	1.8	7.0	7.5	7.0	7.0	7.0			37.80	=8	71.40	8	10.30		
		301B	3.0	1.9	6.5	7.0	7.0	7.0	7.0			39.90	=5	111.30	7	12.80		
		403B	3.0	2.1	7.0	7.0	7.0	7.0	7.0			44.10	=9	155.40	7	18.05		
		5132D	3.0	2.1	7.0	7.0	7.0	7.0	7.5			44.10	=5	199.50	7	22.90		
		105B	3.0	2.4	7.0	7.0	7.5	7.0	7.0			50.40	=9	249.90	10	40.70		
		107C	3.0	2.8	3.0	2.5	3.0	3.5	2.0			23.80	12	273.70	11	76.90		
		205C	3.0	2.8	7.0	6.5	7.0	6.5	7.5			57.40	5	331.10	11	73.50		
		305C	3.0	2.8	6.0	6.0	6.0	6.5	6.5			51.80	7	382.90	10	71.00		
		405C	3.0	2.7	5.5	6.0	6.0	5.5	6.0			47.25	10	430.15	10	89.15		
		5233D	3.0	2.4	7.0	6.5	6.5	6.5	6.5			46.80	11	476.95	11	100.85		
2	12	水間 誠人					ミ	ス	マ	ア	埼玉栄							
		103B	3.0	1.6	7.0	6.5	6.5	6.5	7.0			32.00	=9	32.00	=9	8.00		443.75
		5132D	3.0	2.1	5.0	3.5	4.0	4.0	5.0			27.30	12	59.30	12	22.40		
		403B	3.0	2.1	6.0	5.5	6.5	6.0	6.5			38.85	9	98.15	12	25.95		
		301B	3.0	1.9	7.0	7.0	7.0	7.0	7.0			39.90	12	138.05	12	35.40		
		201B	3.0	1.8	6.5	5.5	6.5	6.5	6.5			35.10	11	173.15	12	49.25		
		5233D	3.0	2.4	7.0	6.0	6.5	7.0	6.0			46.80	12	219.95	12	70.65		
		107C	3.0	2.8	6.0	5.0	5.0	5.0	5.0			42.00	=10	261.95	12	88.65		
		405C	3.0	2.7	6.5	5.5	5.5	6.5	6.0			48.60	11	310.55	12	94.05		
		305C	3.0	2.8	4.5	5.0	5.5	5.0	5.0			42.00	11	352.55	12	101.35		
		105B	3.0	2.4	6.0	5.5	5.5	5.5	6.0			40.80	12	393.35	12	125.95		
		205C	3.0	2.8	6.0	6.0	7.0	5.5	6.0			50.40	10	443.75	12	134.05		