

2013未来をつなぐ北九州総体
平成25年度全国高等学校総合体育大会

採点詳細

女子 3m 飛板飛込 決勝

開催日 2013/08/19

福岡県立総合プール

審判長 高橋 亜紀

審判団(A) 5Round

審判団(B) 5Round

制限選択飛回数 5回

自由選択飛回数 5回

難易率合計 9.5以内

気温 33.0℃

水温 30.5℃

天候 晴れ

機械操作 若林 基

記録主任 横尾 伸子

1 品川 闊文

2 湯浅 よしの

3 春日喜美子

4 増岡 啓彰

5 西川 弘恵

1 畑岡 寿

2 都築 正治

3 中島 勝司

4 篠原 邦彦

5 河田 正英

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	1	榎本 遼香						エノト ハルカ			作新学院							
		103B	3.0	1.6	8.0	8.5	8.5	8.0	8.0			39.20	2	39.20	2	3.85	510.05	
		201B	3.0	1.8	8.5	8.0	8.0	9.0	8.5			45.00	1	84.20	1			
		301B	3.0	1.9	8.0	8.0	7.5	8.0	7.0			44.65	2	128.85	1			
		403B	3.0	2.1	7.5	7.5	8.5	8.5	7.5			49.35	1	178.20	1			
		5231D	3.0	2.0	7.5	8.0	7.0	7.0	7.0			43.00	6	221.20	1			
		105B	3.0	2.4	7.0	7.5	7.0	7.0	7.5			51.60	=3	272.80	1			
		205B	3.0	3.0	5.5	6.0	5.5	5.5	6.0			51.00	6	323.80	1			
		305C	3.0	2.8	8.5	8.0	8.0	8.5	9.0			70.00	1	393.80	1			
		405C	3.0	2.7	7.5	7.5	7.5	7.5	7.5			60.75	1	454.55	1			
		5152B	3.0	3.0	6.5	6.5	5.5	6.0	6.0			55.50	2	510.05	1			
10	2	坂井 莉那						カイリ			相模女子							
		103B	3.0	1.6	8.0	7.5	8.0	8.0	7.5			37.60	4	37.60	4	5.45	473.40	
		201A	3.0	1.9	7.5	8.0	7.5	7.0	8.0			43.70	2	81.30	2	2.90		
		301A	3.0	2.0	7.0	7.5	7.5	7.0	8.0			44.00	3	125.30	2	3.55		
		403C	3.0	1.9	7.0	8.0	8.0	7.5	7.5			43.70	5	169.00	2	9.20		
		5231D	3.0	2.0	7.5	7.5	7.5	8.0	8.0			46.00	2	215.00	2	6.20		
		105B	3.0	2.4	7.5	7.5	8.5	7.0	7.5			54.00	=1	269.00	2	3.80		
		5134D	3.0	2.5	7.0	7.5	7.5	7.0	7.0			53.75	3	322.75	2	1.05		
		305C	3.0	2.8	6.5	5.5	5.5	6.5	6.5			51.80	3	374.55	2	19.25		
		405C	3.0	2.7	6.5	6.5	6.5	6.0	7.5			52.65	=6	427.20	2	27.35		
		205C	3.0	2.8	5.5	5.5	5.5	5.5	5.5			46.20	7	473.40	2	36.65		
4	3	宇田 恵理子						ウダ エリコ			米子西							
		103B	3.0	1.6	7.0	7.5	7.0	8.5	7.5			35.20	=6	35.20	=6	7.85	462.25	
		5132D	3.0	2.1	6.5	7.0	6.5	7.0	7.0			43.05	=3	78.25	4	5.95		
		201B	3.0	1.8	7.5	7.0	7.0	8.0	8.0			40.50	8	118.75	5	10.10		
		301B	3.0	1.9	7.0	6.5	7.0	7.0	7.5			39.90	8	158.65	6	19.55		
		403B	3.0	2.1	7.0	7.5	7.5	8.5	8.0			48.30	1	206.95	3	14.25		
		105B	3.0	2.4	6.5	6.5	7.0	7.0	6.5			48.00	6	254.95	4	17.85		
		205C	3.0	2.8	6.5	6.5	7.0	6.5	8.0			56.00	2	310.95	4	12.85		
		303B	3.0	2.3	6.5	8.0	6.5	7.0	8.0			49.45	5	360.40	3	33.40		
		405C	3.0	2.7	6.5	6.5	6.5	6.0	6.5			52.65	=6	413.05	3	41.50		
		5233D	3.0	2.4	6.0	7.0	7.0	7.0	6.5			49.20	4	462.25	3	47.80		
8	4	寺岡 双葉						テラカ フタバ			福山葦陽							
		103B	3.0	1.6	7.0	7.5	7.5	7.5	7.5			36.00	5	36.00	5	7.05	460.55	
		5132D	3.0	2.1	6.5	7.0	7.0	6.5	7.0			43.05	=3	79.05	3	5.15		
		301B	3.0	1.9	7.5	7.0	7.5	7.0	8.0			41.80	7	120.85	4	8.00		
		201B	3.0	1.8	7.5	7.5	7.5	7.0	7.5			40.50	7	161.35	4	16.85		
		403B	3.0	2.1	6.5	7.0	7.0	7.0	7.5			44.10	4	205.45	5	15.75		
		105B	3.0	2.4	7.5	7.0	7.5	7.5	8.0			54.00	=1	259.45	3	13.35		
		305C	3.0	2.8	7.0	6.5	7.0	7.0	8.0			58.80	1	318.25	3	5.55		
		5335D	3.0	2.9	5.5	4.0	4.5	3.5	4.5			37.70	9	355.95	5	37.85		
		205C	3.0	2.8	6.5	6.5	7.0	6.0	7.0			56.00	3	411.95	4	42.60		
		405C	3.0	2.7	6.0	6.0	6.0	6.0	6.5			48.60	5	460.55	4	49.50		
9	5	森澤 育美						モリサ イミ			高知商業							
		103B	3.0	1.6	7.5	7.5	7.0	7.0	7.5			35.20	=6	35.20	=6	7.85	439.00	
		201B	3.0	1.8	6.0	7.0	6.5	7.0	7.5			36.90	6	72.10	6	12.10		
		301B	3.0	1.9	6.5	6.5	7.5	6.0	6.0			36.10	11	108.20	8	20.65		
		403B	3.0	2.1	7.0	7.5	7.0	7.5	6.5			45.15	=3	153.35	8	24.85		
		5132D	3.0	2.1	7.0	7.0	7.0	6.5	6.5			43.05	5	196.40	7	24.80		
		105B	3.0	2.4	6.5	7.0	7.5	6.5	7.0			49.20	5	245.60	7	27.20		
		205C	3.0	2.8	5.5	4.5	4.0	5.0	4.5			39.20	11	284.80	8	39.00		
		305C	3.0	2.8	6.0	6.0	5.0	6.0	6.5			50.40	4	335.20	6	58.60		
		405C	3.0	2.7	7.0	7.5	7.5	7.0	7.5			59.40	2	394.60	6	59.95		
		5233D	3.0	2.4	6.0	6.5	6.0	6.0	7.0			44.40	10	439.00	5	71.05		

2013未来をつなぐ北九州総体
平成25年度全国高等学校総合体育大会

採点詳細

女子 3m 飛板飛込 決勝

開催日 2013/08/19

福岡県立総合プール

審判長 高橋 亜紀

審判団(A) 5Round

審判団(B) 5Round

制限選択飛回数 5回

自由選択飛回数 5回

難易率合計 9.5以内

気温 33.0℃

水温 30.5℃

天候 晴れ

機械操作 若林 基

記録主任 横尾 伸子

1 品川 闊文

2 湯浅 よしの

3 春日 喜美子

4 増岡 啓彰

5 西川 弘恵

1 畑岡 寿

2 都築 正治

3 中島 勝司

4 篠原 邦彦

5 河田 正英

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
11	6	屋田 真寿						オクタ シンジュ			私立甲子園							
		401B	3.0	1.4	7.5	7.5	7.5	7.5	7.5	8.0		31.50	10	31.50	10	11.55		438.30
		103B	3.0	1.6	7.0	7.0	8.0	7.0	7.0	7.5		34.40	7	65.90	10	18.30		
		5132D	3.0	2.1	6.0	7.0	6.0	5.5	6.0	6.0		37.80	=9	103.70	10	25.15		
		201B	3.0	1.8	8.0	8.0	8.0	8.5	8.0	8.0		43.20	6	146.90	9	31.30		
		301B	3.0	1.9	7.0	7.5	7.5	6.5	7.5	7.5		41.80	=7	188.70	9	32.50		
		403B	3.0	2.1	7.0	8.0	7.5	7.5	7.0	7.0		46.20	7	234.90	=8	37.90		
		105B	3.0	2.4	7.0	7.5	7.5	7.5	7.0	7.0		52.80	4	287.70	7	36.10		
		5134D	3.0	2.5	6.0	4.5	5.5	4.5	6.0	6.0		40.00	7	327.70	8	66.10		
		205C	3.0	2.8	6.5	6.0	6.5	7.0	6.5	6.5		54.60	5	382.30	7	72.25		
		305C	3.0	2.8	7.0	7.0	6.5	6.5	6.5	6.5		56.00	1	438.30	6	71.75		
6	7	中野 あかり						ナカノ アカリ			大阪偕星学園							
		403B	3.0	2.1	6.5	7.0	7.0	7.0	7.0	6.5		43.05	1	43.05	1			436.70
		103B	3.0	1.6	7.0	7.0	6.5	8.5	7.0	7.0		33.60	8	76.65	5	7.55		
		5132D	3.0	2.1	7.0	7.5	7.0	7.5	7.0	7.0		45.15	1	121.80	3	7.05		
		201B	3.0	1.8	7.5	7.0	8.0	7.0	7.5	7.5		39.60	9	161.40	3	16.80		
		301B	3.0	1.9	7.0	7.5	7.5	7.0	7.5	7.5		41.80	=7	203.20	6	18.00		
		105B	3.0	2.4	7.0	7.0	8.0	7.5	7.0	7.0		51.60	=3	254.80	5	18.00		
		405C	3.0	2.7	6.0	6.5	5.5	5.5	6.0	6.0		47.25	8	302.05	5	21.75		
		5134D	3.0	2.5	7.5	7.5	7.5	7.0	8.0	8.0		56.25	2	358.30	4	35.50		
		205C	3.0	2.8	4.5	5.5	5.5	5.0	4.5	4.5		42.00	10	400.30	5	54.25		
		305C	3.0	2.8	4.5	4.0	4.5	4.5	4.0	4.0		36.40	12	436.70	7	73.35		
7	8	日高 麻美						ヒダカ マミ			別府青山							
		103B	3.0	1.6	7.0	7.0	7.0	7.5	7.0	7.0		33.60	=8	33.60	=8	9.45		408.25
		201B	3.0	1.8	7.5	6.5	6.5	7.0	7.5	7.5		37.80	5	71.40	7	12.80		
		301B	3.0	1.9	7.5	7.5	8.0	7.5	8.0	8.0		43.70	4	115.10	6	13.75		
		403B	3.0	2.1	7.0	7.0	7.5	7.5	8.0	8.0		46.20	2	161.30	5	16.90		
		5132D	3.0	2.1	7.0	7.0	7.0	7.5	7.5	7.5		45.15	3	206.45	4	14.75		
		5233D	3.0	2.4	6.0	7.0	6.5	5.5	6.5	6.5		45.60	8	252.05	6	20.75		
		105B	3.0	2.4	6.0	7.0	6.5	7.0	7.5	7.5		49.20	7	301.25	6	22.55		
		205C	3.0	2.8	3.5	3.0	3.0	3.5	3.0	3.0		26.60	10	327.85	7	65.95		
		303B	3.0	2.3	5.0	5.0	5.0	5.0	4.5	4.5		34.50	12	362.35	8	92.20		
		405C	3.0	2.7	5.0	6.0	6.0	5.5	5.5	5.5		45.90	8	408.25	8	101.80		
5	9	仁儀 香菜子						ニギキ カナコ			宝塚							
		401B	3.0	1.4	6.5	6.5	6.5	6.5	7.0	7.0		27.30	=11	27.30	=11	15.75		397.90
		103B	3.0	1.6	6.0	5.5	6.0	6.0	6.0	6.0		28.80	12	56.10	12	28.10		
		5132D	3.0	2.1	6.5	7.5	6.0	6.5	7.5	7.5		43.05	5	99.15	11	29.70		
		201B	3.0	1.8	6.0	6.5	6.0	5.5	6.0	6.0		32.40	11	131.55	11	46.65		
		301B	3.0	1.9	6.5	7.0	6.0	6.5	7.5	7.5		38.00	=9	169.55	11	51.65		
		403B	3.0	2.1	5.5	5.5	5.5	6.5	6.5	6.5		36.75	12	206.30	11	66.50		
		105B	3.0	2.4	7.5	6.5	6.0	7.5	7.5	7.5		51.60	5	257.90	10	65.90		
		5233D	3.0	2.4	6.0	6.0	6.0	5.5	5.5	5.5		42.00	6	299.90	9	93.90		
		205C	3.0	2.8	5.5	5.5	6.0	5.5	5.5	5.5		46.20	8	346.10	10	108.45		
		305C	3.0	2.8	6.0	6.0	6.5	6.5	6.0	6.0		51.80	3	397.90	9	112.15		
3	10	横山 光						ヨコヤマ ヒカリ			金沢錦丘							
		103B	3.0	1.6	6.5	6.5	7.5	7.5	7.0	7.0		33.60	=8	33.60	=8	9.45		397.05
		201B	3.0	1.8	6.5	6.0	6.0	6.0	6.0	6.0		32.40	9	66.00	9	18.20		
		301B	3.0	1.9	7.5	7.5	7.5	8.0	7.0	7.0		42.75	6	108.75	7	20.10		
		403B	3.0	2.1	6.5	7.5	7.0	7.0	7.5	7.5		45.15	=3	153.90	7	24.30		
		5132D	3.0	2.1	6.0	6.5	6.0	6.0	6.0	6.0		37.80	=11	191.70	8	29.50		
		105B	3.0	2.4	5.5	6.0	6.0	6.0	6.0	6.0		43.20	10	234.90	=8	37.90		
		205C	3.0	2.8	5.5	5.5	5.5	5.0	5.5	5.5		46.20	9	281.10	9	42.70		
		303B	3.0	2.3	2.0	2.5	2.0	2.0	2.0	2.0		13.80	12	294.90	11	98.90		
		405C	3.0	2.7	6.5	7.0	7.5	6.5	7.0	7.0		55.35	4	350.25	9	104.30		
		5233D	3.0	2.4	5.5	6.5	6.5	6.5	6.5	6.5		46.80	6	397.05	10	113.00		

2013未来をつなぐ北九州総体
平成25年度全国高等学校総合体育大会

採点詳細

女子 3m 飛板飛込 決勝

開催日 2013/08/19

福岡県立総合プール

審判長 高橋 亜紀

審判団(A) 5Round

審判団(B) 5Round

制限選択飛回数 5回

自由選択飛回数 5回

難易率合計 9.5以内

気温 33.0℃

水温 30.5℃

天候 晴れ

機械操作 若林 基

記録主任 横尾 伸子

1 品川 闊文

2 湯浅 よしの

3 春日喜美子

4 増岡 啓彰

5 西川 弘恵

1 畑岡 寿

2 都築 正治

3 中島 勝司

4 篠原 邦彦

5 河田 正英

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
1	11	上山 夏澄					ウヤマ	カスミ			三田学園								
		403B	3.0	2.1	6.0	6.5	6.0	6.5	6.0	6.0		38.85	3	38.85	3	4.20		385.30	
		103B	3.0	1.6	6.5	6.0	6.5	6.0	6.0	6.0		29.60	11	68.45	8	15.75			
		201B	3.0	1.8	7.0	6.5	7.0	7.0	7.0	7.5		37.80	=9	106.25	9	22.60			
		301B	3.0	1.9	5.5	5.0	5.5	4.5	5.5	5.5		30.40	12	136.65	10	41.55			
		5231D	3.0	2.0	6.5	6.5	6.0	6.5	5.5	5.5		38.00	=9	174.65	10	46.55			
		105B	3.0	2.4	6.0	6.0	6.0	6.5	6.5	6.5		44.40	9	219.05	10	53.75			
		405C	3.0	2.7	4.5	4.5	4.5	5.0	5.0	5.0		37.80	12	256.85	11	66.95			
		5132D	3.0	2.1	6.5	6.5	6.0	6.0	6.0	6.0		38.85	8	295.70	10	98.10			
		205C	3.0	2.8	5.0	6.0	5.5	5.0	5.5	5.5		44.80	9	340.50	11	114.05			
		305C	3.0	2.8	5.5	5.5	5.0	5.5	4.5	4.5		44.80	9	385.30	11	124.75			
2	12	中谷 みゆ					カニ	ユ			宇美商業								
		401B	3.0	1.4	6.5	7.0	6.5	6.5	6.5	6.5		27.30	=11	27.30	=11	15.75		353.40	
		103B	3.0	1.6	6.0	7.0	7.0	6.0	6.5	6.5		31.20	10	58.50	11	25.70			
		201B	3.0	1.8	6.0	6.0	6.0	6.5	6.0	6.0		32.40	12	90.90	12	37.95			
		301B	3.0	1.9	6.5	7.0	6.0	6.5	7.0	7.0		38.00	10	128.90	12	49.30			
		5132D	3.0	2.1	6.0	6.5	6.0	5.5	6.0	6.0		37.80	=11	166.70	12	54.50			
		403B	3.0	2.1	6.0	5.5	6.0	6.0	6.5	6.5		37.80	11	204.50	12	68.30			
		105B	3.0	2.4	6.0	6.0	6.5	6.0	6.0	6.0		43.20	10	247.70	12	76.10			
		303B	3.0	2.3	4.0	4.0	3.5	3.5	3.5	3.5		25.30	11	273.00	12	120.80			
		203A	3.0	2.4	5.5	5.5	6.0	6.0	5.5	5.5		40.80	11	313.80	12	140.75			
		5233D	3.0	2.4	5.0	5.5	5.5	5.5	6.0	6.0		39.60	11	353.40	12	156.65			