

第36回全国JOCジュニアオリンピックカップ
夏季水泳競技大会 飛込競技

採点詳細

男子 1m 飛板飛込 決勝

12-13

開催日 2013/08/28

大阪プール

審判長 山崎 雅夫

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.2℃

水温 30.7℃

天候 晴れ

機械操作 久保田 廣

記録主任 木綿 薫

1 内藤 直樹

2 坂井 由美子

3 駒谷 善吾

4 鈴木 義孝

5 柴田 哲治

1 安田 千万樹

2 今村 よし恵

3 山本 孝

4 荒木 一美

5 河田 正英

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
23	1	西田 玲雄						ニシダ	レオ		大阪水泳学校							
		103B	1.0	1.7	6.5	8.0	8.0	8.0	7.5	7.0			38.25	=2	38.25	=2	3.40	313.05
		201A	1.0	1.7	8.5	7.5	8.0	9.0	8.5				42.50	1	80.75	1		
		301C	1.0	1.6	7.5	7.0	7.0	8.0	7.0				34.40	7	115.15	2	0.65	
		5132D	1.0	2.2	7.5	7.0	6.0	8.5	8.0				49.50	1	164.65	1		
		105B	1.0	2.6	6.0	6.5	6.5	7.0	7.0				52.00	1	216.65	1		
		203B	1.0	2.3	6.0	6.5	7.5	7.0	6.5				46.00	2	262.65	1		
		403B	1.0	2.4	7.5	6.5	7.0	7.0	7.0				50.40	2	313.05	1		
22	2	中 秀太郎						ナカ	シュウタロウ		石川DC							
		101B	1.0	1.3	8.0	8.0	8.0	7.0	7.0				29.90	17	29.90	17	11.75	288.50
		201B	1.0	1.6	7.5	7.5	6.5	8.0	8.0				36.80	3	66.70	8	14.05	
		301B	1.0	1.7	9.0	8.5	8.5	8.5	8.5				43.35	1	110.05	3	5.75	
		403B	1.0	2.4	6.0	7.0	5.5	7.0	6.0				45.60	2	155.65	2	9.00	
		105B	1.0	2.6	3.5	4.5	4.5	4.5	4.5				35.10	14	190.75	2	25.90	
		203B	1.0	2.3	6.0	6.0	6.5	7.0	5.5				42.55	5	233.30	3	29.35	
		303B	1.0	2.4	8.0	8.0	6.5	7.0	8.0				55.20	1	288.50	2	24.55	
18	3	中川 虎太郎						ナカガ	リウタロウ		石川DC							
		103B	1.0	1.7	8.5	8.0	7.5	8.5	8.0				41.65	1	41.65	1		279.80
		201B	1.0	1.6	6.5	6.0	6.0	6.5	6.0				29.60	13	71.25	=3	9.50	
		301B	1.0	1.7	6.5	6.5	7.0	7.5	6.5				34.00	=8	105.25	4	10.55	
		5132D	1.0	2.2	5.5	5.5	6.0	5.5	6.0				37.40	=10	142.65	5	22.00	
		105B	1.0	2.6	6.5	6.0	5.0	5.5	6.0				45.50	3	188.15	4	28.50	
		203B	1.0	2.3	7.5	6.5	6.5	6.5	6.5				44.85	=3	233.00	4	29.65	
		403B	1.0	2.4	7.0	6.0	5.5	6.5	7.0				46.80	4	279.80	3	33.25	
21	4	松本 慧						マツモト	ケイ		米沢DC							
		103B	1.0	1.7	7.5	7.0	6.5	6.5	6.5				34.00	=9	34.00	=9	7.65	279.10
		201B	1.0	1.6	8.0	7.0	7.5	8.0	7.0				36.00	=4	70.00	5	10.75	
		401B	1.0	1.5	7.0	7.0	8.0	8.0	7.0				33.00	11	103.00	6	12.80	
		5132D	1.0	2.2	6.0	6.0	5.0	6.0	6.5				39.60	=6	142.60	6	22.05	
		105B	1.0	2.6	5.5	4.5	4.5	5.5	5.5				40.30	6	182.90	6	33.75	
		203B	1.0	2.3	7.0	7.5	7.0	7.5	7.5				50.60	1	233.50	2	29.15	
		403B	1.0	2.4	7.5	6.0	6.5	5.5	6.5				45.60	5	279.10	4	33.95	
19	5	遠藤 拓人						エンドウ	タクト		宮城DC							
		401B	1.0	1.5	8.0	7.5	7.0	7.5	7.5				33.75	11	33.75	11	7.90	277.00
		103B	1.0	1.7	6.5	6.0	6.0	7.0	6.5				32.30	10	66.05	9	14.70	
		201B	1.0	1.6	8.0	7.0	7.5	8.0	8.0				37.60	3	103.65	5	12.15	
		303C	1.0	2.1	7.0	6.5	6.5	7.0	6.0				42.00	4	145.65	4	19.00	
		203B	1.0	2.3	6.0	6.5	6.0	6.5	6.0				42.55	4	188.20	3	28.45	
		105C	1.0	2.4	5.0	6.0	5.0	5.5	6.0				39.60	8	227.80	5	34.85	
		403B	1.0	2.4	7.0	7.0	6.5	6.5	7.5				49.20	3	277.00	5	36.05	

第36回全国JOCジュニアオリンピックカップ
夏季水泳競技大会 飛込競技

採点詳細

男子 1m 飛板飛込 決勝

12-13

開催日 2013/08/28

大阪プール

審判長 山崎 雅夫

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.2℃

水温 30.7℃

天候 晴れ

機械操作 久保田 廣

記録主任 木綿 薫

1 内藤 直樹

2 坂井 由美子

3 駒谷 善吾

4 鈴木 義孝

5 柴田 哲治

1 安田 千万樹

2 今村 よし恵

3 山本 孝

4 荒木 一美

5 河田 正英

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
8	6	赤間 郁						アカマ カオル			KANETO DC							
		103B	1.0	1.7	6.0	6.0	5.5	6.0	6.0			30.60	=14	30.60	=14	11.05		253.80
		201B	1.0	1.6	7.0	6.0	7.5	6.0	7.5			32.80	=7	63.40	12	17.35		
		301B	1.0	1.7	7.0	7.0	7.0	7.5	7.5			36.55	4	99.95	10	15.85		
		403C	1.0	2.2	5.5	5.0	5.5	6.0	7.0			37.40	=10	137.35	9	27.30		
		104C	1.0	2.2	5.5	6.5	6.0	5.5	5.5			37.40	11	174.75	10	41.90		
		203C	1.0	2.0	6.0	6.5	6.0	6.0	5.5			36.00	13	210.75	9	51.90		
		303C	1.0	2.1	6.5	7.0	7.0	6.5	7.5			43.05	6	253.80	6	59.25		
17	7	山田 周汰						ヤマダ シュウタ			佐鳴台中学校							
		401B	1.0	1.5	7.5	7.5	8.0	8.0	8.0			35.25	7	35.25	7	6.40		252.90
		201B	1.0	1.6	7.5	7.5	7.5	8.0	7.0			36.00	=4	71.25	=3	9.50		
		301B	1.0	1.7	6.5	6.0	6.0	6.0	6.0			30.60	15	101.85	9	13.95		
		104B	1.0	2.3	5.5	6.0	5.5	5.5	6.0			39.10	=8	140.95	7	23.70		
		105C	1.0	2.4	5.5	5.5	5.0	5.5	5.5			39.60	7	180.55	7	36.10		
		203B	1.0	2.3	6.5	6.5	6.5	6.0	6.5			44.85	=3	225.40	6	37.25		
		5132D	1.0	2.2	3.5	4.5	4.0	5.5	4.0			27.50	19	252.90	7	60.15		
20	8	井戸畑 和馬						イトハタ カズマ			大阪水泳学校							
		401B	1.0	1.5	8.0	7.5	8.5	9.0	8.0			36.75	4	36.75	4	4.90		251.40
		103B	1.0	1.7	8.0	7.5	7.5	8.0	7.0			39.10	2	75.85	2	4.90		
		301B	1.0	1.7	8.0	7.5	7.0	8.0	8.0			39.95	2	115.80	1			
		203C	1.0	2.0	6.0	6.0	6.0	6.5	6.0			36.00	12	151.80	3	12.85		
		403B	1.0	2.4	4.5	5.0	5.5	5.5	4.5			36.00	=12	187.80	5	28.85		
		303C	1.0	2.1	3.5	3.5	4.5	4.5	4.0			25.20	22	213.00	7	49.65		
		105C	1.0	2.4	5.0	5.5	5.5	5.5	5.0			38.40	=11	251.40	8	61.65		
13	9	後藤 啓佑						ゴトウ ケイスケ			神辺 S C							
		103B	1.0	1.7	7.0	6.5	7.0	7.0	7.0			35.70	6	35.70	6	5.95		243.00
		201B	1.0	1.6	6.5	7.0	6.0	7.0	7.0			32.80	=7	68.50	6	12.25		
		303C	1.0	2.1	5.5	4.5	5.5	6.0	5.0			33.60	10	102.10	8	13.70		
		401B	1.0	1.5	6.5	5.5	6.0	7.0	6.0			27.75	20	129.85	13	34.80		
		104B	1.0	2.3	5.0	6.5	6.0	5.5	5.5			39.10	=8	168.95	11	47.70		
		203B	1.0	2.3	4.0	5.5	5.0	5.5	5.0			35.65	=14	204.60	11	58.05		
		403B	1.0	2.4	5.5	5.5	4.5	5.0	6.0			38.40	=11	243.00	9	70.05		
9	10	佐々木 健人						ササキ タクト			浜松西高校中等部							
		201B	1.0	1.6	5.5	6.0	6.5	6.0	6.5			29.60	18	29.60	18	12.05		242.85
		301B	1.0	1.7	5.5	7.0	6.0	6.0	6.5			31.45	11	61.05	16	19.70		
		401B	1.0	1.5	6.5	5.0	6.0	7.0	5.5			27.00	21	88.05	18	27.75		
		104B	1.0	2.3	5.0	5.0	5.0	5.5	5.0			34.50	14	122.55	18	42.10		
		105C	1.0	2.4	5.5	4.5	5.0	5.5	5.5			38.40	10	160.95	15	55.70		
		403B	1.0	2.4	5.5	7.5	6.0	4.5	6.0			42.00	6	202.95	13	59.70		
		303C	1.0	2.1	6.0	6.5	7.0	6.5	6.0			39.90	10	242.85	10	70.20		

第36回全国JOCジュニアオリンピックカップ
夏季水泳競技大会 飛込競技

採点詳細

男子 1m 飛板飛込 決勝

12-13

開催日 2013/08/28

大阪プール

審判長 山崎 雅夫

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.2℃

水温 30.7℃

天候 晴れ

機械操作 久保田 廣

記録主任 木綿 薫

1 内藤 直樹

2 坂井 由美子

3 駒谷 善吾

4 鈴木 義孝

5 柴田 哲治

1 安田 千万樹

2 今村 よし恵

3 山本 孝

4 荒木 一美

5 河田 正英

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
5	11	青木 俊輔									ジョイフルAC							
		103B	1.0	1.7	6.5	7.0	6.0	7.0	6.5	6.5		34.00	=9	34.00	=9	7.65		241.00
		201B	1.0	1.6	6.0	7.0	7.0	7.0	7.0	6.5		32.80	=7	66.80	7	13.95		
		301B	1.0	1.7	7.0	7.0	6.5	7.0	7.0	7.0		35.70	=5	102.50	7	13.30		
		401B	1.0	1.5	7.5	7.0	7.0	7.5	7.5	7.0		32.25	17	134.75	10	29.90		
		104B	1.0	2.3	3.5	4.5	4.0	3.5	4.0	4.0		26.45	22	161.20	14	55.45		
		203C	1.0	2.0	6.0	6.0	6.5	6.5	6.5	6.5		38.00	=10	199.20	15	63.45		
		403C	1.0	2.2	6.0	6.5	6.5	6.0	6.5	6.5		41.80	8	241.00	11	72.05		
14	12	高見 青葉									松江DC							
		103B	1.0	1.7	7.5	7.0	7.5	7.5	7.5	7.5		38.25	=2	38.25	=2	3.40		240.75
		201B	1.0	1.6	5.5	5.0	5.5	5.0	5.5	5.5		25.60	=19	63.85	11	16.90		
		303C	1.0	2.1	5.0	5.5	4.5	4.5	5.0	5.0		30.45	16	94.30	14	21.50		
		401B	1.0	1.5	7.0	6.5	6.5	7.5	7.0	7.0		30.75	18	125.05	17	39.60		
		104B	1.0	2.3	6.5	6.0	6.0	5.5	6.0	6.0		41.40	5	166.45	12	50.20		
		203C	1.0	2.0	6.0	6.0	6.5	6.5	6.5	6.5		38.00	=10	204.45	12	58.20		
		403C	1.0	2.2	5.5	5.5	5.5	5.5	6.0	6.0		36.30	15	240.75	12	72.30		
4	13	森淵 海斗									神辺SC							
		103B	1.0	1.7	7.0	6.5	6.5	6.5	6.5	6.5		33.15	12	33.15	12	8.50		237.55
		201B	1.0	1.6	6.0	7.0	6.0	6.0	6.0	6.0		28.80	=15	61.95	13	18.80		
		301B	1.0	1.7	6.0	6.0	6.5	6.5	6.0	6.0		31.45	=13	93.40	16	22.40		
		403C	1.0	2.2	6.0	6.0	6.0	6.0	6.0	6.0		39.60	=6	133.00	=11	31.65		
		105C	1.0	2.4	4.0	3.0	4.0	4.0	4.0	4.0		28.80	20	161.80	13	54.85		
		203C	1.0	2.0	6.5	7.0	6.0	6.0	7.0	7.0		39.00	9	200.80	14	61.85		
		303C	1.0	2.1	6.0	5.0	6.0	5.5	6.5	6.5		36.75	=13	237.55	13	75.50		
7	14	浅田 光									石川DC							
		103B	1.0	1.7	5.5	6.0	5.5	5.5	5.5	5.5		28.05	=19	28.05	=19	13.60		236.40
		201B	1.0	1.6	7.0	7.0	7.0	7.0	6.5	6.5		33.60	6	61.65	14	19.10		
		301B	1.0	1.7	6.5	7.0	7.0	6.5	6.0	6.0		34.00	=8	95.65	12	20.15		
		5132D	1.0	2.2	7.0	6.5	6.0	7.0	7.0	7.0		45.10	3	140.75	8	23.90		
		105C	1.0	2.4	5.0	4.5	5.0	5.0	5.5	5.5		36.00	=12	176.75	9	39.90		
		203B	1.0	2.3	5.0	5.5	5.0	6.5	5.0	5.0		35.65	=14	212.40	8	50.25		
		403B	1.0	2.4	3.5	3.0	4.0	3.5	3.0	3.0		24.00	21	236.40	14	76.65		
16	15	檀野 脩人									スイトピア							
		401B	1.0	1.5	8.0	8.0	7.5	8.0	8.0	8.0		36.00	5	36.00	5	5.65		231.85
		201B	1.0	1.6	4.5	5.5	5.5	5.0	5.5	5.5		25.60	=19	61.60	15	19.15		
		301B	1.0	1.7	6.5	7.0	6.0	4.5	6.5	6.5		32.30	12	93.90	15	21.90		
		104B	1.0	2.3	5.5	6.5	5.5	5.5	6.0	6.0		39.10	=8	133.00	=11	31.65		
		403B	1.0	2.4	6.5	7.0	6.5	6.5	6.0	6.0		46.80	2	179.80	8	36.85		
		203C	1.0	2.0	5.0	5.0	4.0	5.0	5.5	5.5		30.00	21	209.80	10	52.85		
		303C	1.0	2.1	3.5	5.0	3.0	3.5	3.5	3.5		22.05	22	231.85	15	81.20		

第36回全国JOCジュニアオリンピックカップ
夏季水泳競技大会 飛込競技

採点詳細

男子 1m 飛板飛込 決勝

12-13

開催日 2013/08/28

大阪プール

審判長 山崎 雅夫

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.2℃

水温 30.7℃

天候 晴れ

機械操作 久保田 廣

記録主任 木綿 薫

1 内藤 直樹

2 坂井 由美子

3 駒谷 善吾

4 鈴木 義孝

5 柴田 哲治

1 安田 千万樹

2 今村 よし恵

3 山本 孝

4 荒木 一美

5 河田 正英

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
11	16	金戸 快						カネト カイ			日出中学校							
		103B	1.0	1.7	6.0	6.0	6.0	6.0	5.5	6.0		30.60	=14	30.60	=14	11.05		226.55
		201B	1.0	1.6	6.0	6.0	6.0	5.5	6.0	6.0		28.80	=15	59.40	19	21.35		
		301B	1.0	1.7	7.0	6.0	7.5	7.0	7.0			35.70	=5	95.10	13	20.70		
		403C	1.0	2.2	5.5	5.0	5.5	5.0	5.0			34.10	15	129.20	15	35.45		
		104C	1.0	2.2	4.0	4.5	4.5	4.5	4.0			28.60	21	157.80	18	58.85		
		203C	1.0	2.0	5.5	5.5	5.0	5.5	5.0			32.00	=18	189.80	17	72.85		
		303C	1.0	2.1	6.0	5.5	6.0	6.0	5.0			36.75	=13	226.55	16	86.50		
6	17	熊木 流希						クマキ リュウキ			群馬DC							
		103B	1.0	1.7	6.0	6.0	6.0	6.0	5.5	5.5		30.60	=14	30.60	=14	11.05		223.70
		301B	1.0	1.7	5.5	5.5	5.5	6.5	6.0			28.90	14	59.50	=17	21.25		
		201B	1.0	1.6	6.0	5.5	6.0	7.0	6.0			28.80	17	88.30	17	27.50		
		403C	1.0	2.2	6.0	6.5	6.0	6.0	6.5			40.70	5	129.00	16	35.65		
		203B	1.0	2.3	4.5	4.0	4.0	4.5	4.5			29.90	=18	158.90	17	57.75		
		303C	1.0	2.1	5.0	5.0	6.5	6.0	5.0			33.60	16	192.50	16	70.15		
		105C	1.0	2.4	5.0	4.0	4.0	4.5	4.5			31.20	16	223.70	17	89.35		
10	18	金子 舜汰						カネコ シュンタ			KANETO DC							
		103B	1.0	1.7	5.5	5.0	5.0	5.0	5.5			26.35	21	26.35	21	15.30		222.10
		201B	1.0	1.6	5.5	5.0	5.5	5.5	6.0			26.40	18	52.75	20	28.00		
		301B	1.0	1.7	5.5	5.0	5.0	5.5	6.0			27.20	20	79.95	21	35.85		
		403C	1.0	2.2	6.0	4.5	5.0	5.5	5.5			35.20	13	115.15	19	49.50		
		104C	1.0	2.2	5.0	5.0	5.0	5.0	4.0			33.00	15	148.15	19	68.50		
		203C	1.0	2.0	5.5	5.5	5.5	6.5	5.5			33.00	17	181.15	20	81.50		
		303C	1.0	2.1	7.5	6.5	6.5	6.5	6.0			40.95	9	222.10	18	90.95		
1	19	竹下 颯人						タケシ ハヤト			天竜中学校							
		103B	1.0	1.7	6.0	6.0	6.0	7.0	7.0			32.30	13	32.30	13	9.35		221.15
		201B	1.0	1.6	5.5	5.5	6.0	5.0	6.0			27.20	17	59.50	=17	21.25		
		301B	1.0	1.7	5.5	5.5	5.5	5.5	6.5			28.05	=18	87.55	19	28.25		
		401B	1.0	1.5	5.0	5.0	5.5	6.0	5.5			24.00	22	111.55	20	53.10		
		104B	1.0	2.3	3.5	5.0	4.5	4.0	4.5			29.90	=18	141.45	21	75.20		
		203B	1.0	2.3	5.0	6.0	5.5	5.5	5.0			36.80	12	178.25	21	84.40		
		403C	1.0	2.2	6.0	6.5	6.5	6.5	6.5			42.90	7	221.15	19	91.90		
12	20	高木 陽生						タカキ ハルキ			福岡DC							
		103B	1.0	1.7	7.0	7.0	6.5	6.5	7.0			34.85	8	34.85	8	6.80		211.60
		201B	1.0	1.6	6.5	6.5	6.0	6.0	6.5			30.40	12	65.25	10	15.50		
		301B	1.0	1.7	6.0	6.5	6.0	6.5	6.0			31.45	=13	96.70	11	19.10		
		403C	1.0	2.2	5.0	5.0	5.0	5.0	5.5			33.00	16	129.70	14	34.95		
		203B	1.0	2.3	4.5	5.0	4.5	4.5	4.5			31.05	17	160.75	16	55.90		
		303C	1.0	2.1	2.5	3.0	4.5	4.0	3.5			22.05	23	182.80	=18	79.85		
		105C	1.0	2.4	3.0	4.5	4.0	4.0	4.0			28.80	18	211.60	20	101.45		

第36回全国JOCジュニアオリンピックカップ
夏季水泳競技大会 飛込競技

採点詳細

男子 1m 飛板飛込 決勝

12-13

開催日 2013/08/28

大阪プール

審判長 山崎 雅夫

審判団(A) 4Round

審判団(B) 3Round

制限選択飛回数 4回

自由選択飛回数 3回

難易率合計 7.2以内

気温 28.2℃

水温 30.7℃

天候 晴れ

機械操作 久保田 廣

記録主任 木綿 薫

1 内藤 直樹

2 坂井 由美子

3 駒谷 善吾

4 鈴木 義孝

5 柴田 哲治

1 安田 千万樹

2 今村 よし恵

3 山本 孝

4 荒木 一美

5 河田 正英

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
15	21	石山 智大									PISCINA静岡							
		103B	1.0	1.7	6.0	5.5	5.5	5.5	5.5	5.5		28.05	=19	28.05	=19	13.60		201.70
		201B	1.0	1.6	5.0	5.0	5.0	5.0	5.0	5.5		24.00	21	52.05	21	28.70		
		301B	1.0	1.7	5.5	6.0	5.5	5.5	5.5	5.5		28.05	=18	80.10	20	35.70		
		401B	1.0	1.5	7.5	6.5	6.0	6.5	7.0	7.0		30.00	19	110.10	21	54.55		
		203C	1.0	2.0	5.0	5.5	4.5	5.5	6.5	6.5		32.00	16	142.10	20	74.55		
		403C	1.0	2.2	6.0	6.0	6.5	6.5	6.0	6.0		40.70	7	182.80	=18	79.85		
		303C	1.0	2.1	2.5	3.0	3.5	3.5	2.0	2.0		18.90	23	201.70	21	111.35		
2	22	島津 大									長岡DC							
		103B	1.0	1.7	5.0	5.0	5.0	5.0	5.0	5.5		25.50	22	25.50	22	16.15		194.15
		201B	1.0	1.6	4.0	4.5	4.5	4.0	5.0	5.0		20.80	23	46.30	22	34.45		
		301B	1.0	1.7	5.5	5.0	5.0	5.0	6.0	6.0		26.35	22	72.65	22	43.15		
		401B	1.0	1.5	4.5	4.5	4.5	5.0	5.5	5.5		21.00	23	93.65	22	71.00		
		104B	1.0	2.3	6.0	6.0	5.5	4.5	5.5	5.5		39.10	=8	132.75	22	83.90		
		203C	1.0	2.0	5.0	5.5	5.0	5.5	5.5	5.5		32.00	=18	164.75	22	97.90		
		303C	1.0	2.1	4.5	5.0	6.0	4.5	4.5	4.5		29.40	17	194.15	22	118.90		
3	23	小路丸 倫									佐賀DC							
		103B	1.0	1.7	3.5	4.5	4.0	4.0	5.0	5.0		21.25	23	21.25	23	20.40		169.60
		201B	1.0	1.6	5.0	4.5	5.0	5.5	4.5	4.5		23.20	22	44.45	23	36.30		
		301B	1.0	1.7	5.0	5.0	4.0	4.5	5.0	5.0		24.65	23	69.10	23	46.70		
		403C	1.0	2.2	3.5	4.0	3.5	3.5	4.0	4.0		24.20	21	93.30	23	71.35		
		104C	1.0	2.2	2.5	4.5	4.0	2.0	2.5	2.5		19.80	23	113.10	23	103.55		
		5211A	1.0	1.8	6.0	6.0	6.0	5.5	5.5	5.5		31.50	20	144.60	23	118.05		
		203C	1.0	2.0	4.5	4.0	4.0	4.0	5.0	5.0		25.00	20	169.60	23	143.45		