

採点詳細

男子 3m 飛板飛込 決勝

開催日 2014/02/08
東京辰巳国際水泳場

審判長 木村 勉

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 25.0℃
水温 29.0℃
天候

機械操作

記録主任 中島 直樹

- 1 谷内 覚
- 2 中村 小松
- 3 毒島 泰士
- 4 金戸 幸
- 5 小谷 理貴子
- 6 大久保 一司
- 7 畑岡 寿

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	1	坂井 丞									日本体育大							
		405B	3.0	3.0	3.0	8.5	9.0	8.0	7.5	7.5	8.5	8.5	75.00	=1	75.00	=1		483.10
		107B	3.0	3.1	9.0	9.0	9.0	8.5	9.0	8.5	8.5	9.0	82.15	1	157.15	1		
		305B	3.0	3.0	9.0	8.5	9.0	9.0	9.5	9.0	9.0	9.0	81.00	1	238.15	1		
		205B	3.0	3.0	8.5	8.0	8.5	9.0	8.5	8.5	9.0	9.0	76.50	2	314.65	1		
		307C	3.0	3.5	8.5	8.5	8.5	8.0	8.5	8.0	8.5	8.5	89.25	1	403.90	1		
		5353B	3.0	3.3	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	79.20	2	483.10	1		
11	2	寺内 健									ミキハウス							
		205B	3.0	3.0	3.0	7.5	8.5	8.5	8.5	7.5	8.0	8.5	75.00	=1	75.00	=1		471.70
		305B	3.0	3.0	8.0	9.0	8.5	8.5	8.5	8.5	8.0	8.5	76.50	2	151.50	2	5.65	
		405B	3.0	3.0	8.0	8.0	8.0	8.5	8.0	7.5	8.0	8.0	72.00	2	223.50	2	14.65	
		5154B	3.0	3.4	8.0	7.5	9.0	8.5	8.5	8.0	8.5	8.5	85.00	1	308.50	2	6.15	
		107B	3.0	3.1	8.5	8.5	9.0	9.0	8.5	8.5	8.0	8.0	79.05	2	387.55	2	16.35	
		5353B	3.0	3.3	8.0	8.5	7.5	8.5	8.5	8.5	8.5	8.5	84.15	1	471.70	2	11.40	
7	3	安永 元樹									和歌山DC							
		5152B	3.0	3.0	3.0	8.0	7.0	7.5	8.0	7.5	7.0	7.5	67.50	=5	67.50	=5	7.50	385.50
		107B	3.0	3.1	7.0	7.0	7.5	7.5	7.5	7.5	8.0	7.5	69.75	3	137.25	3	19.90	
		405B	3.0	3.0	5.0	6.0	6.5	5.5	5.5	5.5	5.5	5.5	49.50	11	186.75	4	51.40	
		205B	3.0	3.0	7.5	6.0	7.5	8.0	7.0	7.0	6.5	6.5	64.50	4	251.25	4	63.40	
		305B	3.0	3.0	7.5	7.5	7.0	7.5	7.0	7.0	6.5	7.5	66.00	=4	317.25	3	86.65	
		5337D	3.0	3.5	6.5	7.0	7.5	6.5	6.0	6.5	6.5	6.5	68.25	3	385.50	3	97.60	
10	4	新良貴 優									福山平成大学							
		107B	3.0	3.1	7.5	8.0	7.5	7.5	7.5	7.5	8.0	7.5	69.75	=3	69.75	=3	5.25	363.80
		205B	3.0	3.0	6.5	7.0	6.5	6.5	6.5	6.5	7.0	6.5	58.50	8	128.25	6	28.90	
		307C	3.0	3.5	6.5	7.0	6.5	6.0	7.5	7.5	6.5	6.5	68.25	3	196.50	3	41.65	
		405B	3.0	3.0	6.5	7.5	6.5	6.5	7.0	7.5	7.5	6.5	60.00	6	256.50	3	58.15	
		5154B	3.0	3.4	2.5	4.0	4.0	4.0	4.0	3.5	4.0	4.0	40.80	12	297.30	6	106.60	
		5337D	3.0	3.5	6.5	7.0	6.5	6.5	5.0	6.0	6.0	6.0	66.50	4	363.80	4	119.30	
6	5	長谷川 英治									長岡DC							
		107B	3.0	3.1	6.5	6.0	7.0	7.0	6.5	6.5	6.5	7.0	62.00	8	62.00	8	13.00	350.60
		205B	3.0	3.0	6.5	6.5	7.0	7.5	6.0	6.0	6.0	7.0	60.00	7	122.00	7	35.15	
		305B	3.0	3.0	5.5	6.5	6.0	5.5	6.5	6.5	5.5	5.5	54.00	10	176.00	8	62.15	
		405B	3.0	3.0	6.5	6.5	7.0	7.0	6.5	6.5	6.5	6.5	58.50	=7	234.50	7	80.15	
		5152B	3.0	3.0	6.5	6.5	7.0	7.0	6.5	6.5	6.5	7.0	60.00	6	294.50	7	109.40	
		5154B	3.0	3.4	5.5	5.5	6.0	5.5	5.5	5.5	5.5	6.0	56.10	7	350.60	5	132.50	

採点詳細

男子 3m 飛板飛込 決勝

開催日 2014/02/08
東京辰巳国際水泳場

審判長 木村 勉

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 25.0℃
水温 29.0℃
天候

機械操作

記録主任 中島 直樹

- 1 谷内 覚
- 2 中村 小松
- 3 毒島 泰士
- 4 金戸 幸
- 5 小谷 理貴子
- 6 大久保 一司
- 7 畑岡 寿

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
5	6	荒木 宥図									長岡DC							
		205B	3.0	3.0	3.0	7.0	7.0	7.5	7.5	7.5	8.0 8.0		67.50	=5	67.50	=5	7.50	347.50
		5152B	3.0	3.0	3.0	7.0	6.5	7.0	7.5	6.5	6.5 7.0		61.50	=5	129.00	=4	28.15	
		107B	3.0	3.1	6.5	6.0	7.0	6.0	6.0	5.5 6.0		55.80	9	184.80	6	53.35		
		405C	3.0	2.7	7.0	7.0	7.0	7.5	7.0	6.5 7.0		56.70	9	241.50	6	73.15		
		305B	3.0	3.0	5.5	4.5	5.5	5.0	5.5	6.0 5.0		48.00	11	289.50	9	114.40		
		5335D	3.0	2.9	7.0	6.0	7.5	6.5	6.5	7.0 6.5		58.00	5	347.50	6	135.60		
8	7	小林 和真									筑波大							
		405B	3.0	3.0	7.5	7.5	7.0	7.5	7.5	7.5 7.0		67.50	=5	67.50	=5	7.50	345.55	
		205B	3.0	3.0	6.0	7.0	6.5	7.5	6.5	7.0 7.0		61.50	=5	129.00	=4	28.15		
		5337D	3.0	3.5	5.0	5.5	6.0	4.5	4.0	5.5 6.0		56.00	8	185.00	5	53.15		
		307C	3.0	3.5	4.0	5.0	4.5	4.5	4.0	4.5 4.5		47.25	10	232.25	8	82.40		
		107B	3.0	3.1	6.0	6.5	6.5	6.0	6.5	6.0 6.5		58.90	7	291.15	8	112.75		
		5154B	3.0	3.4	5.5	5.0	5.5	5.5	5.0	4.0 5.5		54.40	8	345.55	7	137.55		
4	8	千歩 純一									日本体育大							
		405B	3.0	3.0	7.0	6.5	6.5	6.5	6.0	7.0 6.5		58.50	=9	58.50	=9	16.50	336.10	
		205B	3.0	3.0	7.0	7.0	7.0	6.5	7.0	6.5 7.0		63.00	4	121.50	8	35.65		
		5152B	3.0	3.0	6.5	6.0	7.0	6.5	6.5	6.5 6.5		58.50	6	180.00	7	58.15		
		107B	3.0	3.1	7.5	6.5	7.0	7.5	6.5	6.5 7.0		63.55	5	243.55	5	71.10		
		5335D	3.0	2.9	6.5	7.0	6.5	6.0	6.5	6.5 6.0		56.55	8	300.10	4	103.80		
		305B	3.0	3.0	4.5	4.0	4.0	4.0	4.0	4.5 4.0		36.00	9	336.10	8	147.00		
3	9	長谷川 寛人									長岡DC							
		107B	3.0	3.1	7.0	7.5	8.0	8.0	7.5	7.5 7.5		69.75	=3	69.75	=3	5.25	318.45	
		205B	3.0	3.0	5.5	5.0	6.5	6.0	5.0	5.5 5.5		49.50	11	119.25	9	37.90		
		305B	3.0	3.0	5.5	5.0	4.5	5.0	5.0	5.0 6.5		45.00	12	164.25	10	73.90		
		405B	3.0	3.0	7.0	7.0	7.5	8.0	7.5	7.5 7.5		67.50	3	231.75	9	82.90		
		5154B	3.0	3.4	6.5	6.5	6.5	6.5	5.5	6.0 7.0		66.30	3	298.05	5	105.85		
		407C	3.0	3.4	1.5	2.0	2.0	2.0	2.5	2.5 2.0		20.40	12	318.45	9	164.65		
1	10	須山 晴貴									松江DC							
		107B	3.0	3.1	4.0	5.5	4.5	5.0	5.0	5.5 4.5		44.95	12	44.95	12	30.05	308.05	
		5152B	3.0	3.0	5.5	6.5	6.0	6.5	6.0	6.5 6.0		55.50	10	100.45	11	56.70		
		405B	3.0	3.0	6.0	7.0	7.0	7.0	7.0	7.0 7.0		63.00	4	163.45	11	74.70		
		205B	3.0	3.0	6.5	6.5	7.5	7.0	5.5	6.0 6.5		58.50	=7	221.95	10	92.70		
		305C	3.0	2.8	6.5	6.5	6.5	6.5	7.0	7.0 6.5		54.60	9	276.55	10	127.35		
		5337D	3.0	3.5	2.5	3.0	3.5	2.5	2.5	3.5 3.5		31.50	11	308.05	10	175.05		

採点詳細

男子 3m 飛板飛込 決勝

開催日 2014/02/08
東京辰巳国際水泳場

審判長 木村 勉

審判団

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 25.0℃
水温 29.0℃
天候

機械操作

記録主任 中島 直樹

- 1 谷内 覚
- 2 中村 小松
- 3 毒島 泰士
- 4 金戸 幸
- 5 小谷 理貴子
- 6 大久保 一司
- 7 畑岡 寿

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
9	11	関口 大輝									日本体育大										
		5152B	3.0	3.0	3.0	4.5	4.5	5.5	5.5	5.5	5.0	5.0			46.50	11	46.50	11	28.50	302.25	
		205B	3.0	3.0	3.0	6.5	6.0	7.0	6.0	7.0	6.0	6.5			57.00	9	103.50	10	53.65		
		107B	3.0	3.1	7.0	6.5	6.5	7.0	6.5	6.0	7.0				62.00	5	165.50	9	72.65		
		5335D	3.0	2.9	5.0	4.0	3.5	3.5	4.5	4.0	5.5				36.25	12	201.75	11	112.90		
		405B	3.0	3.0	7.5	7.0	7.5	7.5	7.5	6.5	7.0				66.00	=4	267.75	11	136.15		
		305B	3.0	3.0	4.0	4.5	3.0	3.5	4.0	3.5	4.5				34.50	10	302.25	11	180.85		
2	12	遠藤 正人									利府										
		205B	3.0	3.0	3.0	6.5	6.0	7.0	6.5	5.5	6.5	7.0			58.50	=9	58.50	=9	16.50	296.55	
		305B	3.0	3.0	2.0	3.0	3.0	2.5	2.5	1.0	3.0				24.00	12	82.50	12	74.65		
		5335D	3.0	2.9	7.0	7.0	6.5	6.5	6.5	6.5	6.5				56.55	7	139.05	12	99.10		
		107B	3.0	3.1	5.0	5.0	5.0	5.0	5.0	5.0	4.5				46.50	11	185.55	12	129.10		
		405B	3.0	3.0	4.5	6.0	6.0	6.0	7.0	5.5	6.5				54.00	10	239.55	12	164.35		
		5152B	3.0	3.0	6.0	6.5	6.5	6.5	6.5	6.0	6.0				57.00	6	296.55	12	186.55		