

採点詳細
女子 3m 飛板飛込 決勝

開催日 2014/02/09
東京辰巳国際水泳場

審判長 谷内 覚

審判団

制限選択飛回数 0回
自由選択飛回数 5回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

機械操作 伊地知 健
記録主任 中島 直樹

- 1 野村 孝路
- 2 中島 勝司
- 3 阿部 しげの
- 4 布村 隆
- 5 畑岡 寿
- 6 坂田 和也
- 7 内藤 直樹

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
14	1	渋沢 小哉芳									セントラルN							
		205B	3.0	3.0	3.0	6.5	6.0	5.5	6.0	6.5	5.5	5.5	52.50	4	52.50	4	13.50	294.45
		305B	3.0	3.0	3.0	6.5	6.5	6.0	6.5	7.0	7.5	7.0	60.00	2	112.50	3	10.50	
		107B	3.0	3.1	6.5	6.5	6.0	6.0	6.0	6.5	7.0	6.5	60.45	2	172.95	2	2.90	
		5152B	3.0	3.0	3.0	6.0	6.0	6.0	6.0	6.0	6.5	6.0	54.00	=5	226.95	1		
		405B	3.0	3.0	3.0	7.5	8.0	7.5	6.5	7.5	7.0	7.5	67.50	2	294.45	1		
9	2	板橋 美波									J S S宝塚							
		405B	3.0	3.0	3.0	7.5	7.0	5.5	6.5	7.5	7.5	7.5	66.00	1	66.00	1		290.20
		5152B	3.0	3.0	3.0	6.0	6.5	6.5	6.5	7.0	6.0	6.0	57.00	3	123.00	1		
		205B	3.0	3.0	4.5	4.5	4.5	4.0	6.0	6.0	5.5	5.5	43.50	12	166.50	3	9.35	
		305B	3.0	3.0	6.5	5.5	6.0	6.5	6.5	6.5	6.0	6.0	55.50	3	222.00	4	4.95	
		107B	3.0	3.1	7.0	7.0	7.5	7.0	7.5	7.5	7.5	8.5	68.20	1	290.20	2	4.25	
13	3	馬淵 優佳									J S S宝塚							
		105B	3.0	2.4	8.0	8.5	8.0	7.5	8.0	8.0	8.0	7.5	57.60	2	57.60	2	8.40	289.25
		405C	3.0	2.7	6.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	60.75	1	118.35	2	4.65	
		5134D	3.0	2.5	7.5	7.5	8.0	7.5	8.0	8.0	8.0	7.5	57.50	4	175.85	1		
		305C	3.0	2.8	6.0	5.5	7.0	6.0	6.0	6.5	5.5	5.5	50.40	8	226.25	2	0.70	
		205C	3.0	2.8	7.0	7.5	7.5	7.5	7.0	7.5	7.5	7.5	63.00	3	289.25	3	5.20	
7	4	榎本 遼香									作新学院							
		105B	3.0	2.4	7.0	7.0	6.5	7.0	7.0	7.0	7.5	6.5	50.40	=5	50.40	=5	15.60	261.60
		205B	3.0	3.0	5.0	5.0	5.5	6.0	5.5	5.0	5.0	5.0	46.50	7	96.90	5	26.10	
		405C	3.0	2.7	7.0	7.0	7.5	7.0	7.0	7.0	7.5	7.0	56.70	5	153.60	5	22.25	
		305B	3.0	3.0	6.0	6.0	6.5	6.5	6.5	6.5	6.5	6.5	58.50	2	212.10	5	14.85	
		5152B	3.0	3.0	6.0	5.0	5.0	6.0	6.0	5.5	5.0	5.0	49.50	6	261.60	4	32.85	
11	5	中川 真依									石川DC							
		5152B	3.0	3.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40.50	13	40.50	13	25.50	252.75
		107B	3.0	3.1	5.0	4.5	4.5	3.5	4.5	5.0	4.5	4.5	41.85	11	82.35	12	40.65	
		305B	3.0	3.0	6.5	7.0	6.5	7.0	6.5	7.5	8.0	8.0	61.50	1	143.85	7	32.00	
		205B	3.0	3.0	6.0	5.5	5.5	5.5	5.5	4.0	5.0	5.0	49.50	9	193.35	7	33.60	
		405C	3.0	2.7	7.5	8.0	7.5	7.0	6.5	7.0	7.5	7.5	59.40	4	252.75	5	41.70	

採点詳細
女子 3m 飛板飛込 決勝

開催日 2014/02/09
東京辰巳国際水泳場

審判長 谷内 覚

審判団

制限選択飛回数 0回
自由選択飛回数 5回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

機械操作 伊地知 健
記録主任 中島 直樹

- 1 野村 孝路
- 2 中島 勝司
- 3 阿部 しげの
- 4 布村 隆
- 5 畑岡 寿
- 6 坂田 和也
- 7 内藤 直樹

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	6	佐々木 那奈									J S S宝塚							
		405C	3.0	2.7	6.0	6.0	6.0	6.0	6.0	6.5	6.0 6.5		48.60	9	48.60	9	17.40	251.40
		107C	3.0	2.8	6.0	5.5	5.5	6.0	6.5	6.5	6.5 6.5		51.80	4	100.40	4	22.60	
		5152B	3.0	3.0	7.5	7.0	6.5	6.0	6.0	7.5	6.5		60.00	3	160.40	4	15.45	
		205B	3.0	3.0	7.0	7.0	6.5	7.0	7.0	7.0	6.5		63.00	1	223.40	3	3.55	
		305C	3.0	2.8	3.5	3.0	3.0	3.5	4.0	4.0	3.0		28.00	13	251.40	6	43.05	
4	7	宮本 葉月									ミヤト ハツキ 土佐女子中							
		105B	3.0	2.4	6.5	6.5	6.5	6.0	6.0	6.5	6.0		45.60	10	45.60	10	20.40	242.55
		205C	3.0	2.8	6.0	6.0	6.0	5.5	5.0	6.5	5.5		49.00	5	94.60	7	28.40	
		305C	3.0	2.8	6.0	6.0	5.5	5.5	5.0	6.0	5.5		47.60	=7	142.20	8	33.65	
		405C	3.0	2.7	7.0	7.0	6.5	7.0	6.5	7.5	6.5		55.35	4	197.55	6	29.40	
		5333D	3.0	2.5	6.0	6.0	5.5	5.5	6.0	6.0	6.0		45.00	=9	242.55	7	51.90	
8	8	岩崎 莉奈									イワサキ リナ セントラルスポーツ							
		105B	3.0	2.4	7.0	7.5	7.0	7.0	7.5	7.0	7.0		50.40	=5	50.40	=5	15.60	234.70
		205C	3.0	2.8	5.5	5.5	5.0	5.5	5.5	4.0	5.0		44.80	=8	95.20	6	27.80	
		305C	3.0	2.8	5.5	5.0	5.0	5.5	5.5	6.0	6.0		46.20	10	141.40	9	34.45	
		405C	3.0	2.7	6.0	5.5	5.0	5.5	4.5	5.5	5.5		44.55	12	185.95	9	41.00	
		5333D	3.0	2.5	6.5	6.0	6.0	6.5	6.5	7.0	6.5		48.75	7	234.70	8	59.75	
6	9	辻原 朱里									ツシハラ アカリ 日本体育大							
		105B	3.0	2.4	7.0	7.0	7.5	7.0	7.5	7.0	6.5		50.40	=5	50.40	=5	15.60	227.00
		205C	3.0	2.8	5.0	5.0	5.0	5.0	5.0	5.5	5.5		42.00	10	92.40	8	30.60	
		305C	3.0	2.8	6.5	6.0	6.0	7.0	6.0	6.5	6.0		51.80	6	144.20	6	31.65	
		405C	3.0	2.7	4.0	4.5	4.5	5.0	5.0	4.5	5.0		37.80	13	182.00	10	44.95	
		5333D	3.0	2.5	6.0	6.0	6.0	5.5	6.0	6.0	6.0		45.00	=9	227.00	9	67.45	
10	10	金戸 華									カネト ハ 日出中学							
		105B	3.0	2.4	7.5	7.5	7.0	7.0	7.5	7.5	7.5		54.00	3	54.00	3	12.00	226.80
		5152B	3.0	3.0	5.0	2.5	3.5	4.0	3.5	4.0	4.5		34.50	12	88.50	9	34.50	
		205B	3.0	3.0	5.5	6.0	5.0	5.0	6.5	5.0	4.5		46.50	9	135.00	10	40.85	
		405C	3.0	2.7	7.0	7.0	6.5	7.0	6.5	6.0	6.5		54.00	=5	189.00	8	37.95	
		305C	3.0	2.8	5.0	4.5	4.5	3.5	4.0	4.5	4.5		37.80	11	226.80	10	67.65	

採点詳細

女子 3m 飛板飛込 決勝

開催日 2014/02/09
東京辰巳国際水泳場

審判長 谷内 覚

審判団

制限選択飛回数 0回
自由選択飛回数 5回
難易率合計 以内
気温 26.0℃
水温 28.0℃
天候

機械操作 伊地知 健
記録主任 中島 直樹

- 1 野村 孝路
- 2 中島 勝司
- 3 阿部 しげの
- 4 布村 隆
- 5 畑岡 寿
- 6 坂田 和也
- 7 内藤 直樹

演技順	順位	氏名		所 属							Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
		Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)						
3	11	岩佐 美理香								川口 S C							
		105B	3.0	2.4	5.0	5.0	5.5	5.0	5.0	5.5	5.5		37.20	14	37.20	14	28.80
		205C	3.0	2.8	5.5	7.0	5.5	6.0	6.0	5.5	5.5		47.60	6	84.80	11	38.20
		5233D	3.0	2.4	5.5	5.5	6.0	6.5	5.5	6.0	5.5		40.80	13	125.60	12	50.25
		305C	3.0	2.8	5.5	6.5	5.5	5.5	6.0	6.0	5.5		47.60	11	173.20	11	53.75
		405C	3.0	2.7	6.0	6.5	6.5	6.5	6.5	6.0	6.0		51.30	5	224.50	11	69.95
5	12	坂井 莉那								KDC							
		105B	3.0	2.4	7.0	7.0	7.5	6.5	7.0	6.5	7.5		50.40	=5	50.40	=5	15.60
		5152B	3.0	3.0	2.0	1.0	1.0	2.5	1.5	1.5	2.5		15.00	14	65.40	14	57.60
		305C	3.0	2.8	6.0	6.0	5.0	6.0	5.5	5.5	5.0		47.60	=7	113.00	13	62.85
		405C	3.0	2.7	7.0	6.5	6.0	6.0	7.0	6.5	5.5		51.30	7	164.30	13	62.65
		205C	3.0	2.8	4.5	6.0	5.0	5.5	5.5	5.5	5.5		46.20	8	210.50	12	83.95
2	13	山本 芽依								日本体育大							
		5233D	3.0	2.4	6.0	6.5	6.0	6.0	6.0	5.5	5.5		43.20	11	43.20	11	22.80
		205C	3.0	2.8	5.5	5.5	5.0	5.5	5.5	4.5	5.0		44.80	=8	88.00	10	35.00
		105B	3.0	2.4	6.0	6.5	7.0	6.5	6.0	6.0	6.0		44.40	11	132.40	11	43.45
		305C	3.0	2.8	5.0	4.0	4.0	5.0	4.5	4.0	4.0		35.00	14	167.40	12	59.55
		405C	3.0	2.7	4.0	4.0	3.5	4.0	3.5	3.5	3.5		29.70	12	197.10	13	97.35
1	14	柏原 沙羅								米子DC							
		105B	3.0	2.4	5.5	5.0	6.0	5.5	6.0	6.0	5.5		40.80	12	40.80	12	25.20
		205C	3.0	2.8	3.5	3.5	3.0	2.5	4.5	3.0	3.0		26.60	13	67.40	13	55.60
		305C	3.0	2.8	4.5	4.0	4.0	5.0	4.0	3.0	4.5		35.00	14	102.40	14	73.45
		405C	3.0	2.7	5.5	6.5	6.0	6.0	6.5	6.0	6.0		48.60	10	151.00	14	75.95
		5235D	3.0	2.8	3.5	2.5	3.5	3.0	2.5	2.5	3.5		25.20	14	176.20	14	118.25