

第90回日本選手権水泳競技大会
飛込競技

採点詳細

女子 3m 飛板飛込 予選

開催日 2014/09/19
東京辰巳国際水泳場

審判長 木村 勉

審判団(A) 3Round

審判団(B) 2Round

制限選択飛回数 0回
自由選択飛回数 5回
難易率合計 以内
気温 26.5℃
水温 28.5℃
天候 晴れ

機械操作 石川 剛
記録主任 山岸 勲

1 布村 隆
2 鈴木 羊子
3 坂田 和也
4 湯浅 よしの
5 毒島 泰士
6 高橋 亜紀
7 西出 好範

1 中島 勝司
2 浅田 雅子
3 大久保 一司
4 阿部 しげの
5 水尾 亨
6 野村 孝路
7 小谷 理貴子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
20	1	渋谷 小哉芳									セントラルN									
		205B	3.0	3.0	3.0	6.5	7.0	7.0	6.5	6.5	6.5	6.5	6.0		58.50	3	58.50	3	4.50	292.65
		305B	3.0	3.0	3.0	6.5	6.0	6.5	6.0	6.5	6.5	6.0			57.00	2	115.50	1		
		107B	3.0	3.1	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.0			51.15	6	166.65	2	6.60	
		5152B	3.0	3.0	7.5	6.5	6.5	7.5	7.5	7.5	7.0	6.5			63.00	=1	229.65	1		
		405B	3.0	3.0	8.0	6.5	7.0	7.0	7.5	7.5	6.5	7.0			63.00	1	292.65	1		
18	2	馬淵 優佳									J S S宝塚									
		105B	3.0	2.4	7.0	7.5	7.5	7.0	7.5	7.5	7.5	7.0			52.80	7	52.80	7	10.20	276.65
		405C	3.0	2.7	6.5	7.0	7.0	7.0	7.0	7.0	7.0	5.5			56.70	3	109.50	4	6.00	
		5134D	3.0	2.5	7.0	8.0	7.0	7.0	7.5	7.5	8.0	6.5			53.75	4	163.25	3	10.00	
		305C	3.0	2.8	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5			58.80	3	222.05	2	7.60	
		205C	3.0	2.8	6.5	6.5	6.5	6.5	7.5	7.5	7.0	5.5			54.60	4	276.65	2	16.00	
14	3	金戸 華									日出高校									
		405C	3.0	2.7	7.5	7.5	8.0	7.0	7.5	7.5	7.5	8.0			60.75	2	60.75	2	2.25	260.25
		105B	3.0	2.4	7.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5			54.00	4	114.75	2	0.75	
		205B	3.0	3.0	6.5	6.5	6.5	6.5	7.5	7.5	7.0	6.5			58.50	2	173.25	1		
		305B	3.0	3.0	4.0	4.5	5.5	4.5	3.5	4.0	3.5				37.50	15	210.75	3	18.90	
		5152B	3.0	3.0	5.5	6.0	5.5	5.5	5.5	5.5	5.5	5.5			49.50	8	260.25	3	32.40	
19	4	板橋 美波									J S S宝塚									
		405B	3.0	3.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.5			63.00	1	63.00	1		259.65
		5152B	3.0	3.0	5.5	5.5	6.0	6.0	5.0	5.0	5.5				49.50	5	112.50	3	3.00	
		205B	3.0	3.0	4.0	5.0	3.0	4.0	3.5	3.5	3.5				33.00	15	145.50	8	27.75	
		305B	3.0	3.0	7.0	6.5	7.0	6.5	8.0	7.0	7.5				63.00	=1	208.50	4	21.15	
		107B	3.0	3.1	4.5	5.0	5.0	5.5	6.0	6.0	6.0				51.15	7	259.65	4	33.00	
12	5	藤原 蒼									岡山D C									
		205C	3.0	2.8	7.0	6.5	6.5	6.5	6.5	6.5	6.0	6.5			54.60	5	54.60	5	8.40	251.05
		105B	3.0	2.4	6.5	7.0	6.0	7.5	7.0	7.5	6.5				49.20	6	103.80	6	11.70	
		5333D	3.0	2.5	6.5	7.5	6.0	7.0	7.0	6.5	7.0				51.25	5	155.05	4	18.20	
		305B	3.0	3.0	3.5	4.0	4.0	3.0	3.5	4.0	4.5				34.50	17	189.55	7	40.10	
		405B	3.0	3.0	7.0	6.5	7.0	7.0	6.0	6.5	7.0				61.50	2	251.05	5	41.60	

第90回日本選手権水泳競技大会
飛込競技

採点詳細

女子 3m 飛板飛込 予選

開催日 2014/09/19
東京辰巳国際水泳場

審判長 木村 勉

審判団(A) 3Round

審判団(B) 2Round

制限選択飛回数 0回
自由選択飛回数 5回
難易率合計 以内
気温 26.5℃
水温 28.5℃
天候 晴れ

機械操作 石川 剛
記録主任 山岸 勲

1 布村 隆
2 鈴木 羊子
3 坂田 和也
4 湯浅 よしの
5 毒島 泰士
6 高橋 亜紀
7 西出 好範

1 中島 勝司
2 浅田 雅子
3 大久保 一司
4 阿部 しげの
5 水尾 亨
6 野村 孝路
7 小谷 理貴子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
13	6	坂井 莉那									日本体育大学									
		105B	3.0	2.4	7.0	6.5	7.0	7.5	7.0	7.0	7.0	7.0	7.0		50.40	9	50.40	9	12.60	248.85
		205C	3.0	2.8	5.0	4.5	4.5	5.5	4.5	5.0	4.5	5.0	4.5		39.20	=11	89.60	10	25.90	
		305C	3.0	2.8	7.5	7.0	7.0	7.5	8.0	7.5	6.0	7.5	6.0		61.60	1	151.20	6	22.05	
		405C	3.0	2.7	6.5	6.0	6.5	6.5	6.5	6.0	7.0	6.0	7.0		52.65	=4	203.85	6	25.80	
		5152B	3.0	3.0	4.5	5.0	5.0	5.0	5.0	4.5	5.0	4.5	5.0		45.00	=11	248.85	6	43.80	
15	7	宮本 葉月									土佐女子中									
		105B	3.0	2.4	7.0	6.5	6.0	7.0	7.0	6.5	7.0	6.5	7.0		49.20	10	49.20	10	13.80	247.50
		205C	3.0	2.8	6.0	7.0	6.5	7.0	7.0	6.5	7.0	6.5	7.0		57.40	1	106.60	5	8.90	
		305C	3.0	2.8	6.0	6.0	5.5	5.5	5.5	5.0	5.0	5.0	5.0		46.20	7	152.80	5	20.45	
		405C	3.0	2.7	6.5	6.5	6.5	6.0	6.0	6.5	6.5	6.5	6.5		52.65	=4	205.45	5	24.20	
		5335D	3.0	2.9	3.5	3.5	5.0	5.0	5.0	5.0	4.5	5.0	4.5		42.05	13	247.50	7	45.15	
16	8	榎本 遼香									作新学院高校									
		405C	3.0	2.7	6.5	7.0	6.0	6.5	6.5	6.0	6.0	6.0	6.0		51.30	8	51.30	8	11.70	238.60
		107C	3.0	2.8	5.0	5.5	6.0	5.5	5.5	5.0	5.0	5.0	5.0		44.80	10	96.10	7	19.40	
		5152B	3.0	3.0	5.0	5.0	4.0	4.0	4.5	4.5	4.5	4.5	4.5		40.50	10	136.60	9	36.65	
		205B	3.0	3.0	5.5	5.0	5.5	5.5	5.5	4.5	6.0	4.5	6.0		49.50	6	186.10	9	43.55	
		305B	3.0	3.0	6.0	6.0	5.5	5.5	6.5	5.5	6.5	5.5	6.5		52.50	5	238.60	8	54.05	
11	9	辻原 朱里									日本体育大学									
		105B	3.0	2.4	7.5	7.5	7.0	7.0	7.5	7.5	7.5	7.5	7.5		54.00	6	54.00	6	9.00	233.15
		205C	3.0	2.8	5.0	4.0	5.5	5.0	4.5	4.5	4.0	4.5	4.0		39.20	=11	93.20	9	22.30	
		305C	3.0	2.8	7.0	6.5	6.5	6.5	6.5	7.0	6.0	7.0	6.0		54.60	3	147.80	7	25.45	
		405C	3.0	2.7	5.5	4.5	5.0	4.5	4.0	5.0	5.5	5.0	5.5		39.15	=12	186.95	8	42.70	
		5235D	3.0	2.8	6.0	5.5	5.5	5.5	6.0	5.5	5.5	5.5	5.5		46.20	10	233.15	=9	59.50	
1	9	三上 紗也可									後藤ヶ丘中									
		405C	3.0	2.7	6.0	7.0	6.5	6.0	7.0	7.0	7.5	7.0	7.5		55.35	4	55.35	4	7.65	233.15
		305C	3.0	2.8	4.0	3.0	4.0	4.5	4.0	4.0	4.0	4.0	4.0		33.60	=16	88.95	12	26.55	
		5152B	3.0	3.0	4.5	5.0	4.5	4.5	5.0	5.0	4.0	5.0	4.0		42.00	=8	130.95	12	42.30	
		107C	3.0	2.8	5.0	5.5	6.0	5.5	5.5	5.5	4.5	5.5	4.5		46.20	7	177.15	10	52.50	
		205C	3.0	2.8	6.0	6.5	6.5	7.0	7.5	6.5	7.0	6.5	7.0		56.00	3	233.15	=9	59.50	

第90回日本選手権水泳競技大会
飛込競技

採点詳細

女子 3m 飛板飛込 予選

開催日 2014/09/19
東京辰巳国際水泳場

審判長 木村 勉

審判団(A) 3Round

審判団(B) 2Round

制限選択飛回数 0回
自由選択飛回数 5回
難易率合計 以内
気温 26.5℃
水温 28.5℃
天候 晴れ

機械操作 石川 剛
記録主任 山岸 勲

1 布村 隆
2 鈴木 羊子
3 坂田 和也
4 湯浅 よしの
5 毒島 泰士
6 高橋 亜紀
7 西出 好範

1 中島 勝司
2 浅田 雅子
3 大久保 一司
4 阿部 しげの
5 水尾 亨
6 野村 孝路
7 小谷 理貴子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
4	11	藤原 ゆりの									スイトピア										
		105B	3.0	2.4	6.5	6.5	5.5	6.5	6.5	6.0	7.0	6.5			46.80	=11	46.80	=11	16.20	208.65	
		205C	3.0	2.8	5.5	6.0	5.5	6.0	6.0	6.0	6.0	5.0			49.00	7	95.80	8	19.70		
		305C	3.0	2.8	4.0	4.5	5.5	4.5	5.0	5.0	4.5				39.20	11	135.00	10	38.25		
		405C	3.0	2.7	4.0	4.0	3.5	4.5	4.5	4.5	3.5				33.75	18	168.75	11	60.90		
		5132D	3.0	2.1	6.0	6.5	6.5	6.5	6.5	5.5	6.0				39.90	15	208.65	11	84.00		
9	12	岩崎 莉奈									セントラルスポーツ										
		105B	3.0	2.4	6.5	6.5	6.0	6.0	5.5	6.0	6.0				43.20	=15	43.20	=15	19.80	208.50	
		205C	3.0	2.8	6.0	6.0	5.5	5.5	5.5	5.5	5.5				46.20	9	89.40	11	26.10		
		305C	3.0	2.8	5.0	4.5	5.5	5.0	5.5	5.0	5.0				42.00	=8	131.40	11	41.85		
		405C	3.0	2.7	3.5	5.0	3.5	3.5	4.0	3.5	3.5				28.35	19	159.75	12	69.90		
		5333D	3.0	2.5	6.5	6.0	6.5	6.0	7.0	6.5	6.5				48.75	9	208.50	12	84.15		
10	13	寺岡 双葉									福山平成大学										
		105B	3.0	2.4	6.5	6.5	6.5	7.0	6.5	6.5	7.0				46.80	=11	46.80	=11	16.20	202.30	
		205C	3.0	2.8	5.0	5.5	3.5	4.0	4.5	4.5	3.0				36.40	13	83.20	13	32.30		
		305C	3.0	2.8	4.0	5.0	4.0	4.0	4.5	4.0	3.0				33.60	14	116.80	13	56.45		
		405C	3.0	2.7	5.5	5.0	4.5	5.5	4.5	4.5	5.5				40.50	10	157.30	14	72.35		
		5333D	3.0	2.5	6.0	6.0	6.0	6.0	6.0	6.0	5.5				45.00	=11	202.30	13	90.35		
6	14	畑岡 映美									水戸DS										
		105B	3.0	2.4	6.0	6.0	6.0	6.5	6.5	5.5	6.5				44.40	14	44.40	14	18.60	201.15	
		203B	3.0	2.2	5.5	5.5	5.0	5.5	6.0	5.5	5.0				36.30	14	80.70	14	34.80		
		303B	3.0	2.3	4.5	5.0	4.0	5.0	5.0	6.0	5.0				34.50	13	115.20	14	58.05		
		5132D	3.0	2.1	7.0	7.0	6.5	7.0	7.0	6.5	7.0				44.10	8	159.30	13	70.35		
		405C	3.0	2.7	5.5	6.0	5.0	5.0	4.5	5.0	5.5				41.85	14	201.15	14	91.50		
7	15	浅井 里絵									常葉大学										
		105B	3.0	2.4	6.0	5.5	5.5	6.0	6.0	6.5	6.0				43.20	=15	43.20	=15	19.80	195.30	
		205C	3.0	2.8	4.0	4.0	4.0	5.0	4.0	4.5	4.0				33.60	=16	76.80	16	38.70		
		305C	3.0	2.8	3.5	3.0	2.5	3.5	4.5	3.5	3.0				28.00	17	104.80	=17	68.45		
		5235D	3.0	2.8	5.0	4.0	5.5	4.5	4.5	4.5	5.0				39.20	11	144.00	17	85.65		
		405C	3.0	2.7	7.0	6.0	6.0	6.5	6.0	7.0	6.5				51.30	6	195.30	15	97.35		

第90回日本選手権水泳競技大会
飛込競技

採点詳細

女子 3m 飛板飛込 予選

開催日 2014/09/19
東京辰巳国際水泳場

審判長 木村 勉

審判団(A) 3Round

審判団(B) 2Round

制限選択飛回数 0回
自由選択飛回数 5回
難易率合計 以内
気温 26.5℃
水温 28.5℃
天候 晴れ

機械操作 石川 剛

記録主任 山岸 勲

1 布村 隆
2 鈴木 羊子
3 坂田 和也
4 湯浅 よしの
5 毒島 泰士
6 高橋 亜紀
7 西出 好範

1 中島 勝司
2 浅田 雅子
3 大久保 一司
4 阿部 しげの
5 水尾 亨
6 野村 孝路
7 小谷 理貴子

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
5	16	佐藤 富希子									日本体育大学									
		5231D	3.0	2.0	6.0	5.5	5.5	6.0	6.5	6.5	5.5	6.5	5.5		35.00	18	35.00	18	28.00	188.60
		105B	3.0	2.4	5.0	5.5	5.0	5.5	5.0	5.0	5.0	5.0	5.0		36.00	15	71.00	18	44.50	
		405C	3.0	2.7	5.0	5.5	4.5	5.0	3.5	4.5	3.5	4.5	3.5		37.80	12	108.80	15	64.45	
		305C	3.0	2.8	5.0	5.5	5.0	5.5	4.0	5.0	5.5	5.0	5.5		43.40	9	152.20	15	77.45	
		205C	3.0	2.8	4.5	5.5	4.0	4.5	4.0	4.0	5.5	4.0	5.5		36.40	16	188.60	16	104.05	
8	17	清水 咲									米子東高校									
		405C	3.0	2.7	4.0	3.5	4.0	3.5	3.5	3.0	3.5	28.35	19		28.35	19	34.65	178.75		
		105B	3.0	2.4	7.0	6.5	6.5	6.5	7.0	7.5	5.5	48.00	8		76.35	17	39.15			
		205C	3.0	2.8	3.0	4.0	4.0	4.0	3.5	3.0	4.0	32.20	16		108.55	16	64.70			
		305C	3.0	2.8	4.0	4.5	4.5	4.5	4.5	5.0	5.0	37.80	14		146.35	16	83.30			
		5233D	3.0	2.4	4.5	4.5	4.0	4.5	4.5	4.5	4.0	32.40	18		178.75	17	113.90			
2	18	長澤 明生									高岡S C									
		105B	3.0	2.4	6.5	6.5	6.0	6.5	6.0	5.5	6.5	45.60	13		45.60	13	17.40	174.80		
		305C	3.0	2.8	4.0	4.0	3.0	4.5	3.5	4.0	3.0	32.20	18		77.80	15	37.70			
		405C	3.0	2.7	3.5	4.0	3.5	3.5	2.5	2.0	3.0	27.00	18		104.80	=17	68.45			
		205C	3.0	2.8	3.5	4.5	4.5	4.5	4.5	3.5	4.0	36.40	16		141.20	18	88.45			
		5235D	3.0	2.8	4.0	4.0	5.0	3.5	4.5	4.0	3.5	33.60	17		174.80	18	117.85			
3	19	太村 朱里									常葉大学									
		105B	3.0	2.4	5.5	6.0	5.5	6.0	5.5	6.0	5.5	40.80	17		40.80	17	22.20	159.75		
		205C	3.0	2.8	4.5	4.5	3.5	3.0	3.0	3.5	3.0	28.00	19		68.80	19	46.70			
		305C	3.0	2.8	3.0	3.5	2.0	3.0	2.5	3.0	1.0	23.80	19		92.60	19	80.65			
		405C	3.0	2.7	4.5	5.0	3.5	4.5	5.0	5.0	5.5	39.15	=12		131.75	19	97.90			
		5235D	3.0	2.8	3.0	3.5	3.0	4.0	3.5	3.0	3.5	28.00	19		159.75	19	132.90			
17	棄権	佐々木 那奈									J S S 宝塚									
		405C	3.0	2.7																
		107C	3.0	2.8																
		5152B	3.0	3.0																
		205B	3.0	3.0																
		305B	3.0	3.0																