

第90回日本選手権水泳競技大会
飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2014/09/20
東京辰巳国際水泳場

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 25.0℃
水温 28.0℃
天候 晴れ

機械操作 小野寺 光喜
記録主任 山岸 勲

1 水尾 亨
2 坂田 芳寛
3 毒島 泰士
4 中村 小松
5 浅田 雅子
6 阿部 しげの
7 鈴木 羊子
1 河田 正英
2 安田 千万樹
3 小谷 理貴子
4 布村 隆
5 金戸 幸
6 畑岡 寿
7 湯浅 よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
30	1	寺内 健									テラウチ ケン ミキハウス										
		205B	3.0	3.0	3.0	8.0	8.5	8.5	8.5	8.5		9.0	9.0		76.50	1	76.50	1			480.60
		305B	3.0	3.0	3.0	9.5	9.0	9.0	9.0	8.5		9.0	10.0		81.00	1	157.50	1			
		5353B	3.0	3.3	3.0	9.0	8.5	8.0	9.0	8.5		8.5	9.0		85.80	1	243.30	1			
		405B	3.0	3.0	3.0	8.0	8.0	8.0	8.0	8.0		8.5	8.5		72.00	=1	315.30	1			
		5154B	3.0	3.4	3.0	9.0	8.0	8.0	8.0	8.0		8.5	8.0		81.60	2	396.90	1			
		107B	3.0	3.1	3.0	9.0	9.0	9.0	9.0	8.5		8.5	9.0		83.70	1	480.60	1			
31	2	坂井 丞									カイ ショウ 日本体育大学										
		405B	3.0	3.0	3.0	8.0	8.0	8.5	8.5	8.0		8.0	8.5		73.50	2	73.50	2	3.00		458.20
		305B	3.0	3.0	3.0	9.5	8.5	8.5	8.5	8.0		8.5	9.5		76.50	2	150.00	2	7.50		
		107B	3.0	3.1	3.0	8.5	8.0	9.0	8.5	8.5		8.0	9.0		79.05	2	229.05	2	14.25		
		205B	3.0	3.0	3.0	7.5	6.5	8.0	7.5	8.0		7.5	7.0		67.50	=3	296.55	2	18.75		
		307C	3.0	3.5	3.0	8.5	7.5	8.5	8.0	7.5		8.0	8.5		85.75	1	382.30	2	14.60		
		5353B	3.0	3.3	3.0	8.0	7.5	7.5	9.0	7.0		8.5	7.5		75.90	3	458.20	2	22.40		
21	3	須山 晴貴									スマ ハルキ 松江DC										
		405B	3.0	3.0	3.0	8.0	8.5	8.5	8.0	8.0		8.0	8.0		72.00	3	72.00	3	4.50		403.35
		107B	3.0	3.1	3.0	8.0	7.5	8.0	7.5	8.0		7.5	7.5		71.30	3	143.30	3	14.20		
		5154B	3.0	3.4	3.0	6.0	4.5	5.0	4.5	5.0		5.0	4.0		49.30	20	192.60	3	50.70		
		205B	3.0	3.0	3.0	7.5	8.0	7.5	7.5	7.5		7.0	7.0		67.50	=3	260.10	3	55.20		
		305B	3.0	3.0	3.0	7.5	6.5	7.5	7.0	7.5		6.5	7.0		64.50	6	324.60	3	72.30		
		5337D	3.0	3.5	3.0	7.5	8.0	7.5	7.5	8.0		7.0	7.0		78.75	2	403.35	3	77.25		
28	4	新良貴 優									シラキ スグル 福山平成大学										
		107B	3.0	3.1	3.0	7.0	7.0	6.5	7.5	6.5		7.0	7.5		65.10	6	65.10	6	11.40		377.40
		205B	3.0	3.0	3.0	7.5	7.0	7.0	7.0	6.5		6.5	7.5		63.00	=6	128.10	5	29.40		
		307C	3.0	3.5	3.0	4.5	4.5	4.0	4.0	4.5		4.5	4.5		47.25	22	175.35	8	67.95		
		405B	3.0	3.0	3.0	7.5	7.0	7.5	7.0	7.5		7.5	7.5		67.50	=3	242.85	5	72.45		
		5154B	3.0	3.4	3.0	6.5	6.5	5.5	5.5	6.5		6.5	7.0		66.30	5	309.15	5	87.75		
		5337D	3.0	3.5	3.0	7.0	7.0	5.5	6.0	6.5		6.0	7.0		68.25	4	377.40	4	103.20		
29	5	安永 元樹									ヤスカ ゲンキ 和歌山DC										
		5152B	3.0	3.0	3.0	7.0	7.0	7.0	6.5	6.0		7.5	7.5		63.00	7	63.00	7	13.50		374.80
		107B	3.0	3.1	3.0	6.0	6.5	5.5	6.5	6.0		7.0	6.0		57.35	10	120.35	7	37.15		
		405B	3.0	3.0	3.0	6.0	6.0	6.5	7.0	6.0		6.0	7.0		55.50	=8	175.85	7	67.45		
		205B	3.0	3.0	3.0	8.0	8.0	7.0	8.0	8.0		7.5	8.0		72.00	=1	247.85	4	67.45		
		305B	3.0	3.0	3.0	7.5	7.5	7.5	7.0	7.5		8.0	7.5		67.50	=3	315.35	4	81.55		
		5335D	3.0	2.9	3.0	7.0	6.0	6.5	7.0	7.0		7.0	6.5		59.45	10	374.80	5	105.80		

第90回日本選手権水泳競技大会
飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2014/09/20
東京辰巳国際水泳場

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 25.0℃
水温 28.0℃
天候 晴れ

機械操作 小野寺 光喜

記録主任 山岸 勲

1 水尾 亨
2 坂田 芳寛
3 毒島 泰士
4 中村 小松
5 浅田 雅子
6 阿部 しげの
7 鈴木 羊子

1 河田 正英
2 安田 千万樹
3 小谷 理貴子
4 布村 隆
5 金戸 幸
6 畑岡 寿
7 湯浅 よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
23	6	長谷川 寛人									長岡DC							
		107B	3.0	3.1	3.1	6.0	6.0	7.0	6.0	6.5	6.0 7.0		57.35	11	57.35	11	19.15	350.75
		205B	3.0	3.0	3.0	6.5	6.0	6.0	5.5	6.0	5.5 6.0		54.00	14	111.35	11	46.15	
		305B	3.0	3.0	3.0	6.0	6.0	7.0	5.0	6.5	4.5 7.0		55.50	=8	166.85	10	76.45	
		5154B	3.0	3.4	3.4	5.5	6.0	6.0	6.0	6.0	7.5 6.5		61.20	7	228.05	8	87.25	
		407C	3.0	3.4	3.4	6.0	6.0	5.5	5.5	6.0	6.0 6.0		61.20	9	289.25	6	107.65	
		405B	3.0	3.0	3.0	7.0	7.5	6.0	6.5	7.0	7.5 6.5		61.50	6	350.75	6	129.85	
18	7	池田 匠見									日本大学							
		405B	3.0	3.0	3.0	6.5	7.5	7.5	6.5	7.5	7.5 7.5		67.50	4	67.50	4	9.00	344.55
		107B	3.0	3.1	3.1	7.0	7.0	6.0	6.0	6.0	6.5 7.0		60.45	8	127.95	6	29.55	
		205B	3.0	3.0	3.0	5.5	5.5	5.5	5.5	6.0	6.0 5.5		49.50	19	177.45	6	65.85	
		305B	3.0	3.0	3.0	6.5	7.0	6.0	6.5	7.0	6.5 7.0		60.00	8	237.45	6	77.85	
		5154B	3.0	3.4	3.4	5.0	3.5	5.5	4.0	5.0	4.5 4.5		47.60	24	285.05	7	111.85	
		407C	3.0	3.4	3.4	6.0	5.0	6.0	5.0	6.0	6.5 5.5		59.50	=8	344.55	7	136.05	
19	8	遠藤 正人									日本体育大学							
		107B	3.0	3.1	3.1	5.5	6.0	7.0	6.0	7.0	5.5 6.0		55.80	=12	55.80	=12	20.70	337.40
		5152B	3.0	3.0	3.0	6.5	7.5	7.0	6.5	6.5	6.5 6.0		58.50	9	114.30	9	43.20	
		405B	3.0	3.0	3.0	8.0	7.5	7.5	7.5	7.0	7.5 7.5		67.50	3	181.80	5	61.50	
		205B	3.0	3.0	3.0	6.0	5.5	5.5	6.0	6.5	6.0 6.0		54.00	=12	235.80	7	79.50	
		305B	3.0	3.0	3.0	5.0	5.0	5.0	5.0	5.5	5.5 5.5		46.50	25	282.30	8	114.60	
		5335D	3.0	2.9	2.9	6.0	7.0	5.5	5.5	6.5	6.5 6.5		55.10	18	337.40	8	143.20	
27	9	長谷川 英治									日本体育大学							
		5152B	3.0	3.0	3.0	7.5	6.5	7.5	6.5	7.5	8.0 7.0		66.00	5	66.00	5	10.50	336.25
		107B	3.0	3.1	3.1	7.5	7.5	7.5	7.0	7.5	7.5 7.0		69.75	4	135.75	4	21.75	
		205B	3.0	3.0	3.0	7.0	6.0	6.5	6.0	6.5	6.0 6.0		55.50	=8	191.25	4	52.05	
		305B	3.0	3.0	3.0	3.0	2.5	3.0	3.0	3.5	3.5 3.0		27.00	30	218.25	10	97.05	
		405B	3.0	3.0	3.0	6.5	7.5	6.5	6.5	6.0	7.0 6.0		58.50	=12	276.75	9	120.15	
		5154B	3.0	3.4	3.4	6.0	5.5	6.5	5.5	6.0	5.5 6.5		59.50	=8	336.25	9	144.35	
25	10	関口 大輝									日本体育大学							
		5152B	3.0	3.0	3.0	6.0	6.0	7.5	4.5	5.5	6.0 6.0		54.00	=14	54.00	=14	22.50	328.65
		205B	3.0	3.0	3.0	6.5	6.5	6.0	7.0	7.0	5.0 6.0		57.00	11	111.00	12	46.50	
		107B	3.0	3.1	3.1	6.5	6.5	6.5	6.5	7.0	6.5 6.5		60.45	6	171.45	9	71.85	
		305B	3.0	3.0	3.0	4.0	3.5	4.5	4.5	4.5	5.0 4.5		40.50	28	211.95	12	103.35	
		405B	3.0	3.0	3.0	7.0	7.0	6.0	7.0	7.0	6.5 6.5		61.50	8	273.45	10	123.45	
		105B	3.0	2.4	2.4	8.5	8.0	7.5	7.0	7.5	8.0 7.5		55.20	17	328.65	10	151.95	

第90回日本選手権水泳競技大会
飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2014/09/20
東京辰巳国際水泳場

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 25.0℃
水温 28.0℃
天候 晴れ

機械操作 小野寺 光喜

記録主任 山岸 勲

1 水尾 亨
2 坂田 芳寛
3 毒島 泰士
4 中村 小松
5 浅田 雅子
6 阿部 しげの
7 鈴木 羊子

1 河田 正英
2 安田 千万樹
3 小谷 理貴子
4 布村 隆
5 金戸 幸
6 畑岡 寿
7 湯浅 よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
20	11	千歩 純一									日本体育大学									
		205B	3.0	3.0	3.0	3.0	2.5	3.5	4.5	3.5	3.0	4.0			30.00	29	30.00	29	46.50	327.60
		405B	3.0	3.0	7.0	7.0	7.0	7.0	7.0	7.0	7.5	7.0			63.00	=6	93.00	24	64.50	
		107B	3.0	3.1	5.0	5.5	5.5	4.5	5.5	5.5	5.0	5.5			49.60	18	142.60	20	100.70	
		5152B	3.0	3.0	7.0	7.5	7.0	6.5	6.5	6.5	7.0	7.0			63.00	6	205.60	18	109.70	
		305B	3.0	3.0	6.5	6.0	5.5	6.0	6.0	6.0	6.0	6.5			54.00	=15	259.60	16	137.30	
		407C	3.0	3.4	7.0	7.0	6.5	7.0	6.5	6.5	6.5	6.0			68.00	5	327.60	11	153.00	
14	12	池田 昂希									天理大学									
		403B	3.0	2.1	8.0	8.5	8.0	7.5	8.0	8.0	7.5	7.5			49.35	23	49.35	23	27.15	322.95
		107B	3.0	3.1	6.5	7.0	7.0	7.5	7.0	7.0	7.0	7.0			65.10	5	114.45	8	43.05	
		205B	3.0	3.0	4.5	5.0	5.5	6.0	5.0	5.0	4.5	3.5			43.50	=24	157.95	15	85.35	
		305B	3.0	3.0	4.5	5.5	5.0	4.0	5.5	5.5	5.5	5.5			48.00	23	205.95	17	109.35	
		405B	3.0	3.0	6.5	7.0	7.5	7.0	7.0	7.0	6.5	7.0			63.00	7	268.95	=12	127.95	
		5152B	3.0	3.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.5			54.00	=19	322.95	12	157.65	
6	13	前谷 健佑									天理大学									
		405B	3.0	3.0	6.5	6.5	7.0	6.0	6.5	6.0	6.0	6.5			58.50	=8	58.50	=8	18.00	322.90
		107C	3.0	2.8	6.5	6.5	6.5	6.0	6.5	6.0	6.0	6.0			53.20	15	111.70	10	45.80	
		305B	3.0	3.0	5.0	5.5	6.5	4.0	6.0	7.0	7.0	7.5			54.00	=12	165.70	11	77.60	
		205B	3.0	3.0	6.5	5.5	6.0	6.0	6.0	6.0	6.5	6.0			54.00	=12	219.70	9	95.60	
		5152B	3.0	3.0	5.5	6.0	6.0	5.5	5.5	5.5	5.5	6.0			51.00	20	270.70	11	126.20	
		5335D	3.0	2.9	5.5	6.0	6.5	6.0	6.0	6.0	6.5	6.0			52.20	23	322.90	13	157.70	
5	14	大塚 大夢									常葉大学									
		105B	3.0	2.4	7.5	8.0	7.0	7.0	7.5	7.0	7.0	7.5			52.80	19	52.80	19	23.70	316.95
		405C	3.0	2.7	7.5	6.5	6.5	7.5	5.5	6.0	7.5	7.5			55.35	13	108.15	13	49.35	
		205B	3.0	3.0	6.0	6.0	5.5	6.0	5.0	5.0	6.0	6.5			52.50	15	160.65	13	82.65	
		5152B	3.0	3.0	6.0	5.0	5.5	5.5	5.5	5.5	5.5	5.5			49.50	=19	210.15	=13	105.15	
		107C	3.0	2.8	7.0	7.0	6.5	6.5	7.0	7.0	7.0	7.0			58.80	11	268.95	=12	127.95	
		305B	3.0	3.0	5.0	5.5	5.5	5.0	5.5	5.0	5.5	5.5			48.00	24	316.95	14	163.65	
13	15	大塚 千誠									日本大学									
		105B	3.0	2.4	7.5	8.0	7.5	7.5	7.0	8.0	7.5	7.5			54.00	=14	54.00	=14	22.50	314.60
		107B	3.0	3.1	6.0	5.5	5.5	5.0	5.5	5.5	5.5	5.5			51.15	16	105.15	15	52.35	
		5152B	3.0	3.0	5.0	6.0	6.0	5.0	5.5	5.5	5.5	6.5			51.00	16	156.15	16	87.15	
		205B	3.0	3.0	6.0	6.0	6.0	6.0	6.5	6.5	6.0	6.0			54.00	=12	210.15	=13	105.15	
		305C	3.0	2.8	6.0	6.5	6.0	6.0	7.0	6.0	6.0	6.5			51.80	19	261.95	15	134.95	
		405C	3.0	2.7	6.5	6.0	6.5	6.0	6.5	6.5	6.5	6.5			52.65	22	314.60	15	166.00	

第90回日本選手権水泳競技大会
飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2014/09/20
東京辰巳国際水泳場

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 25.0℃
水温 28.0℃
天候 晴れ

機械操作 小野寺 光喜
記録主任 山岸 勲

1 水尾 亨
2 坂田 芳寛
3 毒島 泰士
4 中村 小松
5 浅田 雅子
6 阿部 しげの
7 鈴木 羊子

1 河田 正英
2 安田 千万樹
3 小谷 理貴子
4 布村 隆
5 金戸 幸
6 畑岡 寿
7 湯浅 よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	16	崎戸 史也									佐賀DC							
		405B	3.0	3.0	3.0	5.5	6.0	6.5	5.5	7.0	6.0 6.0		54.00	=14	54.00	=14	22.50	309.40
		107B	3.0	3.1	6.0	6.0	5.5	6.0	5.5	5.0	5.0 5.0		49.60	=17	103.60	16	53.90	
		205B	3.0	3.0	4.0	4.0	4.0	4.0	4.0	4.0	3.0 3.5		36.00	29	139.60	23	103.70	
		305B	3.0	3.0	4.5	4.5	4.0	5.5	5.5	5.0	5.0 5.0		43.50	27	183.10	27	132.20	
		5152B	3.0	3.0	7.5	7.5	7.5	7.5	8.0	7.5	7.5 7.0		67.50	=3	250.60	19	146.30	
		5235D	3.0	2.8	6.0	7.0	7.0	6.5	7.5	7.5	7.0 7.0		58.80	11	309.40	16	171.20	
2	17	西田 玲雄									大阪水泳学校							
		305C	3.0	2.8	6.0	6.5	6.0	6.0	6.5	6.5	6.5 6.5		53.20	18	53.20	18	23.30	309.20
		205C	3.0	2.8	5.5	6.0	5.5	4.5	6.0	6.0	5.5 5.5		46.20	19	99.40	17	58.10	
		405C	3.0	2.7	6.5	6.5	7.0	7.0	6.5	6.5	6.5 7.0		54.00	=12	153.40	17	89.90	
		105B	3.0	2.4	7.0	8.0	7.5	7.0	7.5	7.0	7.0 7.5		52.80	15	206.20	16	109.10	
		107C	3.0	2.8	6.5	5.5	6.0	5.0	5.5	6.5	6.0 6.0		49.00	22	255.20	17	141.70	
		5152B	3.0	3.0	6.0	6.0	5.5	6.0	5.5	6.0	6.0 6.0		54.00	=19	309.20	17	171.40	
11	18	吉村 充史									天理大学							
		205B	3.0	3.0	4.5	5.0	5.0	4.0	6.0	6.0	5.0 5.0		45.00	=26	45.00	=26	31.50	306.75
		107B	3.0	3.1	3.5	4.0	5.0	4.5	3.5	4.0	4.0 4.5		38.75	25	83.75	27	73.75	
		5152B	3.0	3.0	6.0	6.0	6.0	5.5	5.5	6.0	6.0 6.0		54.00	=12	137.75	25	105.55	
		405B	3.0	3.0	6.0	6.0	6.5	6.5	6.0	6.5	6.5 6.5		57.00	10	194.75	21	120.55	
		305B	3.0	3.0	6.0	6.0	5.5	6.0	6.5	6.0	6.0 5.5		54.00	=15	248.75	21	148.15	
		5335D	3.0	2.9	7.0	6.0	7.5	7.0	6.5	6.5	6.5 6.5		58.00	12	306.75	18	173.85	
15	19	荒田 恭兵									日本体育大学							
		5235D	3.0	2.8	6.5	6.5	6.0	6.0	6.0	6.0	5.5 6.0		50.40	22	50.40	22	26.10	306.40
		205B	3.0	3.0	6.5	5.5	6.5	6.0	6.5	5.5	5.5 6.0		55.50	12	105.90	14	51.60	
		405B	3.0	3.0	6.0	5.0	6.5	6.5	7.0	5.5	5.5 7.0		57.00	7	162.90	12	80.40	
		107B	3.0	3.1	5.5	4.5	5.5	5.0	4.0	5.0	4.5 4.5		44.95	26	207.85	15	107.45	
		305B	3.0	3.0	4.5	5.0	5.0	4.5	5.0	4.5	4.0 4.0		42.00	28	249.85	20	147.05	
		5335D	3.0	2.9	6.0	6.5	6.5	5.5	6.5	6.5	6.5 6.5		56.55	15	306.40	19	174.20	
22	20	岡本 宗									宇都宮南高校							
		205B	3.0	3.0	7.0	6.5	6.5	6.5	7.0	6.0	6.5		58.50	=8	58.50	=8	18.00	300.00
		305B	3.0	3.0	4.5	4.5	4.5	4.5	4.5	5.0	5.5		40.50	22	99.00	=18	58.50	
		5152B	3.0	3.0	7.5	6.0	6.5	7.0	6.5	7.0	7.0 7.0		61.50	5	160.50	14	82.80	
		107B	3.0	3.1	6.0	6.0	6.0	6.0	6.5	5.5	5.5 6.0		55.80	11	216.30	11	99.00	
		405B	3.0	3.0	5.0	6.0	5.0	6.0	5.5	5.5	5.0 5.0		48.00	23	264.30	14	132.60	
		5154B	3.0	3.4	3.5	2.5	2.0	3.5	3.5	4.5	4.0 4.0		35.70	28	300.00	20	180.60	

第90回日本選手権水泳競技大会
飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2014/09/20
東京辰巳国際水泳場

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 25.0℃
水温 28.0℃
天候 晴れ

機械操作 小野寺 光喜
記録主任 山岸 勲

1 水尾 亨
2 坂田 芳寛
3 毒島 泰士
4 中村 小松
5 浅田 雅子
6 阿部 しげの
7 鈴木 羊子
1 河田 正英
2 安田 千万樹
3 小谷 理貴子
4 布村 隆
5 金戸 幸
6 畑岡 寿
7 湯浅 よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
16	21	後藤 福寿									コトウ フクシユ 日本体育大学										
		105B	3.0	2.4	6.5	5.0	6.5	4.5	7.0	6.0	7.0	6.0	7.0		45.60	25	45.60	25	30.90	299.20	
		107B	3.0	3.1	6.0	5.0	6.0	5.0	5.0	5.0	5.0	6.0	6.0		49.60	=17	95.20	20	62.30		
		5152B	3.0	3.0	3.5	4.5	5.0	4.5	4.0	4.5	5.0	5.0	5.0		40.50	=27	135.70	26	107.60		
		205B	3.0	3.0	6.5	6.0	6.0	7.0	6.5	7.0	6.5	7.0	6.5		58.50	9	194.20	22	121.10		
		305B	3.0	3.0	5.0	4.0	5.0	5.0	5.0	4.5	5.0	4.5	5.0		45.00	26	239.20	24	157.70		
		405B	3.0	3.0	6.0	7.5	7.5	5.0	7.0	7.0	6.0	7.0	6.0		60.00	7	299.20	21	181.40		
1	22	中 秀太郎									カ シュウタロウ 石川DC										
		105B	3.0	2.4	7.5	7.5	6.5	7.0	6.5	7.5	7.0	7.5	7.0		51.60	20	51.60	20	24.90	296.25	
		107C	3.0	2.8	4.5	5.5	4.0	5.5	5.5	4.5	5.0	4.5	5.0		42.00	21	93.60	22	63.90		
		205B	3.0	3.0	5.0	5.0	5.0	5.5	4.5	5.5	5.5	5.5	5.5		46.50	23	140.10	22	103.20		
		305B	3.0	3.0	5.0	5.5	5.5	5.0	5.5	6.0	5.5	6.0	5.5		49.50	=19	189.60	23	125.70		
		405C	3.0	2.7	6.5	6.0	6.5	7.0	6.0	6.5	6.5	6.5	6.5		52.65	=17	242.25	22	154.65		
		5152B	3.0	3.0	5.5	5.5	6.0	6.0	6.5	6.0	6.0	6.0	6.0		54.00	=19	296.25	22	184.35		
24	23	小林 和真									コハヤシ カズマ 茗水会										
		405B	3.0	3.0	5.5	4.5	5.0	3.0	5.0	5.5	5.0	5.5	5.0		45.00	=26	45.00	=26	31.50	295.80	
		205B	3.0	3.0	4.0	3.5	4.0	4.0	4.0	3.5	3.5	3.5	3.5		34.50	30	79.50	28	78.00		
		5337D	3.0	3.5	4.5	4.5	5.0	5.0	5.0	5.5	3.5	5.5	3.5		50.75	17	130.25	28	113.05		
		307C	3.0	3.5	4.5	4.0	4.5	5.5	5.0	5.5	4.0	5.5	4.0		49.00	22	179.25	28	136.05		
		107B	3.0	3.1	5.5	7.0	6.5	6.5	6.5	5.5	7.5	5.5	7.5		60.45	10	239.70	23	157.20		
		5154B	3.0	3.4	5.5	6.0	5.0	5.0	5.5	6.0	5.5	6.0	5.5		56.10	16	295.80	23	184.80		
26	24	荒木 宥図									アラキ ユウト 長岡DC										
		5152B	3.0	3.0	5.5	6.0	6.0	5.0	5.5	5.5	6.0	5.5	6.0		51.00	21	51.00	21	25.50	286.60	
		107B	3.0	3.1	3.5	4.0	3.0	4.5	3.0	4.0	4.0	4.0	4.0		35.65	28	86.65	25	70.85		
		5335D	3.0	2.9	7.5	8.0	7.5	8.0	7.5	7.5	7.5	7.5	7.5		65.25	4	151.90	18	91.40		
		205B	3.0	3.0	7.0	6.0	4.5	6.0	5.5	5.5	6.0	5.5	6.0		52.50	=16	204.40	19	110.90		
		305B	3.0	3.0	2.0	2.5	1.5	3.0	3.0	3.0	3.0	3.0	3.0		25.50	30	229.90	28	167.00		
		405C	3.0	2.7	7.0	7.0	7.0	7.0	7.5	7.5	7.0	7.5	7.0		56.70	14	286.60	24	194.00		
17	25	西川 友章									ニシカワ トモアキ 清陵情報										
		105B	3.0	2.4	7.5	7.5	7.5	8.0	7.5	7.5	8.0	7.5	8.0		54.00	=14	54.00	=14	22.50	286.40	
		5152B	3.0	3.0	5.0	5.0	5.5	6.5	5.0	5.0	5.0	5.0	5.0		45.00	20	99.00	=18	58.50		
		107B	3.0	3.1	5.0	4.0	4.0	6.0	3.5	5.0	6.0	5.0	6.0		43.40	26	142.40	21	100.90		
		305B	3.0	3.0	6.0	5.0	5.5	6.0	6.5	5.5	6.0	5.5	6.0		52.50	=16	194.90	20	120.40		
		205B	3.0	3.0	6.5	6.5	6.0	7.0	6.5	6.5	6.5	6.5	6.5		58.50	=12	253.40	18	143.50		
		405B	3.0	3.0	3.0	3.0	4.0	4.5	4.0	3.5	3.5	3.5	3.5		33.00	30	286.40	25	194.20		

第90回日本選手権水泳競技大会
飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2014/09/20
東京辰巳国際水泳場

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 25.0℃
水温 28.0℃
天候 晴れ

機械操作 小野寺 光喜
記録主任 山岸 勲

1 水尾 亨
2 坂田 芳寛
3 毒島 泰士
4 中村 小松
5 浅田 雅子
6 阿部 しげの
7 鈴木 羊子

1 河田 正英
2 安田 千万樹
3 小谷 理貴子
4 布村 隆
5 金戸 幸
6 畑岡 寿
7 湯浅 よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
4	26	野口 基勝									佐賀DC							
		107C	3.0	2.8	7.5	7.0	7.0	6.5	7.0	6.0	6.5		57.40	10	57.40	10	19.10	284.40
		305B	3.0	3.0	4.5	4.0	4.0	3.5	4.0	4.5	4.0		36.00	=26	93.40	23	64.10	
		405B	3.0	3.0	5.0	4.5	4.5	4.5	4.5	4.0	4.0		40.50	=27	133.90	27	109.40	
		205B	3.0	3.0	5.5	5.5	6.0	5.5	5.5	6.0	5.0		49.50	=19	183.40	26	131.90	
		5235D	3.0	2.8	7.0	7.0	6.5	6.5	6.5	6.0	6.5		54.60	14	238.00	25	158.90	
		5335D	3.0	2.9	6.0	5.5	4.0	5.0	5.5	5.5	4.5		46.40	26	284.40	26	196.20	
9	27	笠井 貴史									長岡DC							
		105B	3.0	2.4	7.5	7.0	7.0	6.5	7.0	6.5	6.5		49.20	24	49.20	24	27.30	281.40
		107C	3.0	2.8	4.0	5.0	4.0	5.0	4.5	4.0	4.0		35.00	29	84.20	26	73.30	
		205C	3.0	2.8	7.5	6.5	6.5	6.0	6.5	5.5	6.5		54.60	11	138.80	24	104.50	
		305C	3.0	2.8	4.5	5.5	6.0	5.5	6.0	5.5	5.5		46.20	24	185.00	25	130.30	
		405C	3.0	2.7	6.0	7.0	7.0	6.5	6.5	6.0	6.5		52.65	=17	237.65	26	159.25	
		5333D	3.0	2.5	6.0	6.0	5.5	5.0	5.5	6.0	6.0		43.75	27	281.40	27	199.20	
3	28	岡島 太一									日本体育大学							
		107B	3.0	3.1	5.5	5.5	6.0	5.5	7.0	6.5	6.5		55.80	=12	55.80	=12	20.70	272.20
		5154B	3.0	3.4	4.0	4.0	4.0	3.5	4.0	3.5	3.5		39.10	23	94.90	21	62.60	
		205B	3.0	3.0	4.5	5.5	6.0	6.0	5.0	5.5	5.0		48.00	21	142.90	19	100.40	
		305B	3.0	3.0	4.5	3.5	5.0	5.0	5.0	5.0	5.5		45.00	25	187.90	24	127.40	
		407C	3.0	3.4	5.0	3.5	4.5	5.5	4.5	5.5	5.0		49.30	21	237.20	27	159.70	
		5235D	3.0	2.8	4.0	4.5	4.0	3.0	3.5	6.0	5.0		35.00	29	272.20	28	208.40	
8	29	佐藤 竜馬									常葉大学							
		107C	3.0	2.8	4.0	4.0	4.0	4.0	5.0	4.5	5.5		35.00	28	35.00	28	41.50	261.75
		205B	3.0	3.0	4.5	4.5	4.0	3.5	4.5	4.0	4.5		39.00	24	74.00	29	83.50	
		305B	3.0	3.0	5.5	4.5	5.0	4.0	4.0	5.0	5.5		43.50	=24	117.50	29	125.80	
		5335D	3.0	2.9	6.0	6.0	6.5	6.0	5.5	6.0	6.0		52.20	18	169.70	29	145.60	
		5235D	3.0	2.8	5.5	5.0	5.0	5.5	6.0	6.5	5.0		44.80	27	214.50	29	182.40	
		405C	3.0	2.7	6.5	6.0	6.5	5.5	5.5	6.0	5.5		47.25	25	261.75	29	218.85	
10	30	南原 佑哉									日本体育大学							
		105B	3.0	2.4	5.0	4.0	4.0	4.0	4.0	4.0	4.0		28.80	30	28.80	30	47.70	191.85
		5152B	3.0	3.0	4.0	4.0	3.5	5.5	4.0	4.0	5.0		36.00	=26	64.80	30	92.70	
		205B	3.0	3.0	1.0	1.5	1.5	0.5	0.5	0.5	0.5		6.00	30	70.80	30	172.50	
		305B	3.0	3.0	3.0	2.5	3.5	4.0	3.5	3.5	3.5		31.50	29	102.30	30	213.00	
		107B	3.0	3.1	3.5	3.5	4.0	3.5	3.5	3.5	4.0		32.55	29	134.85	30	262.05	
		405B	3.0	3.0	6.5	7.0	6.5	6.0	6.0	6.5	6.0		57.00	13	191.85	30	288.75	

第90回日本選手権水泳競技大会
飛込競技

採点詳細

男子 3m 飛板飛込 予選

開催日 2014/09/20
東京辰巳国際水泳場

審判長 谷内 寛

審判団(A) 3Round

審判団(B) 3Round

制限選択飛回数 0回
自由選択飛回数 6回
難易率合計 以内
気温 25.0℃
水温 28.0℃
天候 晴れ

機械操作 小野寺 光喜
記録主任 山岸 勲

1 水尾 亨
2 坂田 芳寛
3 毒島 泰士
4 中村 小松
5 浅田 雅子
6 阿部 しげの
7 鈴木 羊子

1 河田 正英
2 安田 千万樹
3 小谷 理貴子
4 布村 隆
5 金戸 幸
6 畑岡 寿
7 湯浅 よしの

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
7	棄権	萩田 拓馬									ハキタ タカマ										
											静岡ビル保善										