

第90回日本選手権水泳競技大会  
飛込競技

採点詳細  
男子 3m 飛板飛込 決勝

開催日 2014/09/20  
東京辰巳国際水泳場

審判長 木村 勉

審判団

制限選択飛回数 0回  
自由選択飛回数 6回  
難易率合計 以内  
気温 25.0℃  
水温 28.0℃  
天候 晴れ

機械操作 小野寺 光喜  
記録主任 山岸 勲

1 金戸 幸  
2 安田 千万樹  
3 小谷 理貴子  
4 河田 正英  
5 坂田 芳寛  
6 毒島 泰士  
7 畑岡 寿

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.
12	1	寺内 健									テラウチ ケン ミキハウス							
		205B	3.0	3.0	3.0	9.0	8.5	8.5	8.5	8.5	8.5		76.50	2	76.50	2	1.00	494.45
		305B	3.0	3.0	3.0	8.5	9.5	9.0	9.5	9.0	9.0		82.50	2	159.00	1		
		5353B	3.0	3.3	3.3	8.5	8.5	9.0	9.0	8.5	9.0		87.45	1	246.45	1		
		405B	3.0	3.0	3.0	9.0	9.5	9.0	8.5	9.0	9.0		81.00	=1	327.45	1		
		5154B	3.0	3.4	3.4	8.5	8.5	8.0	8.0	8.0	8.0		83.30	2	410.75	1		
		107B	3.0	3.1	3.1	9.0	8.0	9.0	9.5	8.5	9.0		83.70	2	494.45	1		
11	2	坂井 丞									カイ ショウ 日本体育大学							
		405B	3.0	3.0	3.0	8.5	7.5	8.5	8.0	8.0	8.0		73.50	3	73.50	3	4.00	486.30
		305B	3.0	3.0	3.0	9.5	9.5	9.0	9.0	9.5	9.5		84.00	1	157.50	2	1.50	
		107B	3.0	3.1	3.1	8.0	8.0	8.0	8.0	8.0	8.0		74.40	2	231.90	2	14.55	
		205B	3.0	3.0	3.0	9.0	9.0	8.5	9.0	8.5	9.0		81.00	=1	312.90	2	14.55	
		307C	3.0	3.5	3.5	8.5	8.5	8.5	9.0	8.0	8.5		89.25	1	402.15	2	8.60	
		5353B	3.0	3.3	3.3	8.0	8.0	8.5	8.5	8.5	9.0		84.15	1	486.30	2	8.15	
4	3	長谷川 英治									ハセガワ エイジ 日本体育大学							
		5152B	3.0	3.0	3.0	8.0	8.0	7.5	8.0	8.0	8.0		72.00	5	72.00	5	5.50	396.65
		107B	3.0	3.1	3.1	6.5	6.5	6.5	6.0	7.5	6.5		60.45	9	132.45	8	26.55	
		205B	3.0	3.0	3.0	7.5	7.5	7.0	7.5	7.0	8.0		66.00	7	198.45	6	48.00	
		305B	3.0	3.0	3.0	7.5	7.0	7.0	6.0	7.0	7.5		64.50	=7	262.95	5	64.50	
		405B	3.0	3.0	3.0	6.0	5.5	5.5	6.0	6.5	7.0		55.50	10	318.45	6	92.30	
		5154B	3.0	3.4	3.4	7.5	8.0	7.5	7.5	8.5	8.0		78.20	3	396.65	3	97.80	
9	4	新良貴 優									シラキ スグル 福山平成大学							
		107B	3.0	3.1	3.1	8.0	7.5	7.0	7.5	8.0	8.0		71.30	6	71.30	6	6.20	394.20
		205B	3.0	3.0	3.0	6.5	6.5	7.0	7.5	7.0	7.0		63.00	=7	134.30	6	24.70	
		307C	3.0	3.5	3.5	5.5	5.0	4.5	5.5	5.0	5.0		54.25	10	188.55	8	57.90	
		405B	3.0	3.0	3.0	7.5	7.5	7.5	7.5	7.5	7.5		67.50	5	256.05	6	71.40	
		5154B	3.0	3.4	3.4	6.0	6.0	5.5	6.5	7.0	6.5		62.90	6	318.95	5	91.80	
		5337D	3.0	3.5	3.5	7.0	8.0	7.5	7.5	6.5	6.5		75.25	4	394.20	4	100.25	
2	5	千歩 純一									センブ ジュンイチ 日本体育大学							
		205B	3.0	3.0	3.0	7.0	7.5	7.5	7.5	7.5	7.0		67.50	=7	67.50	=7	10.00	385.40
		405B	3.0	3.0	3.0	8.0	7.5	8.0	7.0	8.0	7.5		70.50	3	138.00	4	21.00	
		107B	3.0	3.1	3.1	7.5	7.0	7.0	7.0	7.0	7.0		65.10	=8	203.10	5	43.35	
		5152B	3.0	3.0	3.0	8.0	7.0	7.5	7.5	7.0	7.0		64.50	=7	267.60	4	59.85	
		305B	3.0	3.0	3.0	7.0	6.0	6.5	6.0	6.5	7.0		60.00	8	327.60	4	83.15	
		407C	3.0	3.4	3.4	5.0	5.0	6.5	6.0	5.5	6.0		57.80	9	385.40	5	109.05	

第90回日本選手権水泳競技大会  
飛込競技

採点詳細  
男子 3m 飛板飛込 決勝

開催日 2014/09/20  
東京辰巳国際水泳場

審判長 木村 勉

審判団

制限選択飛回数 0回  
自由選択飛回数 6回  
難易率合計 以内  
気温 25.0℃  
水温 28.0℃  
天候 晴れ

機械操作 小野寺 光喜  
記録主任 山岸 勲

1 金戸 幸  
2 安田 千万樹  
3 小谷 理貴子  
4 河田 正英  
5 坂田 芳寛  
6 毒島 泰士  
7 畑岡 寿

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
6	6	池田 匠見									イカダ ショウケン 日本大学								
		405B	3.0	3.0	3.0	7.5	8.0	7.0	7.5	8.0	7.5 7.5		67.50	=7	67.50	=7	10.00	381.20	
		107B	3.0	3.1	7.5	8.0	7.0	7.0	7.5	7.5	7.0		68.20	4	135.70	5	23.30		
		205B	3.0	3.0	8.0	7.5	6.5	6.0	7.5	7.5	7.5		67.50	6	203.20	4	43.25		
		305B	3.0	3.0	5.0	4.5	4.5	4.0	5.0	4.5	5.0		42.00	=11	245.20	10	82.25		
		5154B	3.0	3.4	6.5	6.5	6.5	6.5	7.0	7.0	6.5		66.30	5	311.50	8	99.25		
		407C	3.0	3.4	7.0	7.5	7.0	7.5	6.5	6.0	6.5		69.70	5	381.20	6	113.25		
8	7	安永 元樹									ヤスカ ゲンキ 和歌山DC								
		5152B	3.0	3.0	7.5	6.5	7.0	8.0	7.5	7.5	7.0		66.00	9	66.00	9	11.50	380.20	
		107B	3.0	3.1	4.5	4.5	4.5	4.5	5.0	4.5	5.0		41.85	12	107.85	11	51.15		
		405B	3.0	3.0	8.0	8.0	7.0	7.5	7.5	7.5	8.0		69.00	=4	176.85	10	69.60		
		205B	3.0	3.0	8.5	7.0	7.5	8.0	7.5	8.0	7.5		69.00	4	245.85	9	81.60		
		305B	3.0	3.0	8.0	7.5	8.0	8.0	8.0	8.5	8.0		72.00	3	317.85	7	92.90		
		5335D	3.0	2.9	6.5	7.5	7.0	7.5	7.0	7.5	7.0		62.35	=7	380.20	7	114.25		
3	8	関口 大輝									セキチ ヒロキ 日本体育大学								
		5152B	3.0	3.0	7.0	7.0	6.5	6.0	7.0	7.0	6.5		61.50	10	61.50	10	16.00	361.80	
		205B	3.0	3.0	7.0	7.5	7.0	7.0	7.5	7.0	7.0		63.00	=7	124.50	9	34.50		
		107B	3.0	3.1	7.0	7.0	7.0	6.5	7.5	7.5	7.0		65.10	=8	189.60	7	56.85		
		305B	3.0	3.0	6.5	6.0	6.5	6.5	6.5	6.5	6.5		58.50	10	248.10	8	79.35		
		405B	3.0	3.0	6.5	6.5	6.5	7.0	6.5	6.5	6.5		58.50	9	306.60	9	104.15		
		105B	3.0	2.4	8.0	7.5	7.5	7.5	8.5	7.5	8.5		55.20	10	361.80	8	132.65		
7	9	長谷川 寛人									ハカワ ヒロト 長岡DC								
		107B	3.0	3.1	8.0	8.5	7.5	7.0	8.5	7.5	8.0		72.85	4	72.85	4	4.65	355.05	
		205B	3.0	3.0	6.0	5.5	6.5	7.0	6.5	7.0	7.5		60.00	10	132.85	7	26.15		
		305B	3.0	3.0	5.5	5.5	5.0	6.0	6.5	6.5	6.0		52.50	11	185.35	9	61.10		
		5154B	3.0	3.4	6.5	6.0	6.0	7.0	7.0	6.5	6.5		66.30	6	251.65	7	75.80		
		407C	3.0	3.4	3.5	4.5	3.5	3.5	3.0	4.0	4.0		37.40	12	289.05	10	121.70		
		405B	3.0	3.0	7.0	7.0	7.5	7.0	8.0	7.5	7.5		66.00	6	355.05	9	139.40		
10	10	須山 晴貴									スヤマ ハルキ 松江DC								
		107B	3.0	3.1	8.5	8.5	8.0	8.5	8.0	8.0	8.5		77.50	1	77.50	1		344.35	
		5154B	3.0	3.4	6.5	6.5	6.0	7.0	6.0	6.0	6.5		64.60	6	142.10	3	16.90		
		205B	3.0	3.0	8.0	8.0	7.0	8.5	7.5	8.0	7.0		70.50	3	212.60	3	33.85		
		305B	3.0	3.0	8.0	8.0	7.5	7.5	8.0	7.5	8.0		70.50	3	283.10	3	44.35		
		5337D	3.0	3.5	5.5	5.5	6.0	6.5	6.0	6.5	5.5		61.25	7	344.35	3	66.40		
		407C	3.0	3.4									Fault	12	344.35	10	150.10		

第90回日本選手権水泳競技大会  
飛込競技

採点詳細

男子 3m 飛板飛込 決勝

開催日 2014/09/20  
東京辰巳国際水泳場

審判長 木村 勉

審判団

制限選択飛回数 0回  
自由選択飛回数 6回  
難易率合計 以内  
気温 25.0℃  
水温 28.0℃  
天候 晴れ

機械操作 小野寺 光喜  
記録主任 山岸 勲

1 金戸 幸  
2 安田 千万樹  
3 小谷 理貴子  
4 河田 正英  
5 坂田 芳寛  
6 毒島 泰士  
7 畑岡 寿

演技順	順位	氏名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	所 属	(6)	(7)	Pen.	Dv.P.	Dv.R.	Ov.P.	Ov.R.	P.B.	T.P.	
5	11	遠藤 正人									日本体育大学										
		107B	3.0	3.1	5.5	5.5	6.0	5.5	6.5	6.5	6.5	5.5	5.5		52.70	11	52.70	11	24.80	341.55	
		5152B	3.0	3.0	6.5	6.0	6.0	6.0	6.0	6.0	5.5	5.5			54.00	11	106.70	12	52.30		
		405B	3.0	3.0	8.0	8.0	6.5	7.5	8.0	7.5	7.5	7.5			69.00	=4	175.70	11	70.75		
		205B	3.0	3.0	6.5	6.0	6.5	7.0	6.5	7.0	7.0	7.0			60.00	9	235.70	11	91.75		
		305B	3.0	3.0	4.5	4.0	4.0	5.0	5.5	5.0	5.0	6.0			43.50	11	279.20	11	131.55		
		5335D	3.0	2.9	7.0	7.5	7.0	6.5	6.5	6.5	7.5	7.5			62.35	=7	341.55	11	152.90		
1	12	池田 昂希									天理大学										
		403B	3.0	2.1	7.5	7.5	8.0	7.5	8.0	8.0	8.5	8.0			49.35	12	49.35	12	28.15	315.50	
		107B	3.0	3.1	6.5	7.0	7.5	7.0	7.0	7.5	7.5	7.5			66.65	5	116.00	10	43.00		
		205B	3.0	3.0	5.0	4.5	6.0	5.5	5.0	5.0	5.0	5.0			45.00	12	161.00	12	85.45		
		305B	3.0	3.0	4.5	4.5	4.0	5.0	3.5	5.5	6.5	6.5			42.00	=11	203.00	12	124.45		
		405B	3.0	3.0	7.0	7.0	8.0	7.5	8.0	8.0	7.5	7.5			69.00	4	272.00	12	138.75		
		5152B	3.0	3.0	4.5	5.0	5.0	3.5	5.0	5.5	4.5	4.5			43.50	11	315.50	12	178.95		