

第94回日本高等学校選手権水泳競技大会
飛込競技

採点詳細
男子 3m 飛板飛込 決勝

開催日 2026/08/18

開始時間 15 : 00

Referee 中川 真依

Asst. Ref 中島 勝司

Rec Cheif 山崎 雅夫

Judges (A) 5Round

1 泉 公平
2 川崎 勇太
3 増田 圭亮
4 木綿 薫
5 阿部 しげの
6 山田 立
7 服部 健一

Judges (B) 5Round

1 和田 守弘
2 湯浅 よしの
3 増田 圭亮
4 木綿 薫
5 瓦井 健二
6 山田 立
7 水島 豊

制限選択飛回数 5回
難易度合計 0.0以内
自由選択飛回数 5回
気温 27.3℃
水温 28.0℃
天候 晴れ

演技順	順位	氏 名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.
12	1	柳 聖真						ユ	ソジツン				東京韓国学校						
		103 B	3m	1.6	7.0	8.5	8.5	8.0	7.5	8.5	8.0		39.20	4	39.20	4		8.05	522.85
		5132 D	3m	2.1	7.5	7.5	8.0	7.5	8.0	7.5	8.5		48.30	1	87.50	1			
		301 B	3m	1.9	7.0	8.0	8.0	7.5	7.0	7.0	7.0		40.85	=2	128.35	1			
		201 B	3m	1.8	7.5	7.0	7.5	7.0	7.5	7.0	7.5		39.60	7	167.95	2		0.45	
		403 B	3m	2.1	7.5	7.0	8.0	7.5	8.5	7.5	7.5		47.25	2	215.20	1			
		107 B	3m	3.1	7.0	5.5	6.0	5.5	5.5	5.5	5.5		51.15	5	266.35	2		0.05	
		5152 B	3m	3.0	7.5	8.0	6.5	7.0	7.0	7.5	7.5		66.00	1	332.35	1			
		305 B	3m	3.0	7.5	7.5	7.5	7.0	7.0	6.5	6.5		64.50	1	396.85	1			
		205 B	3m	3.0	7.0	5.5	6.0	6.5	6.0	5.0	6.5		55.50	4	452.35	1			
		405 B	3m	3.0	7.5	7.5	7.0	8.0	8.0	8.0	8.0		70.50	1	522.85	1			
10	2	北村 応吏						キムラ	ナリ			佐賀県立致遠館高校							
		103 B	3m	1.6	8.0	9.0	8.0	8.5	8.5	8.5	7.5		40.00	3	40.00	3		7.25	482.25
		201 B	3m	1.8	7.0	7.0	6.0	7.0	6.5	6.5	6.5		36.00	7	76.00	5		11.50	
		301 B	3m	1.9	6.5	6.5	6.5	6.5	7.5	7.0	6.5		37.05	=6	113.05	6		15.30	
		5132 D	3m	2.1	6.0	6.5	6.5	6.5	6.5	5.5	6.5		40.95	6	154.00	5		14.40	
		403 B	3m	2.1	8.0	7.5	8.0	8.5	8.0	8.0	7.0		50.40	1	204.40	5		10.80	
		107 B	3m	3.1	6.5	6.5	7.0	6.5	7.0	6.5	7.5		62.00	1	266.40	1			
		205 B	3m	3.0	5.5	5.0	4.0	4.5	5.0	5.0	4.0		43.50	8	309.90	2		22.45	
		5152 B	3m	3.0	5.5	6.0	6.0	6.5	6.0	6.5	6.0		54.00	3	363.90	2		32.95	
		305 B	3m	3.0	7.5	7.0	7.0	7.0	7.0	7.0	6.5		63.00	2	426.90	2		25.45	
		405 C	3m	2.7	6.0	6.5	6.5	7.0	7.0	7.5	7.5		55.35	=3	482.25	2		40.60	
7	3	猿田 煌大						カキ	コウタイ			横浜隼人高等学校							
		403 B	3m	2.1	8.0	6.5	7.5	7.5	7.5	7.5	7.0		47.25	1	47.25	1			461.60
		103 B	3m	1.6	7.0	6.5	7.5	7.0	7.0	7.5	6.5		33.60	10	80.85	3		6.65	
		201 B	3m	1.8	8.0	6.5	7.5	7.5	7.0	7.0	7.5		39.60	4	120.45	3		7.90	
		301 B	3m	1.9	7.0	8.0	8.0	8.0	7.5	7.5	8.0		44.65	3	165.10	3		3.30	
		5132 D	3m	2.1	6.5	7.0	7.5	6.5	7.0	7.0	7.0		44.10	=3	209.20	2		6.00	
		405 B	3m	3.0	6.0	6.0	5.5	6.0	5.5	5.5	5.0		51.00	6	260.20	3		6.20	
		107 C	3m	2.8	6.5	4.0	5.0	4.5	4.5	5.0	5.0		40.60	10	300.80	6		31.55	
		205 B	3m	3.0	5.0	5.5	5.5	6.0	5.0	5.5	5.0		48.00	6	348.80	6		48.05	
		305 C	3m	2.8	7.5	7.0	7.0	7.0	7.0	7.0	7.0		58.80	3	407.60	3		44.75	
		5152 B	3m	3.0	6.0	6.5	6.0	5.5	5.5	6.0	6.5		54.00	=6	461.60	3		61.25	
4	4	茶木 琉聖						チキ	ルイ			大分県立別府翔青高校							
		103 B	3m	1.6	7.5	8.0	7.5	8.0	6.5	7.0	7.0		35.20	6	35.20	6		12.05	461.05
		201 B	3m	1.8	7.0	7.5	7.5	8.0	7.0	8.0	7.0		39.60	6	74.80	7		12.70	
		301 B	3m	1.9	7.5	7.5	7.0	8.0	7.0	7.0	8.5		41.80	1	116.60	4		11.75	
		403 B	3m	2.1	7.5	7.0	7.0	7.5	7.0	7.0	7.0		44.10	=4	160.70	4		7.70	
		5132 D	3m	2.1	7.0	6.5	7.5	6.5	7.0	7.0	7.0		44.10	=3	204.80	4		10.40	
		107 C	3m	2.8	6.0	6.5	6.0	5.5	6.0	6.0	5.0		50.40	=7	255.20	5		11.20	
		5152 B	3m	3.0	6.5	6.0	5.5	6.0	5.5	5.5	6.0		52.50	6	307.70	3		24.65	
		205 C	3m	2.8	6.5	6.5	6.5	7.0	6.5	6.5	7.0		54.60	2	362.30	3		34.55	
		305 C	3m	2.8	5.0	5.0	5.0	5.5	5.5	5.0	6.0		43.40	11	405.70	4		46.65	
		405 C	3m	2.7	7.0	7.0	6.5	7.5	7.0	6.5	6.5		55.35	=3	461.05	4		61.80	

第94回日本高等学校選手権水泳競技大会
飛込競技

採点詳細
男子 3m 飛板飛込 決勝

開催日 2026/08/18

開始時間 15 : 00

Referee 中川 真依

Asst. Ref 中島 勝司

Rec Cheif 山崎 雅夫

Judges (A) 5Round

1 泉 公平
2 川崎 勇太
3 増田 圭亮
4 木綿 薫
5 阿部 しげの
6 山田 立
7 服部 健一

Judges (B) 5Round

1 和田 守弘
2 湯浅 よしの
3 増田 圭亮
4 木綿 薫
5 瓦井 健二
6 山田 立
7 水島 豊

制限選択飛回数 5回
難易度合計 0.0以内
自由選択飛回数 5回
気温 27.3℃
水温 28.0℃
天候 晴れ

演技順	順位	氏 名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	所 属	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.
11	5	伴 和真						バン	カス'マ				関西高等学校							
		103 B	B	3m	1.6	7.0	6.5	7.0	5.5	5.5	6.5	6.5			31.20	=8	31.20	=8	16.05	459.30
		5132 D	D	3m	2.1	6.5	7.0	7.0	7.0	7.0	7.5	7.0			44.10	=2	75.30	6	12.20	
		301 B	B	3m	1.9	6.0	6.5	6.0	6.5	6.5	6.5	6.5			37.05	=6	112.35	7	16.00	
		201 B	B	3m	1.8	6.0	6.0	6.0	6.0	5.5	6.5	6.0			32.40	12	144.75	=8	23.65	
		403 B	B	3m	2.1	7.0	7.0	6.5	7.5	6.5	7.0	7.5			44.10	=3	188.85	8	26.35	
		5152 B	B	3m	3.0	6.0	6.5	5.5	6.0	6.0	7.0	6.5			55.50	3	244.35	8	22.05	
		107 B	B	3m	3.1	6.0	6.5	6.5	6.0	6.5	6.5	6.5			60.45	3	304.80	4	27.55	
		305 B	B	3m	3.0	5.5	5.0	5.0	5.5	5.0	6.0	5.0			46.50	7	351.30	4	45.55	
		205 B	B	3m	3.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0			54.00	5	405.30	5	47.05	
		405 B	B	3m	3.0	6.5	6.0	5.5	5.5	6.0	7.0	6.0			54.00	=6	459.30	5	63.55	
1	6	櫻井 響樹						サライ	ビ'キ				帝京長岡高等学校							
		103 B	B	3m	1.6	5.5	5.5	5.0	5.5	6.0	6.0	6.0			27.20	11	27.20	11	20.05	438.70
		201 B	B	3m	1.8	6.5	6.5	6.5	6.5	6.0	6.0	7.0			35.10	=8	62.30	11	25.20	
		301 B	B	3m	1.9	6.5	6.0	7.0	6.5	7.0	6.0	6.5			37.05	=6	99.35	10	29.00	
		403 B	B	3m	2.1	7.0	8.0	7.5	7.5	7.5	7.5	6.0			47.25	=1	146.60	7	21.80	
		5132 D	D	3m	2.1	7.5	7.0	7.0	7.0	6.5	6.5	7.0			44.10	=3	190.70	6	24.50	
		107 C	C	3m	2.8	7.5	6.0	7.0	7.0	6.5	6.5	7.5			57.40	2	248.10	6	18.30	
		5152 B	B	3m	3.0	6.0	6.5	6.0	6.0	6.0	6.0	6.5			54.00	4	302.10	5	30.25	
		205 C	C	3m	2.8	6.0	6.0	5.5	5.5	5.5	6.0	6.5			49.00	5	351.10	5	45.75	
		305 C	C	3m	2.8	5.0	4.0	3.5	4.0	4.0	4.5	3.5			33.60	12	384.70	8	67.65	
		405 B	B	3m	3.0	7.0	6.0	5.5	6.0	6.0	5.5	6.0			54.00	=6	438.70	6	84.15	
6	7	金箱 琉海						カハ'コ	ル				東邦高等学校							
		103 B	B	3m	1.6	7.0	8.0	8.0	8.0	7.0	6.5	7.5			36.00	5	36.00	5	11.25	436.85
		201 B	B	3m	1.8	6.0	5.5	5.5	5.5	5.0	5.5	6.0			29.70	12	65.70	9	21.80	
		301 B	B	3m	1.9	8.0	7.0	6.5	7.5	7.5	7.0	7.0			40.85	=2	106.55	8	21.80	
		403 B	B	3m	2.1	6.0	5.0	6.0	5.5	6.0	6.0	6.0			37.80	10	144.35	10	24.05	
		5132 D	D	3m	2.1	5.5	5.0	5.5	5.0	4.5	5.5	5.0			32.55	12	176.90	11	38.30	
		205 C	C	3m	2.8	5.5	6.0	6.0	5.5	5.5	5.5	6.0			47.60	10	224.50	11	41.90	
		305 C	C	3m	2.8	7.5	7.5	7.5	7.0	7.5	7.0	7.0			61.60	2	286.10	9	46.25	
		405 C	C	3m	2.7	6.0	7.0	6.0	6.0	7.0	6.5	6.0			49.95	4	336.05	7	60.80	
		107 C	C	3m	2.8	5.5	6.0	6.0	6.5	6.0	6.5	5.0			50.40	9	386.45	7	65.90	
		5235 D	D	3m	2.8	6.0	6.0	6.0	5.5	6.5	6.5	5.5			50.40	9	436.85	7	86.00	
8	8	石沢 遥斗						イザ'ワ	ハルト				帝京長岡高等学校							
		103 B	B	3m	1.6	8.5	7.5	8.5	8.5	9.0	8.0	8.5			40.80	2	40.80	2	6.45	433.45
		201 B	B	3m	1.8	8.0	7.5	8.0	7.5	7.5	7.5	8.0			41.40	4	82.20	2	5.30	
		301 B	B	3m	1.9	7.0	7.0	7.0	6.5	6.5	6.5	7.5			38.95	5	121.15	2	7.20	
		403 B	B	3m	2.1	7.0	7.5	7.5	7.5	7.5	8.0	7.0			47.25	=1	168.40	1		
		5132 D	D	3m	2.1	7.0	5.5	6.0	6.0	4.5	6.0	7.0			37.80	=9	206.20	3	9.00	
		107 B	B	3m	3.1	6.0	5.5	5.5	5.0	5.0	5.0	6.0			49.60	9	255.80	4	10.60	
		5154 B	B	3m	3.4	4.5	3.5	3.5	3.5	3.5	4.5	4.0			37.40	11	293.20	7	39.15	
		205 B	B	3m	3.0	5.0	3.5	3.5	4.0	3.5	3.0	3.5			31.50	10	324.70	9	72.15	
		405 B	B	3m	3.0	7.5	8.0	8.0	8.0	8.5	8.0	8.0			72.00	1	396.70	6	55.65	
		307 C	C	3m	3.5	4.0	4.0	3.5	3.0	3.5	3.0	3.5			36.75	11	433.45	8	89.40	

第94回日本高等学校選手権水泳競技大会
飛込競技

採点詳細
男子 3m 飛板飛込 決勝

開催日 2026/08/18

開始時間 15 : 00

Referee 中川 真依

Asst. Ref 中島 勝司

Rec Cheif 山崎 雅夫

Judges (A) 5Round

1 泉 公平
2 川崎 勇太
3 増田 圭亮
4 木綿 薫
5 阿部 しげの
6 山田 立
7 服部 健一

Judges (B) 5Round

1 和田 守弘
2 湯浅 よしの
3 増田 圭亮
4 木綿 薫
5 瓦井 健二
6 山田 立
7 水島 豊

制限選択飛回数 5回
難易度合計 0.0以内
自由選択飛回数 5回
気温 27.3℃
水温 28.0℃
天候 晴れ

演技順	順位	氏 名	Type	Height	DD	(1)	(2)	(3)	(4)	(5)	(6)	(7)	Pen.	Dv. P.	Dv. R.	Ov. P.	Ov. R.	P. B.	T. P.
5	9	廣富 諒						ヒロミ	リョウ		県立松江南高等学校								
		103 B	3m	1.6	7.0	7.5	7.5	8.5	7.0	7.0	7.0	7.0		34.40	7	34.40	7	12.85	432.65
		403 B	3m	2.1	6.5	6.5	7.0	7.5	7.0	7.0	7.5	7.5		44.10	=2	78.50	4	9.00	
		201 B	3m	1.8	6.5	6.5	7.5	7.0	6.0	6.5	7.5	7.5		36.00	10	114.50	5	13.85	
		301 B	3m	1.9	6.5	6.5	7.5	7.0	6.5	6.0	7.0	7.0		38.00	9	152.50	6	15.90	
		5132 D	3m	2.1	6.0	5.0	6.0	5.5	7.0	6.0	6.5	6.5		37.80	=9	190.30	7	24.90	
		205 C	3m	2.8	6.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5		54.60	4	244.90	7	21.50	
		305 C	3m	2.8	5.5	5.5	4.5	4.5	5.0	5.0	5.0	5.0		42.00	9	286.90	8	45.45	
		5152 B	3m	3.0	5.5	4.5	4.5	5.0	4.0	4.0	4.0	4.0		39.00	8	325.90	8	70.95	
		405 B	3m	3.0	5.0	6.0	5.5	6.0	6.5	6.0	5.5	5.5		52.50	6	378.40	9	73.95	
		107 B	3m	3.1	6.0	6.0	5.5	5.5	5.5	6.0	6.0	6.0		54.25	5	432.65	9	90.20	
3	10	二階堂 律						ニホトウ	リツ		高知県立高知海洋高等学校								
		103 B	3m	1.6	6.5	7.0	6.5	6.5	6.0	6.5	6.0	6.0		31.20	=8	31.20	=8	16.05	419.05
		201 B	3m	1.8	7.5	7.5	8.0	8.0	7.0	7.5	6.5	6.5		40.50	5	71.70	8	15.80	
		301 B	3m	1.9	6.0	6.5	5.0	5.5	6.0	6.0	6.0	6.0		34.20	=11	105.90	9	22.45	
		403 B	3m	2.1	6.5	5.0	6.0	7.0	6.0	6.0	7.0	7.0		38.85	8	144.75	=8	23.65	
		5231 D	3m	2.0	7.0	7.5	7.5	7.0	6.5	7.5	7.0	7.0		43.00	7	187.75	9	27.45	
		105 B	3m	2.4	6.5	6.5	6.0	6.0	6.0	6.5	6.5	6.5		45.60	11	233.35	9	33.05	
		205 C	3m	2.8	5.5	6.0	5.5	6.0	5.5	6.0	6.0	6.0		49.00	7	282.35	11	50.00	
		305 C	3m	2.8	4.5	4.0	3.0	3.0	3.5	4.0	3.0	3.0		29.40	12	311.75	11	85.10	
		405 C	3m	2.7	6.5	6.5	5.5	6.5	6.0	6.0	7.0	7.0		51.30	=7	363.05	11	89.30	
		5235 D	3m	2.8	6.5	6.5	6.5	7.5	7.0	5.5	7.0	7.0		56.00	2	419.05	10	103.80	
2	11	浜田 悠希						ハマダ	ユウキ		高知商業高等学校								
		103 B	3m	1.6	5.0	6.0	6.0	5.0	5.0	4.5	5.5	5.5		24.80	12	24.80	12	22.45	411.45
		201 B	3m	1.8	6.5	6.5	6.0	6.0	6.5	6.5	6.5	6.5		35.10	=8	59.90	12	27.60	
		301 B	3m	1.9	6.5	6.0	6.5	6.0	6.5	6.5	6.5	6.5		37.05	=6	96.95	12	31.40	
		403 B	3m	2.1	7.0	7.0	7.5	7.5	7.0	7.0	6.5	6.5		44.10	=4	141.05	11	27.35	
		5132 D	3m	2.1	6.5	6.0	6.5	6.0	6.0	6.5	6.5	6.5		39.90	8	180.95	10	34.25	
		105 B	3m	2.4	7.0	6.5	7.0	7.0	7.0	7.0	7.0	7.0		50.40	=7	231.35	10	35.05	
		205 C	3m	2.8	6.0	6.5	6.0	6.5	6.5	5.5	6.5	6.5		53.20	5	284.55	10	47.80	
		305 C	3m	2.8	4.0	3.0	4.0	3.5	4.0	3.5	3.0	3.0		30.80	11	315.35	10	81.50	
		405 C	3m	2.7	5.5	7.0	6.0	6.5	6.0	6.5	6.5	6.5		51.30	=7	366.65	10	85.70	
		5235 D	3m	2.8	6.0	5.0	5.5	5.5	5.0	5.0	5.5	5.5		44.80	10	411.45	11	111.40	
9	12	久保 彪						クベ	ヒル		鳳凰高等学校								
		103 B	3m	1.6	6.5	6.0	6.0	6.0	6.5	6.5	6.0	6.0		29.60	10	29.60	10	17.65	340.75
		201 B	3m	1.8	6.0	6.5	6.5	6.0	6.0	6.5	6.0	6.0		33.30	11	62.90	10	24.60	
		301 B	3m	1.9	6.0	6.5	6.0	6.0	5.5	6.0	6.0	6.0		34.20	=11	97.10	11	31.25	
		403 B	3m	2.1	6.0	6.5	5.5	5.0	5.0	5.5	5.5	5.5		34.65	11	131.75	12	36.65	
		5132 D	3m	2.1	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0		37.80	=9	169.55	12	45.65	
		5152 B	3m	3.0	5.5	5.0	5.0	4.5	4.5	4.5	5.5	5.5		43.50	12	213.05	12	53.35	
		107 B	3m	3.1	4.0	3.5	3.0	3.5	3.0	4.0	2.5	2.5		31.00	12	244.05	12	88.30	
		405 C	3m	2.7	5.0	4.5	4.0	4.0	4.5	4.5	4.0	4.0		35.10	9	279.15	12	117.70	
		205 C	3m	2.8	6.0	5.5	5.5	5.0	5.5	5.0	3.5	3.5		44.80	10	323.95	12	128.40	
		305 C	3m	2.8	1.5	2.0	2.0	1.5	2.0	2.5	2.0	2.0		16.80	12	340.75	12	182.10	